

# Brochure 2016



"I only go where I'm towed to"

# introducing the little guy

The Little Guy is an Australian made lightweight, compact camper-trailer designed to provide secure sleeping accommodation and extra carrying capacity. Weighing from only 350kg, Little Guy can be towed by most small cars, sleeps two people and is priced within the reach of most Australians.

## Little Guy, Big Versatility

The Little Guy is perfect for outdoor recreational activities such as camping, hiking, surfing, fishing, sporting events, trade and pet shows. It is warm and comfortable when sleeping and can be locked while you are away from your base. To accommodate additional luggage and equipment, roof racks and bike racks can be attached.

In addition, there are commercial applications for Little Guy such as a mobile signboard, equipment trailer and promotional stand.

## Preparation

There is no set up required with Little Guy. It is ready to use when you arrive at your destination. To back into tight spots just unhook, drop the third wheel, and Little Guy can be moved around with ease. There is no need for awkward, expensive trailer mirrors and when Little Guy is not in use it can be stored inside a garage.

## Features

The Little Guy has many features designed to make travel more enjoyable. The locking rear hatch, with its gas struts, opens to reveal a useful galley bench for the convenient preparation and serving of food. When you're done, the bench lifts up for additional storage space.

The large entry doors that are fitted with tinted, sliding glass windows and fly screens, provide easy access and ventilation. The tilt-up roof vent allows even more airflow.

The interior of the Little Guy includes an attractive overhead storage cabinet with doors and carpet throughout. The exterior is fitted with rear lights approved by the D.O.T including tail/stop lights, turning indicators, reflectors and a license plate light.

## Built to Last

The Little Guy is carefully constructed from high-quality materials that were selected for their low maintenance and longevity.

The frame is welded from 50mm x 75mm steel section and features a minimum 500kg ALKO rubber torsion axle resulting in stable tracking and smooth operation under any load conditions. The hitch features a 50mm coupling and includes safety chains. All this rugged construction rides on ample, 14" wheels for highway cruising. The brushed aluminium fenders add a quality touch to its styling.

The cabin of each unit is framed with laminated plywood and features 17mm plywood floor and 19mm walls assuring a long life. The exterior is laminated with attractive white fibreglass, making the unit easy to care for and impervious to the elements. The Little Guy features R-1.2 insulation in all the body cavities for protection from the elements.



"I only go where I'm towed to"

**models** & options  
**technical** specifications



"I only go where I'm towed to"



## Technical Specifications

### Deluxe

- Standard model weight 356kg
- Fully optioned weight 427kg
- Ball weight 38kg
- 500kg ALKO rubber torsion axle
- 14" alloy wheels
- 175/65 tyres
- 50mm x 75mm welded steel tube frame with black powder coated finish
- Fibreglass exterior panels
- Fully insulated to (R-1.2) rating
- Selection of graphic colours
- Patterned aluminium stone guard
- Locking left and right entry doors (65 x 81cm) with dead locks, tinted sliding glass and fly screens
- Rear locking hatch with 18kg gas struts
- Tail / stop lights, turning indicators, number plate light and reflectors approved by the D.O.T
- Tilt-open roof vent with fan
- 50mm coupling with safety chains
- Spare wheel included
- Front levelling jockey wheel that pivots
- Brushed aluminium fenders
- Fully carpeted interior
- Interior storage cabinet with lift up doors
- Rear galley bench with lift up panel for access to extra storage
- Floor space for 1200mm wide mattress (or approximately Double)

Specifications are subject to change without notice



"I only go where I'm towed to"



## Technical Specifications

### Deluxe Plus

- Standard model weight 390kg
- Fully optioned weight 500kg
- Ball weight 45kg
- 550kg ALKO rubber torsion axle
- 14" alloy wheels
- 175/65 tyres
- 50mm x 75mm welded steel tube frame with black powder coated finish
- Fibreglass exterior panels
- Fully insulated to (R-1.2) rating
- Selection of graphic colours
- Patterned aluminium stone guard
- Locking left and right entry doors (65 x 81cm) with dead locks, tinted sliding glass and fly screens
- Rear locking hatch with 18kg gas struts
- Tail / stop lights, turning indicators, number plate light and reflectors approved by the D.O.T
- Tilt-open roof vent with fan
- 50mm coupling with safety chains
- Spare wheel included
- Front levelling jockey wheel that pivots
- Brushed aluminium fenders
- Fully carpeted interior
- Interior storage cabinet with lift up doors
- Rear galley bench with lift up panel for access to extra storage
- Floor space for 1500mm wide mattress (or approximately Queen size)

Specifications are subject to change without notice



"I only go where I'm towed to"



## Technical Specifications

### Rough Rider

- Standard model weight 500kg
- Fully optioned weight 585kg
- Ball weight 64kg
- 750kg ALKO solid bar axle with leaf springs with shock absorbers
- 15" alloy wheels
- 235/75 tyres
- 50mm x 75mm welded steel tube frame with black powder coated finish
- Fibreglass exterior panels
- Fully insulated to (R-1.2) rating
- Selection of graphic colours
- Patterned aluminium stone guard
- Locking left and right entry doors (65 x 81cm) with dead locks, tinted sliding glass and fly screens
- Rear locking hatch with 18kg gas struts
- Tail / stop lights, turning indicators, number plate light and reflectors approved by the D.O.T
- Tilt-open roof vent with fan
- Treg off road coupling with safety chains
- A Frame platform
- Spare wheel included
- Front levelling jockey wheel that pivots
- Aluminium fenders
- Fully carpeted interior
- Interior storage cabinet with lift up doors
- Rear galley bench with lift up panel for access to extra storage
- Floor space for 1500mm wide mattress (or approximately Queen size)

Specifications are subject to change without notice



"I only go where I'm towed to"

## standard features

Galley Bench



Interior View of Cabinets



Under Bench Storage



Roof Vent with Fan



"I only go where I'm towed to"

# options

Galley Appliance Cabinet



Galley Appliance Cabinet with Fridge



Front Storage Cabinet



Custom Mattress - Double or Queen



240Volt Power Package:

External caravan plug  
Circuit breaker / safety switch  
Double power point in galley  
Double power point in cabin cabinet  
Two side entry plugs  
15amp socket  
Single power point in cabin cabinet

12Volt Power Package:

55amp hour sealed battery  
Battery charger  
Power outlet in galley  
Double power outlet in cabin  
Cabin ceiling light  
Cabin reading lights  
Galley light above bench  
Wired from trailer plug to battery



"I only go where I'm towed to"

# options

Side Mount Annex



Galley Annex



Galley Annex Side View



Air Conditioner



BBQ Bench and Bracket



60Ltr Water Tank Filler / Outlet



"I only go where I'm towed to"

## colour selection chart

Cardinal Red



Sandstone



Slate Grey



Yellow




Vivid Blue



Apple Green



Black



“I only go where I’m towed to”

## technical dimensions and specifications

	Deluxe	Deluxe Plus	Rough Rider
<b>Weight:</b>			
Standard Model	356kg	390kg	500kg
Fully Optioned Model	427kg	500kg	585kg
Ball Weight	38kg	45kg	64kg
Axle Specification	500kg	550kg	750kg
Wheel Rim Size	14"	14"	15"
Tyre Size	175/65	175/65	235/75
Frame	50 x 75mm	50 x 75mm	50 x 75mm
Coupling	50mm	50mm	TREG
<b>Outside Dimensions</b>			
Fender to Fender	1710mm	2010mm	2100mm
Ground to Vent Top	1690mm	1690mm	1755mm
Cabin Front to Rear	2440mm	2440mm	2525mm
Coupling to Bumper	3430mm	3430mm	3955mm
A Frame Platform			1470 x 400mm
<b>Inside Dimensions</b>			
Length - Maximum	2270mm	2270mm	2265mm
- Floor	1700mm	1700mm	2100mm
Width	1205mm	1515mm	1515mm
Height	1075mm	1075mm	1075mm
Maximum Stowing Length	2150mm	2200mm	2400mm
Roof Vent (Square)	280mm	280mm	280mm
<b>Annex</b>			
Height - Maximum	2500mm		
- Side Wall	1675mm		
Floor - Length	3050mm		
- Width	3050mm		
Awnings - Width	3050mm		
Cover	1675mm		
Material	1500 Polyester Oxford with HD Waterproofing & UV Coating		



"I only go where I'm towed to"