



**Product** Schedule 40 Plain End Solid Wall ABS DWV Pipe

**Project Information**

|                   |                           |
|-------------------|---------------------------|
| Job Name: _____   | Date Submitted: _____     |
| Location: _____   | Submitted by: _____       |
| Engineer: _____   | Approved by: _____        |
| Contractor: _____ | Manufacturer's Rep: _____ |

**Application Information**

For use for DWV applications only.

**Technical Data**

*Materials*

Acrylonitrile Butadiene Styrene

*Pressure Ratings*

DWV Only

*Temperature Ratings*

Max Operating Temperature: 150°F

**Codes**

Universal Plumbing Code (UPC)

International Plumbing Code (IPC)

**Standards**

ASTM D2661

**Listings**

IAPMO 10897

**Dimensional Information**

|  | Pipe Size  | Part Number | Dimensions |                     |              | Pieces Per Lift |
|--|------------|-------------|------------|---------------------|--------------|-----------------|
|  |            |             | O.D. (in)  | Nom. Pipe Size (in) | Weight (lbs) |                 |
|  | 1-1/2"×10' | 29-1510SW   | 1.900      | 1-1/2               | 3.6          | 259             |
|  | 1-1/2"×20' | 29-1520SW   | 1.900      | 1-1/2               | 7.2          | 259             |
|  | 2"×10'     | 29-210SW    | 2.375      | 2                   | 5            | 167             |
|  | 2"×20'     | 29-220SW    | 2.375      | 2                   | 10           | 167             |
|  | 3"×10'     | 29-310SW    | 3.5        | 3                   | 10           | 75              |
|  | 3"×20'     | 29-320SW    | 3.5        | 3                   | 20           | 75              |
|  | 4"×10'     | 29-410SW    | 4.5        | 4                   | 14           | 48              |
|  | 4"×20'     | 29-420SW    | 4.5        | 4                   | 28           | 48              |
|  | 6"×10'     | 29-610SW    | 6.625      | 6                   | 26           | 40              |
|  | 6"×20'     | 29-620SW    | 6.625      | 6                   | 52           | 40              |

