

Division of Pediatric Otolaryngology Scott M. Rickert MD, Acting Director 160 East 32<sup>nd</sup> Street, New York, NY 10016 212-263-0922 (office) / 646-501-5298 (fax)

## **ENDOSCOPIC SINUS SURGERY POST-OP INSTRUCTIONS**

## What should be expected following endoscopic sinus surgery?

- 1. Drainage from the nose may be seen for 3 to 4 days after surgery and could last up to a week. This drainage may initially have some bright red blood and progress to brownish streaked mucus. To help soak up this drainage, a moustache type dressing may be used. The first few days after surgery you may have to change the dressing several times.
- 2. Please keep your child from blowing the nose for two weeks after surgery to avoid irritating the area. Also, try to have your child sneeze with the mouth open, this may be more comfortable.
- 3. Crusting in and below the nostrils may be noted due to drainage from the nose after surgery. Washing the outside of the nose with warm soapy water should help remove the crusting.
- 4. Nasal stuffiness may also be noted until the lining of the nose heals. If severe stuffiness develops you may use any over- the- counter saline nasal spray your pharmacist suggests. Use two sprays on each side at least 4- 5 times per day.
- 5. All patients undergoing sinus surgery are uncomfortable for the first 2 to 3 days. Please use Tylenol (acetaminophen) every 4 hours as needed or Tylenol with codeine as prescribed by your physician.

## What are some reasons you should contact your doctor after surgery?

- 1. Continued bleeding beyond 7-10 days, or clear drainage from the nose that is present after 10 days.
- 2. Pain not relieved by Tylenol with codeine every 4 hours.
- 3. Because the sinuses are located near the eyes, some puffiness may be seen; however, if the swelling of the face or eyes increases, or if bruising occurs, notify the office immediately.
- 4. Any change in vision should be reported to our office immediately.
- 5. Headache complaints are normal the day of surgery and may be present for 1 to 2 days after. If the headache continues, please call the office.
- 6. A low grade fever 99-101 F is expected the first couple of days. Any fever over 102 F occurring before your scheduled follow-up office visit should be reported to the office.
- 7. Call if you have any questions or concerns.

## Are there any restrictions in activity after this procedure?

- 1. As mentioned above, please do not let your child blow his nose for two weeks after the procedure to let the area heal.
- 2. After the initial sinus surgery, your child should not participate in aggressive play (i.e. soccer, bike riding, swimming) for at least one week. After one week, you can let your child gradually increase activity. If no nasal bleeding occurs, you can continue to let your child do more activities. Most children are up to full activity after two weeks.
- If there is needed further cleaning (debridement) in the operating room, your child can resume normal activity very quickly. Please follow your physician's specific instructions regarding your child.