

MATERIAL SAFETY DATA SHEET**PRODUCT NAME:** FAUX BRICK RESIN**HAZARD RATING:** Least - 0 Slight - 1 Moderate - 2 High - 3 Extreme - 4

ACUTE HEALTH - 0 FIRE - 0 REACTIVITY - 0

SECTION 1. MANUFACTURERArtcrete, Inc.
5812 Highway 494
Natchitoches, LA 71457Emergency Telephone 800-424-9300
Information Telephone 318-379-2000**SECTION 2. HAZARDOUS INGREDIENTS IDENTITY INFORMATION**Chemical Name: Acrylic Resin Polymer (CAS Number: Proprietary)
Retarder (CAS Number: Mixture NA)

* Indicates toxic chemical(s) subject to the reporting requirements of Section 313 of Title III and of 40 CFR 372.

SECTION 3. PHYSICAL DATABoiling Range: 212 to 250 F
Vapor Density: Heavier than Air
Coating V.O.C.: 0.00 Lb./GL (0 G/L)
Solubility in Water: Not Soluble
Appearance and Odor: Clear to Light Yellow
Specific Gravity (H²O=1): 0.5
Evaporation Rate: Slower than Ether**SECTION 4. FIRE AND EXPLOSION HAZARD DATA**Flammability Classification: N/A
Flammable Limits: N/A
Flashpoint: N/A

Extinguishing Media:	Foam, CO ² , steam, water fog, dry chemicals
Unusual Fire and Explosion Hazards:	Closed containers may burst if exposed to heat or fire
Special Fire Fighting Procedures:	Water may be used to cool and protect exposed container(s). Fire fighters should use full protective clothing, eye protection and self-contained breathing apparatus (SCBA).

SECTION 5. HEALTH HAZARD DATA

Inhalation Health Risks and Symptoms of Exposure:	Irritation of the respiratory tract, prolonged exposure may lead to coughing, respiratory problems, pneumoconiosis.
Skin and Eye Contact Health Risks and Symptoms of Exposure:	Irritation of the skin
Skin Absorption Health Risks and Symptoms of Exposure:	Irritation of the Skin, Itching, Redness
Ingestion Health Risks and Symptoms of Exposure:	Ingestion may cause gastrointestinal disturbances.
Health Hazards (Acute and Chronic):	
Carcinogenicity:	Not Determined
NTP?:	No
IARC Monographs:	No
OSHA Regulated:	Yes
Medical Conditions Generally Aggravated by Exposure:	Eyes, skin, respiratory disorders, asthma-like conditions
Emergency and First Aid Procedures:	Flush skin with water, then wash thoroughly with soap and water. Remove contaminated clothing.

SECTION 6. REACTIVITY DATA

Stability:	Stable
Conditions to Avoid:	Strong acids, caustics, or oxidizing environments
Incompatibility (Materials to Avoid):	Oxidizers, acid, caustics
Hazardous Decomposition or By-Products:	Oxides of Carbon
Hazardous Polymerization:	Will not occur

SECTION 7. SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled: Remove all sources of ignition. That includes flames, hot surfaces, electric, static or friction sparks. Avoid breathing vapors. Ventilate area. Contain and remove with inert absorbent and non-sparking tools. Do not smoke when working with product. Do not pick up solution with automatic scrubber or wet pick-up vacuum.

Waste Disposal Method: Dispose of in accordance with State, Local and Federal Regulations. EPA hazardous waste classification is ignitable liquid. Incinerate in approved facility; do not incinerate in closed container. Do not dispose of in storm drains or waterways.

SECTION 8. PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: Comply with all applicable health and environmental regulations. Ventilate area.

Waste Disposal Method: Dispose of in accordance with all applicable regulations.

Precautions to be Taken in Handling and Storing: Store in a dry place. Keep below 110 F.

Other Precautions: Use adequate ventilation. Do not take internally. Keep Out of Reach of Children. Avoid Contact with Skin and Eyes. Avoid Breathing Vapors. Wash Hands Thoroughly After Each Use, Especially Before Eating or Smoking. Keep Container(s) Tightly Closed and Upright When Not in Use.

SECTION 9. CONTROL MEASURES

Respiratory Protection:	Use appropriate respirator protection for inhalable fumes when spraying or sanding.
Ventilation:	Should be Dust Free
Protective Gloves:	Rubber
Eye Protection:	Goggles
Other Protective Clothing or Equipment:	Eye wash, safety shower, safety glasses or goggles, impervious gloves, vapor respirator
Work/Hygienic Practice:	Wash with soap and water after each use.