

EZ LOADER

All Boat Trailers Are Not Created Equal



Innovation Made EZ

ONE COMPANY...ALL THE CHOICES.



EZ Loader Custom Illusion Series

EZ Loader has been building boat trailers since 1953. With 54 years experience in the Marine Industry, EZ Loader offers a diverse selection of boat trailers to satisfy your trailering needs. Whether you need adjustable, custom, aluminum, bunk, roller, painted or galvanized trailers, 'One Company' has all the choices you need! With over 30 national and international distribution locations, finding EZ Loader boat trailers or parts is a snap!

Our slogan is "Innovation made EZ", and we at EZ Loader take pride in being the leader in trailer innovation and engineering. With many patents, awards and a commitment to excellence, EZ Loader is the 'One Company' boat builders and boat owners alike choose time after time! Visit our website at www.ezloader.com and click on either Adjustable or Custom to view all the choices EZ Loader gives you!



**Model Featured
EZR 17-20 3100**

Some trailers pictured in this catalog are shown with optional equipment.



EZ Loader Boat Trailers is proud to feature quality components from these exceptional manufacturers.

options and exchanges

Visit our on-line parts store at www.ezloader.com



DISC BRAKE SYSTEM

NEW DISC BRAKE'S E-COATED CALIPERS RESIST CORROSION AND ADD ADDITIONAL PROTECTION IN TOUGH SALTWATER CONDITIONS.



ALUMINUM WHEEL

UPGRADE YOUR TRAILER WITH THESE HOT NEW ALUMINUM WHEELS.



HYDRAULIC DRUM BRAKES

EZ LOADER'S HYDRAULIC DRUM BRAKES ARE HOT-DIPPED GALVANIZED FOR ADDITIONAL PROTECTION AGAINST CORROSIVE ELEMENTS.



SWING TONGUE

NEW DESIGN. A PERFECT SOLUTION WHEN YOUR BOAT TRAILER IS TOO LONG FOR ITS STORAGE AREA. AVAILABLE ON MANY MODELS.



SPARE TIRE AND CARRIER

GET THE ADDITIONAL PEACE OF MIND WHILE TRAVELING WITH AN O.E.M. SPARE TIRE A--D CARRIER. MANY STYLES TO CHOOSE FROM.



FOOTED TONGUE JACK

HEAVY DUTY FOOTED TONGUE JACK PROVIDES A STRONG AND STURDY SOLUTION FOR HEAVIER TRAILER/TONGUE WEIGHT.



PVC LOAD GUIDES

STURDY EZ LOADER PVC LOAD GUIDES HELP DIRECT YOUR TRAILER DURING LAUNCHING AND GUIDE YOUR BOAT IN.



VERTICAL LOAD GUIDES

BUNK OR ROLLER VERTICAL LOAD GUIDES -- A PERFECT ASSIST FOR ADVERSE WATER & WEATHER CONDITIONS. AVAILABLE ON SELECT MODELS.



CHINE LOAD GUIDES

UNIQUE LOW PROFILE LOAD GUIDE SYSTEM CENTERS & PROTECTS BOAT DURING LAUNCHING & LOADING. AVAILABLE ON SELECT MODELS.



FIXED BUNK EXCHANGE

FOR BOATS THAT REQUIRE EXTRA SUPPORT ON SMALLER EZ LOADER BOAT TRAILERS. ASK YOUR DEALER IF YOUR MODEL APPLIES.



FIXED BUNK EXCHANGE ON Y-FRAME

EXTRA BOAT SUPPORT FOR Y-FRAME BOAT TRAILER MODELS. ASK YOUR DEALER IF YOUR MODEL APPLIES.



JON BOAT EXCHANGE

ADDS LONGER BUNKS AND A FORWARD CROSS BUNK TO GIVE EXTRA SUPPORT FOR JON BOATS AND OTHER FLAT BOTTOM BOATS.



BUNK LOAD GUIDES

WHEN THE GOING GETS ROUGH, LOAD GUIDES HELP YOU LAUNCH & LOAD NO MATTER WHAT THE WEATHER. AVAILABLE ON MOST MODELS.



T-BUNK LOAD GUIDE

A CONVENIENT MEDIUM-DUTY LOAD GUIDE THAT IS EASY TO INSTALL AND FITS MOST SMALL-TO-MEDIUM EZ LOADER BOAT TRAILERS.



CHROME AND CHROME/GOLD WHEELS

THE OPTIONAL CHROME OR TWO-TONE CHROME/GOLD WHEEL ADDS BEAUTY AND GLAMOR WHEREVER IT ROLLS.



FOUR BUNK EXCHANGE

REPLACES THE REGULAR TWO BUNK SYSTEM WITH A HEAVY-DUTY 3X4 FOUR BUNK PIVOTING SYSTEM FOR INCREASED SUPPORT.



FOUR BUNK OPTION

ADDS TWO ADDITIONAL, FULLY ADJUSTABLE BUNKS TO AN EXISTING TWO-BUNK SYSTEM. SHOWN WITH OPTIONAL CHANNEL GUIDE COVERS.



CHANNEL GLIDE BUNK COVERS

EZ LOADER COPOLYMER BUNK COVERS ATTACH OVER CARPETED BUNKS AND LET YOUR BOAT SLIDE ON & OFF THE TRAILER WITH EASE. recommended for aluminum boats only



BRAKE FLUSH KIT

HELP CLEAN BRAKE COMPONENTS WITH THIS HANDY FLUSH KIT. ATTACH A GARDEN HOSE & FLUSH! USEFUL IN SALTWATER ENVIRONMENTS.



INBOARD CROSSMEMBER EXCHANGE*

SPECIAL RECESSED CAGE HELPS PROTECT YOUR BOAT'S INBOARD SHAFT AND PROPELLER DURING LAUNCHING & LOADING.



OWNERS MANUAL

EZ LOADER'S OWNER'S MANUAL PROVIDES MAINTENANCE INSTRUCTIONS AND SAFETY TIPS. FREE TO ANY EZ LOADER OWNER.



KEEL PADS AND KEEL ROLLERS

FOR EXTRA PROTECTION, A SELECTION OF 4", 5", 8" AND 12" KEEL ROLLERS ARE AVAILABLE, AS WELL AS A VARIETY OF KEEL PAD SIZES.



12" HEAVY DUTY DOUBLE KEEL ROLLER

ADJUSTS TO YOUR BOAT PERFECTLY DURING LAUNCHING AND LOADING. AUTOMATIC PIVOTING ACTION. ADJUSTABLE HEIGHT.



ROLL EXCHANGES

WANT TO UPDATE YOUR BOAT TRAILER WITH THE LATEST IN PATENTED NON-MARKING ROLLER TECHNOLOGY? ASK YOUR DEALER TODAY!

Personalize your boat trailer with one or more EZ Loader options. Opt for a swing tongue for short garages, a keel roller for extra protection, a spare tire for safety insurance or a brake flush kit to help keep your brakes clean and free of corrosive elements such as saltwater.



Roller trailers launch with ease in shallow or deep water conditions if your area has low-water ramps. Our non-marking Dual Density Ribbed Rollers have a soft outer surface for gentle boat contact and sensitive cradling and hard center core for strength and control.

Bunk trailers are "float on, float off" technology and function best when used on steeper ramps. If you usually launch and load in deep water conditions, bunk trailers are the ideal choice.



single axle



EZ 12-14 1000



EZ 14-17 1250



EZW 14-18 2300



EZB 17-20 3100

Know the brake laws in your state regarding your trailer

bunk & roller



EZ 14-17 1250



EZW 14-18 1650



EZR 15-18 3100



EZR 17-20 3700

tandem axle bunk & roller



TEZ 17-20/22 4000



TEZB 23-25/27 5800



TEZB 25-27 8500



TIEZR 26-30 12000



TEZR 17-20/22 4000



TEZR 23-25/27 7000



TEZR 28-30 8200



TIEZR 30-34 11400

Specifications for trailers on page 4 & 5 can be found on pages 9 & 10.



LTD single



EZL90
15-16 2100



EZL96
17-20 3100



TEZL96
17-20/22 4000



TEZL96
19-22/24 4700

When you want the reliability and strength of an EZ Loader and the economy of spring axle technology, the Limited Series is for you!

Ease of use and sturdy support is the reason EZ Loader pontoon and personal watercraft trailers are chosen by more marine consumers.



Visit our website at www.ezloader.com
Specifications for LTD trailers can be found at the bottom of pages 9 & 10.

axle bunk & roller



*EZL90
15-17 2350*



*EZL96
17-20 3100*



*TEZL96
17-30/22 4000*



*EZL96
22/24 4700*

pontoon and personal watercraft



EZP 16-18 2150



EZWV 1000



EZP 22-24 2700



EZWV 1250



TEZP 20-22 3300



*EZWV 1600
EZWV 2100*



TEZP 24-26/28 4750



*NEW!
EZWV2325*

Specifications for pontoon and personal watercraft trailers can be found on page 11.

The beauty and flexibility of aluminum makes it a popular choice for both fresh and salt-water use. The corrosion resistance and strength of aluminum provides confidence in any environment.



aluminum trailers



*ALB 16-18
2100*



*ALB 18-20
3100*



*TALB 18-21
4000*



*TIAB 27-31
12000*



*Know the brake laws in your state regarding your trailer.
Specifications for Aluminum trailers can be found on page 11.*

bunk trailer specifications

Model Hull and Length	Weight Capacity	No. of Bunks Style	Axle	Tire Size	Approx.† Width Between Fenders	Approx.† Overall Width	Approx.† Overall Length	Approx.† Shipping Weight
single axle bunk trailers								
EZT 14'	800#	2	Spring	480x12B	45"	59"	16'	234#
EZ 12-14'	700#	2	Spring	480x8B	44"	58"	16' 7"	232#
EZ 12-14'	1000#	2	Spring	480x12B	44"	58"	16' 7"	237#
EZ 12-14'	1200#	2	Spring	480x12B	54"	67"	17'	279#
EZ 12-14'	1225#	2	Spring	480x12B	54"	67"	16'	321#
EZ 14-17'	1250#	2	Spring	480x12B	54"	67"	19'	302#
EZN 14-17'	1400#	2	Spring	530x12C	61"	74"	19'	352#
EZN 14-17'	1650#	2	Spring	ST 175x80R 13C	58"	74"	19'	392#
EZ 14-17'	2000#	2	Spring	ST 175x80R 13C	64"	80"	19'	446#
EZW 14-18'	2100#	2	Torsion	ST 175x80R 13C	75"	90"	19' 4"	527#
EZW 14-18'	2300#	2	Torsion	ST 185x80R 13C	75"	90"	19' 4"	548#
EZ 15-18'	2350#	2	Torsion	ST 205x75R 14C	77"	96"	20' 5"	621#
EZ 17-20'	2350#	2	Torsion	ST 205x75R 14C	77"	96"	21' 5"	636#
EZ 15-18'	2800#	2	Torsion	ST 205x75R 14C	77"	96"	20' 5"	622#
EZ 17-20'	2800#	2	Torsion	ST 205x75R 14C	77"	96"	21' 5"	637#
EZ 15-18'	3100#	2	Torsion	ST 215x75R 14C	77"	96"	20' 5"	634#
EZ 17-20'	3100#	2	Torsion	ST 215x75R 14C	77"	96"	21' 5"	649#
EZ 19-22'	3100#	2	Torsion	ST 215x75R 14C	77"	96"	23' 8"	714#
EZ 17-20'	3700#	2	Torsion	ST 225x75R 15D	78"	96"	22' 6"	887#
EZ 19-22/24'	3700#	2	Torsion	ST 225x75R 15D	78"	96"	24' 6"/+2"	926#
tandem & tri-axle bunk trailers								
TEZ 17-20/22**	4000#	2	Torsion	ST 175x80R 13C	80"	96"	22' 3"/+1' 3"	900#
TEZ 19-22/24**	4700#	2	Torsion	ST 205x75R 14C	77"	96"	25/+1' 6"	1110#
TEZ 19-22/24**	5200#	2	Torsion	ST 205x75R 14C	77"	96"	25/+1' 6"	1119#
TEZ 23-25/27**	5800#	4	Torsion	ST 215x75R 14C	77"	96"	26' 3"/+2"	1487#
TEZB 23-25/27**	6800#	4	Torsion	ST 225x75R 15D	76"	96"	26' 3"/+2"	1633#
TEZB 23-25/27**	7500#	4	Torsion	ST 225x75R 15D	76"	96"	26' 3"/+2"	1633#
TEZB 25-27'	8500#	4	Torsion	ST235/80R16D	76"	96"	28' 3"	1950#
TEZB 28-30'	8500#	4	Torsion	ST235/80R16D	76"	96"	30' 3"	2015#
TEZB 26-30'	9000#	4	Torsion	ST 215x75R 14C	77"	96"	30' 6"	2068#
TEZB 26-30'	12000#	4	Torsion	ST 225x75R 15D	77"	96"	31' 6"	2431#
TEZB 30-34/36**	11800#	4	Torsion	ST 225x75R 15D	77"	96"	37'+2"	2596#
102" width torsion suspension trailers								
EZ102 15-18'	2350#	2	Torsion	ST 205x75R 14C	83"	102"	20' 3"	637#
EZ102 15-18'	2800#	2	Torsion	ST 205x75R 14C	83"	102"	20' 3"	638#
EZ102 17-20'	2800#	2	Torsion	ST 205x75R 14C	83"	102"	20' 3"	646#
EZ102 15-18'	3100#	2	Torsion	ST 215x75R 14C	83"	102"	21' 3"	649#
EZ102 17-20'	3100#	2	Torsion	ST 215x75R 14C	83"	102"	21' 3"	657#
TEZ102 17-20/22**	4000#	2	Torsion	ST 175x80R 13C	86"	102"	22' 3"/+1' 3"	912#
TEZ102 19-22/24**	4700#	2	Torsion	ST 205x75R 14C	83"	102"	25/+1' 6"	1124#
TEZ102 19-22/24**	5200#	2	Torsion	ST 205x75R 14C	83"	102"	25/+1' 6"	1133#
TEZ102 26-30'	7500#	2	Torsion	ST 225x75R 15D	83"	102"	30' 3"	1913#
TEZ102 26-30'	8500#	4	Torsion	ST 235x80R 16D	82"	102"	30' 3"	2035#
TEZ102 26-30'	12000#	4	Torsion	ST 225x75R 15D	83"	102"	31' 6"	2455#
TEZ102 29-31'	15500#	4	Torsion	LT 235x85R 16G	77"	102"	36"	2431#
TEZ102 32-35'	15500#	4	Torsion	LT 235x85R 16G	77"	102"	40"	2596#
limited series, spring suspension trailers								
EZL80 13-14'	1480#	2	Spring	530 X 12C	66"	80"	17' 8"	352#
EZL80 15-16'	2000#	2	Spring	ST 175x80R 13C	64"	80"	19'	404#
EZL90 15-16'	2100#	2	Spring	ST 175x80R 13C	74"	90"	19' 6"	404#
EZL90 14-18'	2100#	2	Spring	ST 175x80R 13C	74"	90"	19' 6"	504#
EZL90 15-17'	2350#	2	Spring	ST 185x80R 13C	76"	92"	20' 4"	530#
EZL90 17-19'	2350#	2	Spring	ST 185x80R 13C	76"	92"	21' 4"	545#
EZL96 17-19'	2100#	2	Spring	ST 175x80R 13C	80"	96"	21' 4"	534#
EZL96 15-18'	2100#	2	Spring	ST 175x80R 13C	80"	96"	20' 4"	517#
EZL96 15-18'	2450#	2	Spring	ST 205x75R 14C	77"	96"	21' 4"	528#
EZL96 17-20'	2450#	2	Spring	ST 205x75R 14C	77"	96"	22' 4"	570#
EZL96 15-18'	2800#	2	Spring	ST 205x75R 14C	77"	96"	21' 4"	597#
EZL96 17-20'	2800#	2	Spring	ST 205x75R 14C	77"	96"	22' 4"	617#
EZL96 15-18'	3100#	2	Spring	ST 215x75R 14C	77"	96"	21' 4"	613#
EZL96 17-20'	3100#	2	Spring	ST 215x75R 14C	77"	96"	22' 4"	627#
EZL96 19-22'	3100#	2	Spring	ST 215x75R 14C	77"	96"	23' 6"	687#
TEZL96 17-20/22'	4000#	2	Spring	ST 175x80R 13C	80"	96"	23' 6"/+1' 3"	827#
TEZL96 19-22/24'	4700#	2	Spring	ST 205x75R 14C	80"	96"	25/+1' 3"	1081#
TEZL96B 23-25/27'	5800#	4	Spring	ST 215x75R 14C	77"	96"	26' 3"/+2"	1465#
102" width spring suspension trailers								
EZL102 15-18'	2300#	2	Spring	ST 185x80R 13C	86"	102"	21'	554#
EZL102 15-18'	2800#	2	Spring	ST 205x75R 14C	83"	102"	21'	613#
EZL102 17-20'	2800#	2	Spring	ST 205x75R 14C	83"	102"	22'	621#
EZL102 15-18'	3100#	2	Spring	ST 215x75R 14C	83"	102"	21'	625#
EZL102 17-20'	3100#	2	Spring	ST 215x75R 14C	83"	102"	22'	633#
TEZL102 17-20/22**	4000#	2	Spring	ST 175x80R 13C	86"	102"	23' 6"/+1' 3"	838#
TEZL102 19-22/24**	4700#	2	Spring	ST 205x75R 14C	84"	102"	25/+1' 3"	1096#

* Some models are pictured with optional equipment

CAUTION: FOR PROPER LOAD DISTRIBUTION ON TANDEM AND TRIPLE AXLE TRAILERS, THE TRAILER, WHEN LOADED, SHOULD BE PARALLEL TO THE GROUND WHEN ATTACHED TO THE TOWING VEHICLE.

*A tongue extension at an additional charge, is required for the 1' & 2' longer models. **Available in galvanized only. †Measurements are approximate. Please check the brake and legal load/width requirements for your state.

Note: Shipping weights may vary due to manufacturing variances, and added options/exchanges.

roller trailer specifications

Model And Hull Length	Weight Capacity	Number of Rollers	Axle Style	Tire Size	Approx.† Width Between Fenders	Approx.† Overall Width	Approx.† Overall Length	Approx.† Shipping Weight
single axle roller trailers								
EZ 12-14'	1225#	8	Spring	480x12B	54"	67"	15' 9"	325#
EZ 14-17'	1250#	10	Spring	480x12B	54"	67"	18' 9"	346#
EZ 14-17'	1525#	12	Spring	ST 175x80R 13C	64"	80"	19'	455#
EZ 14-17'	2000#	16	Spring	ST 175x80R 13C	64"	80"	19'	494#
EZW 14-18'	2100#	16	Torsion	ST 175x80R 13C	75"	90"	19' 4"	578#
EZW 14-18'	2300#	16	Torsion	ST 185x80R 13C	75"	90"	19' 4"	596#
EZ 15-18'	2350#	16	Torsion	ST 205x75R 14C	77"	96"	20' 4"	672#
EZ 17-20'	2350#	16	Torsion	ST 205x75R 14C	77"	96"	21' 4"	687#
EZ 15-18'	2800#	16	Torsion	ST 205x75R 14C	77"	96"	20' 4"	672#
EZ 17-20'	2800#	16	Torsion	ST 205x75R 14C	77"	96"	21' 4"	687#
EZ 15-18'	3100#	20	Torsion	ST 215x75R 14C	77"	96"	20' 4"	699#
EZ 17-20'	3100#	20	Torsion	ST 215x75R 14C	77"	96"	21' 4"	713#
EZ 17-20'	3700#	24	Torsion	ST 225x75R 15D	78"	96"	22' 5"	970#
EZ 19-22/24**	3700#	24	Torsion	ST 225x75R 15D	78"	96"	24' 6"/+2"	995#
tandem & tri-axle roller trailers								
TEZ 17-20/22**	4000#	24	Torsion	ST 175x80R 13C	80"	96"	22' 2"/+1' 3"	982#
TEZ 19-22/24**	4700#	32	Torsion	ST 205x75R 14C	77"	96"	25'+1' 6"	1219#
TEZ 19-22/24**	5200#	48	Torsion	ST 205x75R 14C	77"	96"	25' 6"/+1' 6"	1350#
TEZR 23-25/27**	5800#	48	Torsion	ST 215x75R 14C	77"	96"	26' 6"/+2"	1640#
TEZR 23-25/27**	6500#	48	Torsion	ST 225x75R 15D	76"	96"	26' 6"/+2"	1787#
TEZR 23-25/27**	7000#	64	Torsion	ST 225x75R 15D	76"	96"	26' 6"/+2"	1859#
TEZR 25-27'	8300#	64	Torsion	ST235x80R16D	76"	96"	28' 4"	2197#
TEZR 28-30'	8200#	80	Torsion	ST235x80R16D	76"	96"	31' 4"	2353#
TIEZR 26-30'	9500#	80	Torsion	ST 225x75R 15D	77"	96"	31' 3"	2628#
TIEZR 26-30'	11500#	96	Torsion	ST 225x75R 15D	77"	96"	31' 3"	3827#
TIEZR 30-34/36***	11400#	96	Torsion	ST 225x75R 15D	77"	96"	37' 2' /+2"	3005#
102" width torsion suspension trailers								
EZ102 15-18'	2800#	16	Torsion	ST 205x75R 14C	83"	102"	20' 2"	682#
EZ102 17-20'	2800#	16	Torsion	ST 205x75R 14C	83"	102"	21' 2"	695#
EZ102 15-18'	3100#	20	Torsion	ST 215x75R 14C	83"	102"	20' 2"	707#
EZ102 17-20'	3100#	20	Torsion	ST 215x75R 14C	83"	102"	21' 2"	721#
TEZ102 17-20/22**	4000#	24	Torsion	ST 175x80R 13C	86"	102"	22' 2"/+1' 3"	993#
TEZ102 19-22/24**	4700#	32	Torsion	ST 205x75R 14C	83"	102"	25'+1' 6"	1234#
TEZ102 19-22/24**	5700#	48	Torsion	ST 215x75R 14C	83"	102"	30'6"	1901#
limited series, spring suspension trailers								
EZL90 14-18'	2100#	16	Spring	ST 175x80R 13C	74"	90"	19' 4"	557#
EZL90 15-17'	2350#	16	Spring	ST 185x80R 13C	76"	92"	20' 4"	594#
EZL90 17-19'	2350#	16	Spring	ST 185x80R 13C	76"	92"	21' 4"	602#
EZL96 15-18'	2800#	16	Spring	ST 205x75R 14C	77"	96"	21' 4"	667#
EZL96 17-20'	2800#	16	Spring	ST 205x75R 14C	77"	96"	22' 4"	682#
EZL96 15-18'	3100#	20	Spring	ST 215x75R 14C	77"	96"	21' 4"	694#
EZL96 17-20'	3100#	20	Spring	ST 215x75R 14C	77"	96"	22' 4"	708#
TEZL96 17-20/22**	4000#	24	Spring	ST 175x80R 13C	80"	96"	23' 6"/+1' 3"	926#
TEZL96 19-22/24**	4700#	32	Spring	ST 205x75R 14C	77"	96"	25'+1' 3"	1168#
EZL102 17-20'	3100#	20	Spring	ST 215x75R 14C	83"	102"	22' 2"	716#

*Some models are pictured with optional equipment.

CAUTION: FOR PROPER LOAD DISTRIBUTION ON TANDEM AND TRIPLE AXLE TRAILERS, THE TRAILER, WHEN LOADED, SHOULD BE PARALLEL TO THE GROUND WHEN ATTACHED TO THE TOWING VEHICLE.

*A tongue extension at an additional charge, is required for the 1' & 2' longer models. **Available in galvanized only.

†Measurements are approximate. Please check the brake and legal load/width requirements for your state.

Note: Shipping weights may vary due to manufacturing variances, and added options/exchanges.

pontoon, water vehicle and aluminum specifications

Model And Hull Length	Weight Capacity	Axle Style	Tire Size	Approx.† Width Between Fenders	Approx.† Overall Width	Approx.† Overall Length	Approx.† Shipping Weight
Pontoons: 2100-4750 lb. Capacity							
EZP 14-16'	1850#	Spring	ST 175/80R 13C	82"	96"	19'	795#
EZP 16-18'	2150#	Spring	20.5x8x10E	82"	96"	21'	836#
EZP 16-18'	2100#	Spring	ST 185/80R 13C	82"	96"	21'	836#
EZP 18-20'	2100#	Spring	20.5x8x10E	82"	96"	23'	870#
EZP 18-20'	2075#	Spring	ST 185/80R 13C	82"	96"	23'	870#
EZP 18-20'	2700#	Spring	ST 195/75D 14D	82"	96"	23'	884#
EZP 20-22'	2700#	Spring	ST 195/75D 14D	82"	96"	26'	952#
TEZP 20-22'	3300#	Spring	20.5x8x10C	82"	96"	25'	1083#
TEZP 20-22'	3300#	Spring	ST 175/80R 13C	82"	96"	25'	1126#
TEZP 22-24'	3850#	Spring	20.5x8x10D	82"	96"	27'	1109#
TEZP 22-24'	3750#	Spring	ST 175/80R 13C	82"	96"	28'	1154#
TEZP 22-24'	4325#	Spring	ST 175/80R 13C	82"	96"	27'	1157#
TEZP 24-26/28'	4750#	Spring	20.5x8x10E	82"	96"	29' +2	1194#
TEZP 24-26/28'	4700#	Spring	ST 185/80R 13C	82"	96"	29' +2	1196#

Model And Hull Length	Weight Capacity	WV Unit Capacity	Axle Style	Tire Size	Approx.† Width Between Fenders	Approx.† Overall Width	Approx.† Overall Length	Approx.† Shipping Weight
Water Vehicles 800-2325 lb. Capacity								
EZTWV	800#	1	Spring	480x12B	45"	59"	13'	221#
EZVW	1000#	1	Spring	480x12B	45"	58"	13' 6"	251#
EZVW	1250#	1	Spring	480X12B	45"	58"	13' 6"	278#
EZVW	1600#	2	Spring	530x12C	82"	96"	16' 6"	470#
EZVW	1800#	2	Spring	ST 175/80R 13C	85"	100"	16' 6"	510#
EZVW	2100#	2	Spring	ST 175/80R 13C	85"	100"	16' 6"	560#
EZVW	2325#	2	Spring	ST 185/80R 13C	87"	102"	17'6"	625#

Model And Hull Length	Weight Capacity	Number of Bunks	Axle Style	Tire Size	Approx.† Width Between Fenders	Approx.† Overall Width	Approx.† Overall Length	Approx.† Shipping Weight
Spring Suspension Models								
AL80B 13-15	1350	2	Spring	530x12C	74"	80"	17'11"	380#
AL90B 14-16	2200	2	Spring	ST1175/80R13C	75"	90"	18' 4"	470#
ALB 16-18	2100	2	Spring	ST175/80R13C	77"	96"	20' 2"	499#
ALB 16-18	2800	2	Spring	ST205/75R14C	77.5"	96"	20' 2"	563#
ALB 18-20	3100	2	Spring	ST215/75R14C	77.5"	96"	20' 2"	575#
ALB 18-20	2800	2	Spring	ST205/75R14C	77.5"	96"	21' 2"	576#
ALB 18-20	3100	2	Spring	ST215/75R14C	77.5"	96"	21' 2"	588#
TALB 18-21	4000	2	Spring	ST175/80R13C	80.5"	96"	22' 9"	766#
TALB 18-21	4000	2	Spring	ST205/75R14C	77.5"	96"	22' 9"	834#
TALB 20-23	5200	2	Spring	ST205/75R14C	77.5"	96"	23' 6"	958#
TALB 21-25	6200	4	Spring	ST215/75R14C	77.5"	96"	26' 6"	1092#
TALB 23-27	6200	4	Spring	ST215/75R14C	77.5"	96"	30' 7"	1138#
TALB 23-27	7900	4	Spring	ST225/75R15D	77.5"	96"	30' 9"	1318#
TALB 26-30	7900	4	Spring	ST225/75R15D	77.5"	96"	33' 4"	1486#

Model And Hull Length	Weight Capacity	Number of Bunks	Axle Style	Tire Size	Approx.† Width Between Fenders	Approx.† Overall Width	Approx.† Overall Length	Approx.† Shipping Weight
102" Models								
AL102B 18-20	3100	2	Spring	ST205/75R14C	83"	102"	21' 2"	598#
TAL102B 18-21	4000	2	Spring	ST175/80R13C	83"	102"	21'	774#
TAL102B 18-21	4000	2	Spring	ST205/75R14C	83"	102"	21'	843#
TAL102B 20-23	5200	2	Spring	ST205/75R14C	83"	102"	23'	925#
Torsion suspension models								
AB 16-18	2100	2	Torsion	ST175/80R13C	77.5"	96"	20' 2"	536#
AB 16-18	2800	2	Torsion	ST205/75R14C	77.5"	96"	20' 2"	574#
AB 18-20	2800	2	Torsion	ST205/75R14C	77.5"	96"	21' 2"	587#
AB 16-18	3100	2	Torsion	ST215/75R14C	77.5"	96"	20' 2"	586#
AB 18-20	3100	2	Torsion	ST215/75R14C	77.5"	96"	21' 2"	599#
TAB 18-21	4000	2	Torsion	ST175/80R13C	80.5"	96"	22' 9"	820#
TAB 18-21	4000	2	Torsion	ST205/75R14C	77.5"	96"	22' 9"	867#
TAB 20-23	5200	2	Torsion	ST205/75R14C	77.5"	96"	23' 6"	993#
TAB 21-25	6200	4	Torsion	ST215/75R14C	77.5"	96"	27'	1131#
TAB 23-27	6200	4	Torsion	ST215/75R14C	77.5"	96"	30' 6"	1177#
TAB 23-27	7900	4	Torsion	ST225/75R15D	77.5"	96"	30' 6"	1360#
TAB 26-30	7900	4	Torsion	ST225/75R15D	77.5"	96"	33' 4"	1500#
TIAB 23-27	9000	4	Torsion	ST215/75R14C	77.5"	96"	30' 2"	1765#
TIAB 26-30	9000	4	Torsion	ST215/75R14C	77.5"	96"	33' 2"	1800#
TIAB 28-32	9000	4	Torsion	ST215/75R14C	77.5"	96"	33' 6"	1823#
TIAB 27-31	12000	8	Torsion	ST225/75R15D	77.5"	96"	34' 2"	2234#
TIAB 30-34	12000	8	Torsion	ST225/75R15D	77.5"	96"	37' 2"	2270#

Please check the brake and legal load/width requirements for your state.

Note: Shipping weights may vary due to manufacturing variances, and added options/exchanges.

CAUTION: FOR PROPER LOAD DISTRIBUTION ON TANDEM AND TRIPLE AXLE TRAILERS, THE TRAILER, WHEN LOADED, SHOULD BE PARALLEL TO THE GROUND WHEN ATTACHED TO THE TOWING VEHICLE.

*A tongue extension at an additional charge, is required for the 1' & 2' longer models. **Available in galvanized only.

† Measurements are approximate. Please check the brake and legal load/width requirements for your state.

Note: Shipping weights may vary due to manufacturing variances, and added options/exchanges.

ALTHOUGH ALL TRAILER MODELS, descriptions, specifications, photographs and illustrations contained in this catalog were correct to the manufacturer's knowledge at the time of publication, EZ Loader Adjustable Boat Trailers Sales Corporation has a policy of continual product improvement. EZ Loader reserves the right to make changes, additions or deletions to all its products and components without notice or obligation, which may affect specifications, accessories, optional equipment and model availability. Some models pictured in this catalog are shown with optional equipment. Please consult your EZ Loader dealer for precise information about current model specifications, availability and prices. EZ Loader Adjustable Boat Trailers Sales Corporation is an NMMA certified trailer manufacturer. EZ Loader boat trailers ARE MANUFACTURED AND PROTECTED UNDER ONE OR MORE OF THE FOLLOWING PATENTS: U.S. Patent No. 4210235, U.S. Patent No. 3756439, U.S. Patent No. 4278388, U.S. Patent No. 4530634, U.S. Patent No. 4582694, U.S. Patent No. 4196502, U.S. Patent No. 4611948, U.S. Patent No. 4717165, U.S. Patent No. 4281367, U.S. Patent No. 5355984, Canadian Patent No. 718785.



distributor locations



#1
EZ Loader Adjustable Boat Trailers, Inc
PO Box 3263
717 N. Hamilton St.
Spokane, WA 99220-3263
Fax (509) 489-5729
(509) 489-0181
salesinfo@ezloader.com
partsinfo@ezloader.com
web: www.ezloader.com

#2
EZ Loader Adjustable Boat Trailers, Inc
21424 87th Ave. SE
Woodinville, WA 98072
Fax (360) 668-3408
(360) 668-3517

EZ Loader Adjustable Boat Trailers
Sales Corporation, Inc
Portland, Oregon
Fax (360) 668-3408
(360) 668-3517

#3
EZ Loader Adjustable Boat Trailers, Inc
21424 87th Ave. SE
Woodinville, WA 98072
Fax (360) 668-3408
(360) 668-3517

#4
EZ Loader Adjustable Boat Trailers
Sales Corporation, Inc
4518 Kilzer Ave.
McClellan, CA 95652
Fax (916) 646-0496
(916) 646-0494

#5 and #17
For more information on this area, please contact:
EZ Loader Adjustable Boat Trailers, Inc
PO Box 3263
717 N. Hamilton St.
Spokane, WA 99220-3263
Fax (509) 489-5729
(509) 489-0181
salesinfo@ezloader.com
partsinfo@ezloader.com
web: www.ezloader.com

EZ Loader Adjustable Boat Trailers Sales
Corporation, Inc
708 Hwy 75 S
Wheaton, MN 56296
Fax: (574) 266-5757
(574) 266-0092
(800) 323-8190

#7
EZ Loader Custom Boat Trailers, Inc
PO Box 270
6533 Hwy 126 N
Midway, AR 72651
Fax (870) 481-5264
(870) 481-5138
(800) 553-7855

#8
Sun Belt Marine, Inc
2716 Spence St.
Lufkin, TX 75904
Fax (936) 632-4350
(936) 632-6673
ezldr@consolidated.net

#9
EZ Loader Adjustable Boat Trailers Sales
Corporation, Inc
125 Belvedere Rd.
Elkhart, IN 46514
Fax: (574) 266-0092
(574) 266-0092
(800) 323-8190

#10
EZ Loader Adjustable Boat Trailers Sales
Corporation, Inc
207A East St.
Methuen, MA 01844
Fax: (574) 266-5757
(574) 266-0092
(800) 323-8190

#11
EZ Loader Adjustable Boat Trailers Sales
Corporation, Inc
9 Anchor Business Centre
Deale, MD 20751-9600
Fax (410) 867-9431
(410) 867-3926
(888) 667-3926

#12
EZ Loader Adjustable Boat Trailers Sales
Corporation, Inc
349 Wilshire Ave SW
Concord, NC 28025
Fax (704) 784-2403
(704) 784-4420

#13
EZ Loader Adjustable Boat Trailers Sales
Corporation, Inc
1462 NW Commerce Center Parkway
Port St. Lucie, FL 34986
Fax : 772-465-0102
772-465-7778
E mail address: jvassallo@ezloader.com
salesinfo@ezloader.com
partsinfo@ezloader.com
web: www.ezloader.com

#14
Windward Boats, Inc
789 Kailua Road
Kailua, HI 96734
Fax (808) 263-3302
(808) 263-6030
web: www.windwardboats.com

#15
Barrett Marketing Group Corp.
Unit #4 - 275 De Baets St.
Winnipeg, Manitoba
Canada R2J 4A8
Fax (204) 669-7365
Phone (204) 669-7007
Phone 1-800-382-0668
Website: www.barrettcorp.com

#15
Barrett Marketing Group, Corp.
201-26229 Twp Rd 531A
Acheson, AB
Canada TTX 5A4
Fax (780) 962-5155
(780) 962-8200
(800) 661-9632

#15
Barrett Marketing Group, Corp.
19757 92A Avenue
Langley, B.C.
Canada V1M 3B3
Fax (604) 888-3013
(604) 888-4044
(800) 326-3034
email: bpettit@barrettcorp.com

#16
Barrett Marketing Group Corp.
201 St. George Street
Lindsay ON
Canada K9V 5Z9
Fax: (705) 324-1527
Fax: (800) 417-8208
(705) 324-4499
(800) 668-3481
Website: www.bmgспорт.com
E mail : bmgontario@barrettcorp.com

#18 JAPAN
Ram Associates Corp.
4-10-7 Omachi kamakura
Kanagawa 248 Japan
Fax 0467-24-2012
0467-22-5245

SAUDIA ARABIA
Alkhorayef Commercial Co.
Po Box 7236
Jeddah 21462
The Kingdom Of Saudi Arabia
Fax 011-966-2420-2777
email: jkumar@alkhorayef.com

The Wave
P O Box 6
Jeddah 21411
The Kingdom Of Saudi Arabia
Fax 011-966-2653-3939
Phone 011-966-2651-5012
email: aoltd@yahoo.com

GREECE
Athens Boat Center
George Corcokios
4th Km. Varis Koropoui Ave. 173
Athens TK 19400 Greece
Fax 30-210-482-1802
30-210-482-1801
email:keywest@otenet.gr

CYPRUS
Importica, Ltd.
13 Demophontos Street
Stravolos
Nicosia, Cyprus
Fax 357-22-327-224
357-99-450-302
email: info@cy-boats.com
web: www.cy-boats.com

UKRAINE
Inter-Sport
PO Box 2039
Dnepropetrovsk-33 Ukraine
Fax 380-567-773-828
380-567-773-855
email: import@project.dp.ua

KUWAIT
Al-Rodan Trading & Contracting
Po Box 5020
Safat 13051 Kuwait
Fax 011-965-484-3242
Phone 011-965-484-3498
email: rodan_un@qualitynet.net

KOREA
Saehan Marine Co.
596-16, Janghang-Dong
Ilsan-Gu
Goyang-City
Gyeonggi-Do 411-380 Korea
Fax 011-82-31-903-1951
Phone 011-82-31-907-6363
email: saehan36@paran.com

EZ Loader sells their trailers through their dealer distribution network. For a dealer near you call 800-398-5623 or visit www.ezloader.com.



The NMEA Certified logo is your guaranty that every EZ Loader trailer is built to meet or exceed the National Marine Manufacturer's Association safety and quality standards.

800-398-5623

www.ezloader.com

EZ Loader Adjustable Boat Trailers Sales Corporation, Inc., 1462 NW Commerce Center Parkway • Port St. Lucie, FL 34986

© 2008 EZ Loader Boat Trailers