
About the Artist:

David C. Roy

Mechanics and motion have always fascinated me. During college I studied physics, engineering and chemistry to further my understanding of how things worked. I graduated with a degree in physics from Boston University in 1974. This intuitive understanding of motion and mechanics combined with the artistic influences of my wife, Marji, led me to the creation of kinetic sculptures. In 1975 we started "Wood That Works" and I became a full time sculptor. Since then I have designed and handcrafted over 80 different limited edition and one-of-a-kind kinetic sculptures. I have exhibited in numerous juried, invitational and group events. My work is displayed in galleries and private collections around the world. I currently maintain a studio in rural northeastern Connecticut.



To the Owner...


Hello.

Welcome to the world of Wood That Works. This Meander is number _____ out of a possible 150 pieces. It was made by me during the month of _____ in 1999. I build, test and pack each sculpture myself, doing 6-12 pieces of an edition per month. It takes several years for me to complete an edition and some are never finished as I move on to new designs. Designing and building kinetic sculptures like Meander has been my full time occupation for more than 20 years. I hope Meander brings you and other viewers as much enjoyment as I've found in making it.

Meander has been mounted on a wall in my shop and running for at least 10 hours before I pack it. I make every effort in design, construction and packing to make sure the piece will perform problem free for years to come. I use only the finest materials.

It leaves me happy and satisfied to find that my work has made it's way into new lives. I hope it brings you years of enjoyment.

David C. Roy



Directions:

Before Moving Sculpture:

- Always tape the spring-belts in place before moving the sculpture. This will save a lot of aggravation when it is time to set the piece up again.
- See the diagram for the best tape locations.

Correct Installation of the Spring-Belts:

- Two spring-belts power and control the motion of this sculpture.
 It is easy to reinstall the small belt if it becomes knocked loose during shipping or installation. The longer belt takes a more involved path and can be a challenge to reinstall without the proper directions.
- Spring-belts tend to have minds of their own and it sometimes helps to have an extra pair of hands to install the long one.
- The long belt passes through the smaller one. The first step is to make sure the small one is correctly installed so it is out of the way. It goes from the winding wheel to a small pulley between the two control wheels. Refer to the diagram at the right and install the small belt if necessary. Make sure it rests in the slots of the wheel and pulley.
- Next place the long belt over the small pulley to the rear of the
 patterning wheels. Bring the right side of this belt down and
 under the dark reversing pulley on the right side of the control
 wheels and then up and over, from right to left, the small pulley
 on the front of the patterning wheels. Keep tension on the belt
 by gently pulling down on the free loop end with your left hand.
- While keeping tension on the belt by holding the free end in one hand, pass the front and back sides of the belt under the pair of control wheels making sure the belt properly aligns with the slots of the wheels. Hold the belt in place against the control wheels with your right hand. With your left hand stretch the free loop of the belt up and over the dark reversing wheel on the left side of the sculpture.

About Meander

Meander is the longest running spring-driven sculpture I have created. It runs for 10-12 hours on the single winding of a single spring. My previous record was a double spring piece that clocked in at 4-5 hours.

The longer run time is achieved by restricting most of the motion to the two large free-form wheels. The other wheels and belts only come into play when one of the large wheels looses momentum, slows to a stop and requires a new push. A small pawl on the free-form wheels then engages a pin on a pulley and causes the mechanism to propel the wheel forward for another period of revolutions. The free-form wheels spend most of their time turning in opposite directions at slightly different rates of speed. The motion created between the wheels is graceful and flowing. This is a very quiet, peaceful, meandering sculpture.

Specifications:

Limited Edition of 150 Size: 31"h x 22"w x 6"d

Power Source: negator spring Approximate Run Time: 10-12 hours

Materials: hardwood plywood,

brass, bearings, string Meander© 1995

Directions:

To Mount on Wall:

- DO NOT remove the tape holding the spring-belts in place.
- Hold the mounting template in the desired location against a wall. The diagram shows the relationship of the template to the sculpture to guide you in positioning the sculpture on the wall. Please note the minimum clearance dimensions are shown at the edges of the template.
- Level the bottom edge of the template.
- Place a sharp instrument through the screw holes, marking their positions on the wall. Remove and save the template.
- Drill pilot holes. If the wall is sheetrock or plaster use plastic anchors.
- Screw the sculpture to the wall.
- Remove the tape holding the spring-belts in place.

To Wind:

• Turn the winding wheel clockwise 20 turns.

To Start:


• If the sculpture does not start by itself after winding, gently push both patterning wheels in a clockwise direction.

To Stop:

• Slow the motion of the patterning wheels with your hand and let them come to rest with their heavy sides down.

Mounting template

2"



Tape Locations