

## To the Owner...

Hello,


Welcome to the world of Wood That Works. This Quasar is a one-of-a-kind sculpture created in 2001.

Designing and building kinetic sculptures like Quasar has been my full time occupation for more than 25 years. I hope Quasar brings you and other viewers as much enjoyment as I've found in making it.

Quasar has been mounted on a wall in my shop and running for several days before I pack it. I make every effort in design, construction and packing to make sure the piece will perform problem free for years to come. I use only the finest materials.

It leaves me happy and satisfied to find that my work has made it's way into new lives. I hope it brings you years of enjoyment.

David C. Roy



### Directions:

Before Moving Sculpture:

- Always tape the spring-belts in place before moving the sculpture. This will save a lot of aggravation when it is time to set the piece up again.
- Careful packing is essential. Save the original box. Fill all voids with crumpled paper being careful not to warp wheels.

Correct Installation of the Spring-Belts:

- Three spring-belts power and control the motion of this sculpture. It is easy to reinstall the small belts if they become knocked loose during shipping or installation. The longer belt takes a more involved path and can be a challenge to reinstall without the proper directions.
- Spring-belts tend to have minds of their own and it sometimes helps to have an extra pair of hands to install the long one.
- The long belt passes through both of the smaller ones. The first step is to make sure the small ones are correctly installed so they are out of the way. They each go from their respective winding wheel to a small pulley between the two control wheels that lines up with the winding wheel. Refer to the diagram at the right and install the small belts if necessary. Make sure they rest in the slots of the wheel and pulley.
- Next place the long belt over the small pulley to the rear of the patterning wheels. Bring the right side of this belt down and under the dark reversing pulley on the right side of the control wheels and then up and over, from right to left, the small pulley on the front of the patterning wheels. Keep tension on the belt by gently pulling down on the free loop end with your left hand.
- While keeping tension on the belt by holding the free end in one hand, pass the front and back sides of the belt under the pair of control wheels making sure the belt properly aligns with the slots of the wheels. Hold the belt in place against the control wheels with your right hand. With your left hand stretch the free loop of the belt up and over the dark reversing wheel on the left side of the sculpture.

# About Quasar:

Quasar is a large, very long running sculpture with fascinating 3 dimensional visual effects. The patterning wheels are about 3 feet in diameter and turn in opposite directions at slightly different speeds. The counter-rotation creates a visual moire effect that is quite relaxing. The illusion shifts and changes with the variations in the rotational speed of the wheels.

## Specifications:

One-of-a-kind Size: 52"h x 43"w x 7"d Approximate Run Time: 24 hours Materials: hardwood plywood, bearings, string Quasar © 2001

### Directions:

To Mount on Wall:

- Two people are required.
- DO NOT remove the tape holding the spring-belts in place.
- Hold the mounting template in the desired location against a wall. The diagram shows the relationship of the template to the sculpture to guide you in positioning the sculpture on the wall. Please note the minimum clearance dimensions are shown at the edges of the template.
- Level the bottom edge of the lower template.
- Temporarily screw the lower template to the wall. Rest the upper template on the lowerone and mark the screw holes. Remove and save both templates.
- Drill pilot holes. If the wall is sheetrock or plaster use plastic anchors.
- Caution: This sculpture is large and heavy. Reach through the wheels and grasp the base of the sculpture. Do not try to lift the sculpture by grasping the wheels. They will be damaged. Screw the sculpture to the wall using the screws and anchors provided. Be sure to have both top screws firmly attached to anchors to prevent twisting.

### To Wind:

• Turn the left winding wheel counter-clockwise 20 turns. Turn the right winding wheels clockwise 20 turns.

### To Start:

If the sculpture does not start by itself after winding, gently push both patterning wheels in a clockwise direction.

### To Stop:

• Slow the motion of the patterning wheels with your hand and let them come to rest with their heavy sides down.

