

HEAT & GLO®



DESIGNED | to inspire

MODERN COLLECTION
Direct Vent Gas Fireplaces



HEAT & GLO

MODERN COLLECTION

The beauty of form.

The brilliance of function.

The Heat & Glo Modern Collection is a brilliant blend of contemporary design and superior technology. It's a powerful combination—and a tribute to the innovation and inspiration behind the Heat & Glo brand.

Each fireplace in this elite selection offers an integrated whole hearth system to match any home or office. Stunning style and a convenient gas platform provide the best of both worlds, evident in every model.

Deliver a bold design statement—through a functional focal point. Let the Modern Collection provide the power of panache.



SOLARIS

A piece of the setting sun

The Solaris is a fusion of stunning design and innovative performance. This two-sided fireplace features a continuous, levitating fire—through a mirrored 6-inch firebox with an extremely slim footprint.

The Solaris is available in two models.

- The Solaris 36-ST is a see-through fireplace with a levitating flame appearing through a transparent Razor™ burner
- The Solaris 36-MR is a two-sided fireplace with an infinity flame and vaulted LED lighting reaching back into a 6-foot deep illusion of intense fire



Above: Solaris 36-ST version shown with black base, ebony top and bottom panels and gloss white side panels.

MODERN COLLECTION



ELEVATED SOPHISTICATION

The Solaris is ideal for residential and commercial applications. And, the Solaris can go where other fireplaces cannot; any 2" x 6" studded wall is fair game.


Solaris 36-ST shown with black base, ebony top and bottom panels and gloss white side panels.



SAVOR TWO SIDES

The 33" diameter of the Solaris is easily incorporated into any room. One side is installed with a clean ring of trim. The other side can be outfitted in a variety of styles.

Solaris 36-MR shown with standard trim.



FINISHING OPTIONS

One side of each Solaris is finished with a simple, black trim ring. Customize the other side by mixing and matching panel colors to your style, providing up to 32 color combinations for a truly custom look.

Select from four stylish colors for:

- 1) Top & Bottom panel set
- 2) Side panels set
- 3) Base panel set (black or gloss white only)



Ebony



Gloss White



Lava



Spatolato Blue

RED SERIES

Rectangular European Design

The RED Series has elevated the level of style and function in linear fireplaces. These unique models create a warming atmosphere through innovative, non-traditional shapes and materials. A vast variety of stone and glass media options, accent lighting and refractory liners combine to create an exclusive look in any of the three RED Series fireplaces.



Above: RED60 shown with LED lights, cobalt blue media, absolute black granite refractory, and standard safety mesh frame.



ALWAYS IN STYLE


Achieve a custom look with the RED Series. Combine media options and finishing materials for a perfect blend of contemporary style and long, captivating flames.

RED 40 shown with LED lights, scarlet media, standard safety mesh and absolute black granite refractory and surround.

MEDIA OPTIONS

The area around your ribbon fire has many options.

MEDIA OPTIONS WITH LED ILLUMINATION




Scarlet Emerald Cobalt Crystal

Using the Crystal glass media you can choose up to 7 different colors of LED illumination



MEDIA OPTIONS WITHOUT LED ILLUMINATION



Onyx Opal




OUR FLAME, YOUR FIRE

Match your flames with your finish. Drive your décor with a statement of flames reflecting your own style.

RED 40-ST shown with onyx media, porcelain refractory, standard safety mesh and absolute black granite surround.

INTERIOR LINER OPTIONS

Upgrade the your firebox with optional reflective black porcelain panels or highly polished black granite stone.



Black Porcelain refractory and base Absolute Black Granite refractory and base

SURROUND OPTIONS



Six-piece Stone Surround Absolute Black Granite



Standard one-piece mesh safety screen

COSMO

A modern marvel

The Cosmo is available as a fireplace and as a fireplace insert. Both models deliver impressive performance and unmatched looks. Upgrade your favorite space with the stunning style of the Cosmo.



Above: Cosmo SLR 42 shown with tonic front in fog with black glass media.

MODERN COLLECTION



BOLD STATEMENT

The Cosmo is a striking example of true contemporary design. Gorgeous glass and stone media or a detailed log set delivers a strong style statement in any home.

Cosmo SLR shown with log set and tonic front in new bronze.



VIVID FLAMES

The Cosmo I-30 and I-35 inserts feature a reflective glass refractory liner. This spreads the flames up throughout the firebox and intensifies the presence of fire.

Cosmo I-35 shown with halo front in black and ceramic fiber stones.

MEDIA & INTERIOR OPTIONS



Black Glass



Crystal Glass



Cobalt Glass



Amber Glass



Black Glass Beads



White Glass Beads



Clear Glass Beads



Ceramic Fiber Stones



Log Set



Reflective Glass Liner

FRONT OPTIONS



Martini - Angle mitred frame with tinted glass. (Available for Cosmo SLR models only)




Tonic - One-piece frame with mesh. (Available for Cosmo SLR models only)



Halo - Available in Black & Fog only (Available for Cosmo-I30 & Cosmo I-35 only)



Graphite



New Bronze



Ebony



Fog



Lava

LUX60

Unconventional in its design.
Revolutionary in its innovation.

The LUX60 mixes remarkable flames with robust contemporary styling. Stainless steel tubes replace traditional logs for amazing fires. Innovative LED lighting illuminates the firebox in six distinct colors and subtly shifts the mood of the fire. Three sizes with numerous finishing options help create a custom look—and complete a fireside experience like no other.



Above: LUX60 shown with LUX60 panels in plated black nickel with black glass media*.

MODERN COLLECTION



LUX60

The LUX60 offers a unique experience—fitting of both commercial and residential applications.

LUX60 shown above with LUX60 panels in black*.

FIREBOX

Modulating LED lights illuminate the firebox in six different colors.



MEDIA

Black glass media provides a coal bed around the stainless steel fire tubes.



FRONT PANEL OPTIONS

Panels come in two finishing options: Powder Coat Black and Plated Black Nickel



Plated Black Nickel



Black

*Clean finishing technique used. Refer to installation manual for instructions.



6000/8000 MODERN

The 6000/8000 Modern has a reflective black glass refractory adding visual impact to the flame. Easily positioned at any height on the wall, these bold units provide a dramatic focal point in any room.

8000 Modern shown with Modern Front in black and amber glass media.

MODERN FRONT OPTIONS



Modern Front



Black



Fog Gray

MEDIA OPTIONS



Crystal Glass (Standard)



Black Glass



Cobalt Glass



Amber Glass

METRO

Distinctive modern combination

The Metro features a contemporary design and shallow footprint for unique installation opportunities. Single-sided and see-through models help bolster one room, or two completely different spaces. Highlight both contemporary and transitional décor with this compact, efficient option.



Above: Metro See-Through shown with modern front in new bronze.

MODERN COLLECTION



CLEAN, SIMPLE APPEAL

The Metro features clean, simple lines—perfectly highlighting its unique flame. Accent the firebox with a modern front and glass media to complement your space.

Metro shown above with modern front in fog gray and black glass media.

MODERN FRONT OPTIONS



Modern Front



Graphite



New Bronze



Fog Gray



Black

MEDIA OPTIONS



Black Glass



Crystal Glass



Cobalt Glass



Amber Glass



SOHO

A stunning square studio front and shallow dimensions offer endless creative placements for the Soho. Think outside-the-box when contemplating installation options. This contemporary fireplace enhances the elegance wherever it sits.

Soho shown with studio front in brushed nickel with glass.

STUDIO FRONTS



Studio front in brushed nickel with glass



Studio front in brushed nickel with mesh



Studio front in black with mesh

STANDARD FEATURES



Black Glass Beads



Reflective Firebox Interior

MODERN COLLECTION



EVEREST

The Everest provides a fresh, welcomed look in any room. It's handsome, upright design is highlighted by impressive flames, a textured interior and powerful heating performance.

Everest shown with atlas cast stone surround.

ATLAS SURROUND

This idyllic surround bolsters the appearance of the Everest. It features concrete construction and a beveled glass shelf with brushed aluminum stands.



PALOMA

The smart, sophisticated Paloma artfully blends European styling with innovative engineering. Its slender proportions perfectly suit more intimate spaces. Define your favorite room with distinctive style, powerful heating and a graceful design.

Paloma shown with gray outer glass and hearth pad.

FRONT PANEL AND HEARTH PAD FINISHING OPTIONS

Standard curved outer glass front and optional hearth pad available in bronze or gray tint.



Bronze



Gray

SPECIFICATIONS

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	BTU/HOUR INPUT (NG)	IGNITION SYSTEM
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING			
SOLARIS-ST	47-1/2	47-1/2	47-1/2	47-1/2	55	55-1/4	6-5/8	5-1/2	32 x 32	29,500	IntelliFire Plus
SOLARIS-MR	47-1/2	47-1/2	47-1/2	47-1/2	55	55-1/4	6-5/8	5-1/2	32 x 32	29,500	IntelliFire Plus
RED60	68-1/8	70-3/8	68-1/8	70-3/8	50-3/4	51	18-1/8	18-1/4	62-1/2 x 21	44,000	IntelliFire
RED40	48-1/8	50-1/4	48-1/8	50-1/4	46-3/4	46-3/4	18-3/4	18-1/4	42-1/2 x 17	34,000	IntelliFire
RED40-ST	48-1/8	50-1/4	48-1/8	50-1/4	46-3/4	46-3/4	18-1/8	17-1/4	42-1/2 x 17	34,000	IntelliFire
COSMO SLR 42	48	50	37-3/4	50	39-5/8	42-1/4	16-3/4	18-1/4	42-1/2 x 19	26,000	IntelliFire
COSMO SLR 32	36-3/4	37-3/4	25-3/4	37-3/4	36	36-1/2	18-5/16	18-1/4	30-1/2 x 19	20,000	IntelliFire
COSMO-I35	34-5/8	MIN. FIREBOX OPENING 33-1/4	23-1/2	MIN. FIREBOX OPENING 24	24	MIN. FIREBOX OPENING 22-3/4	15-1/8	MIN. FIREBOX OPENING 15-1/8	34-1/4 x 18-1/4	28,000	IntelliFire Plus
COSMO-I30	30-1/2	MIN. FIREBOX OPENING 29-1/4	20-1/4	MIN. FIREBOX OPENING 20-1/2	20-1/2	MIN. FIREBOX OPENING 19-1/8	13-7/8	MIN. FIREBOX OPENING 13-7/8	30 x 14-3/4	23,000	IntelliFire Plus
LUX60	49	52	35-5/8	52	66-1/4	86	29-1/2	30-1/2	43 x 38-1/2	60,000	IntelliFire
6000M	41	42	28-1/2	42	39-7/8	40-1/8	21-1/2	22	35-1/2 x 24-3/4	28,000	IntelliFire Plus
8000M	48	49	35-1/2	49	41-7/8	42-1/8	21-1/2	22	42-1/2 x 26-3/4	32,000	IntelliFire Plus
METRO 32	36	37	25-3/4	37	34-3/8	43	16-1/4	16-1/4	30-1/2 x 21	21,000	IntelliFire
METRO-ST	37-5/8	38-1/8	37-5/8	38-1/8	41-1/4	41-1/2	16	15	31-1/2 x 21	22,000	IntelliFire
SOHO	29-1/8	29-5/8	23-1/16	29-5/8	37-3/16	44-3/16	11	11-1/2	24-1/2 x 24-1/2	14,000	IntelliFire
EVEREST	34-1/16	35-1/16	17-7/8	35-1/16	50	50-1/2	20-7/8	21-3/8	26-1/2 x 33	33,000	IntelliFire
PALOMA	18-7/8	-	18-7/8	-	40-3/4	-	15-7/8	-	16-1/2 x 29	28,000	IntelliFire

Dimensions above are in inches. Reference dimensions only. We recommend measuring individual units at installation. NOTE: Combustible material should not be installed over the face. Make sure you do NOT cover the decorative door opening.

Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Pictures in this brochure are not a true representation of the fireplace and/or flames.

U.S. EFFICIENCIES

Steady State - Since most homeowners use their fireplaces for an extended time while they are in the room, Steady State measures how efficiently your fireplace converts fuel to heat once it is warmed up and running in a "steady state".

AFUE - AFUE rating is more typically used with appliances, like your furnace, that continually cycle on and off to maintain a constant temperature.

RATING	SOLARIS-ST	SOLARIS-MR	RED60	RED40	RED40-ST	COSMO-SLR 42	COSMO-SLR 32	COSMO-I35	COSMO-I30	LUX60	6000M	8000M	METRO 32	METRO-ST	SOHO	EVEREST	PALOMA
Steady State	N/A	N/A	59.0%	67.2%	69.7%	73.0%	60.0%	83.3%	83.3%	73.7%	78.5%	77.5%	72.3%	74.2%	61.2%	71.5%	81.5%
AFUE	N/A	N/A	57.2%	52.4%	64.3%	56.0%	57.0%	73.0%	76.7%	65.5%	61.1%	55.9%	52.2%	47.5%	38.0%	43.6%	67.4%

CANADA EFFICIENCIES

EnerGuide (CSA P4.1-02) - EnerGuide is a rating used in Canada to measure annual fireplace efficiency.

RATING	SOLARIS-ST	SOLARIS-MR	RED60	RED40	RED40-ST	COSMO-SLR 42	COSMO-SLR 32	COSMO-I35	COSMO-I30	LUX60	6000M	8000M	METRO 32	METRO-ST	SOHO	EVEREST	PALOMA
EnerGuide (CSA P4.1-02)	N/A	N/A	59.7%	57.2%	66.4%	57.0%	57.0%	72.9%	77.2%	69.5%	63.0%	61.7%	53.0%	51.4%	40.3%	46.3%	70.8%

AWARD-WINNING DESIGN & INNOVATION



PALOMA
Winner
Best-in-Show
2005 Vesta Hearth
Industry Awards



PALOMA
Winner
Gas Stoves & Inserts
2005 Vesta Hearth
Industry Awards



LUX60
Winner
Gas Fireplaces
2008 Vesta Hearth
Industry Awards



SOLARIS
Winner
Best-in-Show
2009 Vesta Hearth
Industry Awards



SOLARIS
Winner
Gas Fireplaces
2009 Vesta Hearth
Industry Awards



SOLARIS
Finalist
Art of Fire
2009 Vesta Hearth
Industry Awards



RED SERIES
Winner
Most Valuable
Product 2010
BUILDING PRODUCTS
Magazine

For complete information on this model,
please contact us at:

HEAT&GLO[®]

No one builds a better fire

A brand of Hearth & Home Technologies Inc.[®]

7571 215th Street West, Lakeville, MN 55044

Web: heatnglo.com

Phone: (888) 427-3973 (952) 985-6000

E-mail: info@heatnglo.com

facebook.com/HeatandGlo

twitter.com/HeatandGlo

youtube.com/HeatandGlo

HNG-1032U-0112

LIMITED LIFETIME WARRANTY*

The strongest in the industry, Heat & Glo provides a limited lifetime warranty on the most important aspects: firebox and heat exchanger.

*For full warranty details, go to www.heatnglo.com.

Fireplace glass and other surfaces get extremely HOT and can cause severe burns if touched. Do not remove the protective safety screen from the front of the glass. Keep a safe distance away. To learn more visit www.fireplaces.com/fireplacesafety

