

Improving Information Management Software System Deployment Practices

Dr. James A. Forbes
Logistics Management Institute

Maj. Kurt Bodiford
U.S. Army

Dr. Emanuel R. Baker
Process Strategies, Inc.

In response to a request by the Program Executive Office for Standard Army Management Information Systems (PEO STAMIS), the Logistics Management Institute assisted in a study to improve the deployment of software-intensive systems. We conducted structured interviews internal to PEO STAMIS and with PEO STAMIS customers to survey current practices. We also surveyed several commercial organizations and identified a number of best practices, 16 of which were applicable to PEO STAMIS. Eight of these practices already existed within the PEO; PEO STAMIS product managers had also created internal best practices well tailored to their environment. The problem was not lack of best practices inside or outside the PEO, but the lack of sharing and replication of best practices across product offices. The methodology developed as part of the study should be of use to other organizations dealing with similar problems.

Responding to a request by the United States Army Program Executive Office for Standard Army Management Information Systems (PEO STAMIS), the Logistics Management Institute (LMI) assisted in a study to improve the deployment of software-intensive information management systems¹. At the time of the research, PEO STAMIS was responsible for nearly 40 retail information system products for the U.S. Army and other services.

The products spanned a wide range of functionality and geographical distribution both inside and outside the continental United States. Examples of the kinds of systems for which PEO STAMIS was responsible included the Standard Installation/Division Personnel System, Unit Level Logistics System, and the Joint Computer-Aided Acquisition and Logistics System.

The following are two major research outcomes of interest to the general software community:

- Development of a deployment process model applicable to both government and commercial practice.
- Identification of a set of at least very good (if not *best*) deployment practices applicable to both military information systems and the commercial realm.

This article describes the deployment process model and provides the best practices. The full model is available at the CrossTalk Web site <www.stsc.hill.af.mil/crosstalk/2003/06/forbes.html>. We obtained the basic data primarily via structured interviews of PEO STAMIS Program Management Offices, PEO STAMIS customers, and a number of commercial organizations outside of the defense industry. The interview questions that led to the validation of the model constructs and the definition of the best practices are also available at the STSC Web site.

Background

The PEO STAMIS vision was to be the warfighter's choice for leading edge, integrated, global information solutions across the operational spectrum. The perception of the PEO and its customers was that processes within PEO STAMIS for deploying hardware, software, and training – and sustaining them once deployed – were interfering with the real-

“The end result was often customer dissatisfaction – much of which was attributable to inconsistent and sometimes ineffective deployment practices.”

ization of the PEO STAMIS vision. Each product manager used product-specific processes for hardware and software fielding, system training, and sustainment. The end result was often customer dissatisfaction – much of which was attributable to inconsistent and sometimes ineffective deployment practices.

The objective of the LMI study was to give the PEO STAMIS several potential strategies that would improve fielding and training, sustainment, customer satisfaction, and reduce life-cycle costs. The LMI was asked to perform five tasks to fulfill its part in the study:

- Survey selected projects to assess current deployment practices.
- Selectively survey user communities to determine their satisfaction with the current practices for transitioning sys-

tems to operational use.

- Selectively survey commercial organizations to determine their approach to deploying systems.
- Determine commercial practices that improve usability and reduce time and resources during deployment.
- Determine a set of best practices for deployment and improving usability.

The survey of commercial practices in use by successful companies was considered to be an important element, since customer satisfaction is recognized as essential to their continuing success.

Methodology

To provide a consistent framework against which to compare the various PEO STAMIS offices' and commercial firms' practices, we created a three-stage (initial, intermediate, and advanced) deployment process model. It comprised 16 general areas (such as computer hardware, software, architecture, and training), nine of which are further broken down into sub-areas, comprising a total of 32 categories. Many, but not all, areas have sub-areas. Three levels of ability (initial, intermediate, and advanced) further characterized each area and sub-area. A listing of areas and sub-areas is provided in Table 1 (see page 18). We obtained information using interview questionnaires keyed to the deployment process model.

In our deployment process model, the initial level is characterized by ad hoc practices. Very little planning is done, and situations are addressed as they arise. Also, little or no consideration is given to identifying potential risks and implementing practices to avoid them. The intermediate level is characterized by some degree of planning, although a number of activities are still addressed informally. Organizations functioning at this level in a specific area are getting by, but their

Area	Sub-Area
Computer Hardware	<ul style="list-style-type: none"> Hardware Upgrades Hardware and Software Compatibility Failed Hardware Component Replacement
Hardware and Software Architecture	<ul style="list-style-type: none"> Hardware Commercial Off-the-Shelf (COTS) Software Application Software Architecture Standardization Form of Architecture
Application Software	<ul style="list-style-type: none"> Update Planning User/Maintainer Impacts
COTS Software	<ul style="list-style-type: none"> Evaluation of COTS Software Assessment of Impact of Changes User/Maintainer Knowledge
Training	<ul style="list-style-type: none"> Planning for Training Training Delivery Training Records Database
Installation Policy	<ul style="list-style-type: none"> User Installation of Personal Software Control of Software Used
Interfaces with Other Systems	
Security	
Metrics	
Costs	
Configuration Management	
Quality Assurance	
Deployment/Support Organization	<ul style="list-style-type: none"> Experience Use of Service Level Agreements Involvement in Development Process
Help Desk	<ul style="list-style-type: none"> Initial Deployment and Changes Integration
Test Bed	<ul style="list-style-type: none"> Use of Test Beds Regression Testing
Documentation Updates	

Table 1: *Process Model Areas and Sub-Areas*

actions are not as effective as they probably could or should be. Detailed planning and risk avoidance characterize the advanced level. An advanced-level organization is focused on functioning as effectively as it can.

We initially populated the deployment process model based on our understanding of what the functional levels would be for each of the areas or sub-areas. We set forth our perception of what practices would exist for each level of the model. We then used the interviews with commercial participants to validate this model. The complete process model, together with the typical practices at each level, is

too large to include in this article; however, Table 2 illustrates what a sub-area looks like. The complete model can be viewed at the CrossTalk Web site <www.stsc.hill.af.mil/crosstalk/2003/06/forbes.html>.

Participating companies included a biotech firm, a systems integrator, an oil company, and a major producer of commercial software products. For commercial firms, our interview technique was to ask the respondent one question for each area or sub-area. For each area and each level within the process model, we asked the respondent to describe practices followed by a typical organization within their industry. Our intent was not to make the questions specific to the company, but to have the respondents characterize what

“One result of this study was the determination of a set of good deployment practices that have been applied not only to military information systems, but also to the commercial world.”

they believe the model would look like based on common practices within their segment of the industry. This was done for two reasons:

- We wanted to validate our model con-

Table 2: *Example of the Practices at Each Level*

Area	Sub-Area	Initial	Intermediate	Advanced
Computer Hardware	Hardware and Software Compatibility	Executable software/hardware configuration compatibility is considered only for initial system definition. Little or no planning for hardware upgrades exists. Effects on compatibility usually not assessed when upgrades are installed. Little thought is given to compatibility across a wide area network (WAN).	Executable software/hardware configuration compatibility is considered for initial system definition. Planning is cursory. Effect on compatibility is assessed at installation. Certifies each component separately and individually, but not the entire environment (whole system). Testing is performed at a higher level. There is some understanding that compatibility across a WAN is required, but thorough testing does not occur. Some ad hoc testing would be performed in addition to planned testing. Some incomplete documentation (e.g., test scripts for the new hardware).	Hardware upgrades evaluated for performance impact: <ul style="list-style-type: none"> • Proposed hardware upgrades are planned in advance and analyzed for impact on performance prior to installation. Components to be installed at a site are tested beforehand for compatibility. Scalability and load tests are performed. Total system is certified: <ul style="list-style-type: none"> • Proven certification that hardware component and software work together. The whole environment is certified, not just the hardware or the software provided by the vendor. Certification team puts in the time up front to ensure connectivity and compatibility across all parts of a WAN.

structs.

- We wanted to ensure the respondent would answer all the questions and not opt out because a response could or would reveal proprietary practices.

Results

The results indicated that the deployment model the LMI constructed reasonably represented the various levels of *maturity* – or capability – indicated by our model. Some changes were made to the model during the interview process. The bulk of these changes resulted from additional characterizations of the levels proposed by the interviewees.

The interview process identified 16 commercial best practices, all of which were applicable to PEO STAMIS. However their relative merit was not clear. As an aid in implementation, and in conjunction with the PEO STAMIS staff, we evaluated the best practices against the factors contained in each of the seven major areas of the deployment model and then integrated the results to create a prioritized list of best practices. (Evaluation was based on the multi-attribute utility method, i.e., we assigned scores to indicate the importance of each practice to each factor.) We also confirmed that eight of these practices already existed within the PEO. However they were not widely shared or replicated from one product to another.

It should also be noted that although all best practices are in use by commercial firms no one firm used them all. In some cases, a given best practice was identified as being used by some of the respondent companies, while others indicated a desire that their organizations use a similar practice. Consequently, one of the results of the study was to develop a list of best deployment practices useful in industry. Table 3 lists these best practices.

Interviews of PEO STAMIS product offices demonstrated that no product was totally situated in the initial, intermediate, or advanced stage – all had a mixture of characteristics from more than one phase. Although there may have been some unintended inflation in our results, intermediate and advanced stages dominated. Of particular note, product managers had created internal best practices well tailored to the PEO STAMIS environment. The problem was not lack of best practices inside or outside the PEO, but the lack of sharing and replication of best practices across product offices.

Recommendations

The LMI recommended that PEO STAMIS implement a process improve-

ment effort that emphasized replication of best practices. We identified and evaluated five potential strategies. We also recommended implementation of a collaborative process improvement strategy that had at its foundation the best practices identified by this study and the deployment process model created by this study. The deployment process model can provide a uniform groundwork for product manager self assessment, an essential element of improvement

A collaborative strategy meant its execution included product managers, PEO STAMIS headquarters staff, developers, and users. The product managers were closest to the customers and in the best position to understand real-world problems that needed to be solved. The headquarters, on the other hand, was in the best position to see across products and facilitate replication of best practices. Developers had the best information on functionality embedded in applications. Involvement of user representatives was essential so users could understand what was being attempted, how it was being approached, and how it was expected to effectively address their needs.

We recognized that the PEO could not attempt to fix everything at once; organizations can absorb only so much change at one time, and not all changes are equally beneficial. The working group the LMI supported identified four initiatives that appeared to lend themselves to early implementation and momentum building. These recommendations included best practices that were very comparable to some of the best practices used by commercial organizations:

- Use of one particular product as a pilot vehicle to develop a template for replication of best practices. This product was early in its life cycle and was controlled by one of the PEO STAMIS directorates, minimizing the lateral coordination that would be needed.
- Replication of the Systems Extension and Acceptance Team (SEAT) fielding practice for other products. This was a PEO STAMIS best practice. The SEAT concept is essentially a team that is responsible for planning and implementing the deployment of systems, but was only used for a limited number of systems. Users specifically recommended expanding the use of the SEAT methodology.
- Expanded use of an existing test laboratory for retail-level systems. This is a practice consistent with the use of test beds by commercial organizations to

Best Practice	General Area	Sub-Area	No. of Companies
An asset management system exists, documenting in detail what hardware and software are deployed, who is using it, and what problems exist in order to know whose hardware to replace. A change control system is utilized with the capability to back out of previous changes, if need be. Testing, staging, and burning in of parts are performed. They collect and use system utilization statistics, do performance monitoring, document process flows, and do capacity planning. A set of tools is utilized (for example, Tivoli or SMS) to keep track of installed base, and to use that information for planning for upgrades, replacements, updates, and revisions.	Computer Hardware	All	3
	Application Software	All	3
	COTS Software	Assessment of Impact of Changes	3
	Installation Policy	All	3
Have a centralized organization with a manager charged with the responsibility for ensuring that architecture is defined in a common way, establishing policies and procedures, and filtering all acquisitions and installation of upgrades, replacements, updates, and revisions, to ensure that the integrity of the standard architecture(s) is maintained. This organization is also responsible for deployment and maintenance.	Hardware and Software Architecture	Architecture Standardization	1
Promulgation of a mission statement concerning architecture: "commonality as possible, and unique as necessary."	Hardware and Software Architecture	Application Software	1
Rotate people from development into maintenance and back again to ensure that developers properly incorporate the needs and concerns of maintenance into the development effort.	Application Software	User/Maintainer Impacts	1
A specialized product usability lab exists comprised of super users to test out changes. Lab emulates or includes all system interfaces (at minimum, 85% - 90% of the interfaces for very complex systems where replication of the total system environment for all applications would be extremely costly).	Interfaces with Other System	N/A	1
Utilize test beds to prove that hardware and software components work together.	Computer Hardware	Hardware and Software Compatibility	2
Support, development, and information technology organizations fall under the same executive management. When organizations are closely aligned, you can have successful customer alliances.	General Recommendation		1
Make the developers of the system be the first user community. This has two effects: (1) it makes the development organization more careful in the development process, since they know they will have to suffer through the initial rollout themselves, and (2) it makes the turn-around time faster for correction of any initial deficiencies.	Deployment/ Support Organization	Involvement in the Development Process	1
Security testing is planned. A developer's identification is never used as part of system testing to log on to the system when testing the security provisions. Full security testing is performed using production identifications. A security group exists and is brought in as part of the test planning process. Planning and results are reviewed and approved.	Security	N/A	1
Automation is used to determine if unauthorized software has been installed on a workstation. Involves census taking at logon, automatic deletion of unauthorized software, and messages to the user that the software has been deleted.	Installation Policy	Control of Software Used	2
A portal exists that everyone on-line has to go through several times per day. Informs people of changes, scheduled outages, bug patches, etc.	General Topic of Communicating Changes	N/A	1
Creation of career paths for help-desk personnel.	Help Desk	Integration	2
Use of standard architectures provides capability to establish better pricing arrangements with vendors.	Hardware and Software Architecture	Architecture Standardization	1
Use of a central organization to evaluate new technology. New technology cannot be introduced into the architecture without their approval.	Hardware and Software Architecture	Architecture Standardization	3
Use of a three-tier help desk. Third tier is organized by line of business (latter aspect was cited by only one organization).	Help Desk	Integration	4
Use of technology to facilitate help-desk functions. Use standard tools for self-help; implement self-help tools and computer recovery tools that provide front-end help to the help desk. Web-based, integrated with call center, interactive Web site to report problems. Integrate asset management tool with help-desk problem reporting.	Help Desk	Integration	2

Table 3: Commercial Organization Best Practices

ensure the compatibility of system interfaces. Broader use of this laboratory would facilitate a common approach to testing.

- Replication of the three-tier help-desk architecture vision of the Global Combat Support System-Army across additional products. This architecture had the preferred modern features of an excellent help-desk capability.

Deployment of operational or production information systems is a process that many organizations do not always perform well, whether or not we are talking about governmental or commercial organizations. Hopefully, such organizations can benefit from the results of this study. We believe the deployment process model and the interview guides – because they were intentionally constructed to span government and commercial practices rather than those specifically within the sphere of

PEO STAMIS – can be valuable to enterprises other than PEO STAMIS. The same is true of the best practices we identified: One result of this study was the determination of a set of good deployment practices that have been applied not only to military information systems, but also to the commercial world. ♦

Note

1. PEO STAMIS has since been re-designated as the United States Army Program Executive Office for Enterprise Information Systems. In this article, we retain the designation in use at the time of the study.

On-Line Article

The on-line version of this article also contains a table of the complete Deployment Process Maturity Model and an Interview Questions/Response Form.

About the Authors



James A. Forbes, Ph.D., is a senior research fellow at the Logistics Management Institute. He is a certified professional logistician with more than 25 years of experience analyzing policy, technology, acquisition programs, and total ownership costs; researching operations; and supervising operational logistics. He has extensive experience assessing the effects of technology on organizations and managing technology-driven change. Forbes has been a principal researcher in a number of studies of functional strategies for logistics-related information systems. He is also leading projects for managing data and knowledge.

Logistics Management Institute
2000 Corporate Ridge
McLean, VA 22102-7805
Phone: (703) 917-7572
Fax: (703) 917-7518
E-mail: jforbes@lmi.org



Maj. Kurt Bodiford is a career Army officer. He is a graduate of the United States Military Academy and is concluding graduate studies at Johns-Hopkins University. Bodiford's experience as an operations research/systems analyst was of significant value during his one-year fellowship at the Logistics Management Institute where he was a major contributor to the study described in this article. He is currently serving on the Department of the Army Staff in the Joint Requirements and Assessments Division.

US Army G-8
Deputy Chief of Staff for Programs
JROC Management Office
ATTN: MAJ Kurt Bodiford
DAPR-RMI-SJ
700 Army Pentagon
Washington, DC 20310
Phone: (703) 692-4490
Fax: (703) 692-5478
E-mail: kurt.bodiford@hqda.army.mil



Emanuel R. Baker, Ph.D., is a principal and co-founder of Process Strategies, Inc., a Los Angeles- and Maine-based software process management consulting firm. He has 30 years of software development, management, and consulting experience. His areas of expertise include software process assessments, software systems engineering, software configuration management, software quality assurance, software test, and requirements management, as well as training in these disciplines. Baker is a SEI-authorized lead assessor for both CBA-IPI and SCAMPISM assessment methodologies. He is co-author of "Software Process Quality: Management and Control."

Process Strategies, Inc.
10219 Briarwood Drive
Los Angeles, CA 90077
Phone: (310) 278-0856
Fax: (310) 550-1992
E-mail: erbaker@process-strategies.com

WEB SITES

GPS World

www.gpsworld.com

GPS World is an international, business-to-business monthly journal that features news and applications of the global positioning system (GPS), the developing Galileo system, Glonass, and related technologies. GPS World provides news reporting and analysis of business and technology developments, marketing trends, and policy issues affecting the GPS community. Its articles are targeted to design engineers, systems integrators, original equipment manufacturers, and those experienced in high-precision GPS applications. The site features current and past issues, descriptions of new products and services, and connections to other GPS-related Web sites.

ISO

www.iso.org

The International Organization for Standardization (ISO) is a worldwide federation of national standards bodies from more than 140 countries, one from each country. The ISO promotes the development of standardization and related activities in the world with a view to facilitating the international exchange of goods and services, and develops cooperation in the spheres of intellectual, scientific, technological and economic activity. It is the source of ISO 9000 and more than 13,700 international standards.

Defense Modeling and Simulation Office

www.dmsomil/public

The Defense Modeling and Simulation Office (DMSO) is the catalyst organization for Department of Defense (DoD) modeling and simulation and ensures that modeling and simulation technology development is consistent with other related initiatives. The DMSO encourages cooperation, synergism, and cost-effectiveness among the modeling and simulation activities of the DoD components. The DMSO supports the warfighter by leading a defense-wide team in fostering the interoperability, reuse, and affordability of modeling and simulation and the responsive application of these tools to provide revolutionary warfighting capabilities and improve aspects of DoD operations.

autoid.org

www.autoid.org

The goal of autoid.org is to keep end users, organizations, and companies in the automatic identification and data collection industry up to date with essential standards activities and technical information that can effect business decisions. The site features new documents and news sections with information from and links to the American National Standards Institute, ISO, International Electrotechnical Commission, International Committee for Information Technology Standards, industry links, presentations, standards, and more.