

Case Hardened Bushes - Precision Ground Hardened Steel Bushings

Terms and Conditions of Supply.....	Page 2	Bushes to suit 90mm Dia Pins	Page 28
Drawings & "Dial-a-Bush" Key to Part Numbers	3, 4	Bushes to suit 95mm to 120mm Dia Pins	29 - 32
Bushes to suit 0.75" to 2" Diameter Pins	5 - 15	Bushes to suit 125mm to 200mm Dia Pins	33
Bushes to suit 55mm to 70mm Diameter Pins	16 - 22	Easy Glide Bushes - Retrofit for Glacier Bush	34 - 35
Bushes to suit 71mm to 3" Diameter Pins	23 - 24	Dust Seals Pin Wipers	36 - 37
Bushes to suit 80mm to 3.5" Diameter Pins	25 - 27	Bronze Bushes - Spherical Bearings	38

Steel Round Bar, Induction Hardened - K1045 - Convenient lengths39 - 40

Super Pin Steel - 4140 Precision Ground - Induction Hardened 41

Induction Case Hardened Steel Pins - Bucket Pins..... 42

Schematic Drawings & Key to KSet Part Numbers	43
3/4" Diameter to 60 mm Diameter - Hardened Pins -	44 - 49
2 1/2" Diameter to 95 mm Diameter - Hardened Pins -	50 - 55
100 mm Diameter, 4", 4 1/4", 4 1/2", 115mm, to 120 mm Diameter - Hardened Pins -	56 - 58
125mm, 125 mm, 5", 130 mm, 135mm, 140 mm to 160 mm Diameter - Hardened Pins -	59

Shims for Excavator - Pin Tags - End Plates - Shim Kits60 - 65

Aftermarket Pins and Bushings - To Suit:

Komatsu Excavators PC200 - PC220 - PC228U - PC220 - PC250 Pins Bushes Shims Dust Seals	66 - 67
Komatsu Excavators PC300 - PC350 - PC400 - PC450 Pins Bushes Shims Dust Seals	68 - 69
Komatsu Excavators PC600 - PC800 - PC1250 Pins Bushes Shims Dust Seals	70
Komatsu Wheel Loaders WA320 - WA350 - WA380 - WA420- WA450 Pins Bushes Shims Dust Seals	71
Komatsu Wheel Loaders WA480 - WA500 - WA500-6 - WA600 Pins Bushes Shims Dust Seals	72
Komatsu Mini Excavators PC45 - PC60 - PC75UU Pins Bushes Shims Dust Seals	73
Komatsu Mini Excavators PC120 - PC150 - PC28US - PC138US Pins Bushes Shims Dust Seals	74
Komatsu Part Number to Aftermarket KSet Part Number	75 - 76
Case 580SK Back Hoe Loaders - Case SLE Back Hoe Loaders	77 - 78
Case Part Numbers Referenced to KSet Part Numbers	79
Caterpillar Wheel Loaders 950, 966, 980 - Cat Compact Loader CL110 - LHD CL110 Pins	80
Caterpillar Pins Bushes Shims D10 Ripper Frame & D11 Ripper Frame, Caterpillar Bearings	81 - 82
Eimco 130 LHD - Eimco ED7 LHD - Eimco ED10 LHD - Eimco 912 LHD - Eimco 913 LHD	83 - 84
Hitachi Excavators ZX200, EX450, ZX 450, EX520, ZX520	85
John Deere Pins Bushes Shims - John Deere Scraper Wear Rails - John Deere Grader Parts	86
IHI 35J, Kato, Kubota, Bucket ends, Kobelco SK045 - SK060, Yanmar VIO 50	87 - 88
Kobelco Excavators - SK135SR-3, SK220, SK250, SK260, SK330	89
Kubota Pins Bushes Shims Excavators - KX161-3 - Kubota KX045	90
Sandvik Tamrock Drills TB40, TB60 Atlas Copco Drills H12, H322 Simba	91
Volvo EC330 - Volvo EC460 - Volvo EC480D Pins Bushes Shims Dust Seals	92

Tools and Accessories

<i>Alpha</i> High Speed Drills & Taps	93
SANDVIK Coromant - Ceramic Inserts - Whisker Reinforced - Hard Part Turning Tips	94
<i>Sterling</i> - Tools & Measuring - <i>Sterling</i> - Knives & Cutters	95 - 96
FUCHS Extreme Bearing Grease...RENOLIT XTB2 - Lubemate Grease Guns	97 - 98

THE LARGEST RANGE OF HARDENED & GROUND STEEL BUSHINGS IN AUSTRALIA - EX STOCK
INDUCTION-HARDENED PINS AND PIN STEEL
"PROMPT DISPATCH OF GOODS EX STOCK IN EXCHANGE FOR PROMPT PAYMENT"

TERMS AND CONDITIONS OF SALE:

NET PAYMENT WITH ORDER. GOODS WILL NOT BE DISPATCHED BEFORE PAYMENT IS RECEIVED

PAYMENTS: Cheques: To approved customers only. Cash: Correct amount only

MasterCard and Visa Cards accepted. No Transaction Fee is charged on sales under \$1,000

Electronic Transfers to: KSet Engineering Pty Ltd BSB: 06 2813 Account No.: 1038 8155

The Purchaser agrees that no warranty is implied or given and to hold KSet Engineering unaccountable for any loss or damage occurring due to faulty parts or materials. TITLE does not pass to purchaser until Payment has been received in FULL.

Minimum Product Order \$150 plus GST

COUNTER SALES: By APPOINTMENT ONLY Between 8:00am-4:00pm

KSet Engineering Pty Ltd is a Manufacturing Wholesaler, Not a Retail Shop

RESTOCKING FEE: 16% or \$50 Minimum No credit is given for goods returned after 14 days from invoice or without KSet Management consent, nor for goods that have been fitted.

Re-Wrapping charges apply if not in original wrapped condition.

7 DAY ACCOUNTS May be extended to customers who have traded satisfactorily, with a Credit Limit at our discretion. Non-Supply is also at our discretion should trading exceed 21 days

DISTRIBUTOR ACCOUNTS: 30 DAYS EOM

Trading must exceed \$20,000 p.a. and a minimum of 2 invoices per month. Credit limit at our discretion

Trading automatically suspended if account is outstanding 32 days from end of month following invoice

CUSTOM ENGINEERING - Phone 02 4928 5702

Minimum Custom Order \$240 plus GST

INDUCTION HARDENED PINS - From SAME DAY service where hardened bar stock is used

SPECIAL HARDENED BUSHINGS - From SAME DAY service where we are able to modify stock items to around 10 working days for new items

TERMS AND CONDITIONS OF SALE - ALL CUSTOMERS

We submit a written quote in answer to your enquiry. We require 50% deposit received by bank

Written order before commencement, and 50% balance before dispatch

Orders under \$1,800: Full payment with order

FREIGHT

All goods are carried by KSet Engineering preferred major freight companies at competitive prices
Freight, Plus Packing, Handling, Insurance are included on invoice as two separate items.

F Codes for Freight

Plus P Codes for Packing, Handling, Insurance:

F3	3kg Airbag	\$18	PB1	Airbag	\$12
F5	5kg Airbag	\$29	PB2	2 Bags	\$17
FB	Fastways Blue Label Newcastle	\$9	PC1	HD Carton	\$14
FL	Lime label Sydney Region	\$13	PC2	2 HD Cartons	\$22
FNT	Northern Territory / Remote Surcharge	\$21	PSK	Small skid	\$22
FR	Road Freight via Star Track	POA	PMS	Medium skid	\$26
FWA	Remote WA Surcharge	\$21	PPT	Pallet	\$37
			PFastC1	1 Carton Fastways Freight Forward	\$13





ONFORWARDING:

FM Manual Consignment Charge \$10 Plus The same Packing, Handling item is applied

When goods are sent "freight on", they are NOT INSURED, and purchaser assumes ALL RISK.

Configuration Index - Bushes

TYPE	DESCRIPTION
A	= PLAIN BUSH
E	= CENTRAL EXT. GROOVE WITH HOLES
F	= FLANGED BUSH
I	= CENTRAL EXT. & INT. GROOVE, HOLES
J	= CENTRAL EXT.& "FIGURE 8" INT.GROOVE,HOLES
N	= SPACER, LENGTH CRITICAL
R	= BUSH, RECESSED FOR SEAL
U	= INTERNAL CENTRE GROOVE, NO HOLES
W	= THRUST WASHER
X	= "FIGURE 8" INT. GROOVE, NO HOLES
Y	= INT. TAPER & SPLIT EXPANDING BUSH




Dimension Index

A	= MAJOR DIAMETER
B	= LENGTH
C	= END TO HOLE / GROOVE
D	= DIAMETER OF HOLE
E	= LENGTH BETWEEN HOLES / GROOVES
F	= FLANGE / HEAD DIAMETER
G	= END TO GREASE EXIT
H	= DIAMETER OF END HOLE / RECESS
I	= INSIDE DIAMETER
J	= DIAMETER OF GROOVE
K	= LENGTH OF POINT / TAPER
L	= END TO UNDER HEAD / FLANGE
M	= WIDTH OF GROOVE
N	= WIDTH OF FLANGE / HEAD
S	= LENGTH OF CHAMFER
W	= LENGTH OF STEP
Y	= MINOR DIAMETER


KEY to KSet Part Numbers - BUSHES

KSet Bush Part Numbers are based on an Identification System using Metric Size Approximation
Bushes are Designated O.D. by I.D. by Length

EXAMPLE
SEE PAGE 5
(TYPE U BUSH)*



EXAMPLE
SEE PAGE 11
(TYPE J BUSH)



EXAMPLE, ON PAGE 14: **B64F51-32** "F" DENOTES A FLANGE AT ONE END

TOLERANCES: **OUTSIDE DIAMETERS** ARE GENERALLY PRECISION GROUND TO $\pm 0.01\text{mm}$ OF DIAMETER SHOWN IN "OUTSIDE" COLUMN.
INSIDE DIAMETERS ARE GENERALLY PRECISION GROUND TO $\pm 0.013\text{mm}$ OF DIAMETER SHOWN IN "INSIDE" COLUMN.
IN CASE OF VARIATION, PLEASE DISCUSS ACHIEVED DIAMETERS AT TIME OF ORDERING

HARDNESS: AVERAGE CASE HARDNESS IS **60 ROCKWELL C.** AVERAGE DEPTH: **0.9mm**
CORE HARDNESS 30 to 40 ROCKWELL C.

MATERIAL: C 0.19% Si 0.30% Mn 1.5% V 0.12% S 0.03% P 0.03% TYPICAL
TENSILE STRENGTH 635 MPa YIELD STRENGTH 420MPa ELONGATION 18% TYPICAL

Search: "Dial-a-Bush" - Find Bush by Size - "Dial-a-Bushing" - Find Bushing by Size - "Dial a Hardened Bush" - Find Hardened Bush by Size - "Dial a Steel Bush" - Find Imperial Bushing

Case Hardened Bushes - Precision Ground

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B26-19-20	\$22	1.002"	0.755"	0.79"	.04 kg Goldfields	Plain Bush
B26-19-24	\$20	1.002"	0.755"	0.94"	.06 kg Task 2006	Plain Bush
B25-19G29	\$20	0.995"	0.754"	1.13"	for John Deere 410	T42803
B26-19-32	\$22	1.002"	0.755"	1.25"	.06 kg Task 2013	Plain Bush
B26-19-48	\$28	1.001"	0.754"	1.88"	.08 kg John Deere Bushing	U12271
B29-19-51	\$28	1.126"	0.756"	2.00"	Case Hardened 1214	Plain Bush
B32-19-32	\$20	1.252"	0.758"	1.25"	Task 2009	Plain Bush
B29-20-38	\$34	29.10mm	20.20mm	38.0mm	Task 2015	Plain Bush
B30-20-36	\$34	30.06mm	20.02mm	36.0mm	.12 kg Task 2013	Plain Bush
B29-22-20	\$18	1.127"	0.880"	0.79"	.04 kg Case Hardened	Plain Bush
B29-22-24	\$24	1.127"	0.880"	0.94"	.05 kg Precision Ground	Plain Bush
B32-22-26	\$24	1.253"	0.877"	25.4mm	.09 kg 4 Only	To clear
B33-23-25	\$27	1.269"	0.879"	25.1mm	.09 kg Case 580K	Stg D127507
B34-24-25	\$28	34.10mm	24.10mm	25.0mm	.09 kg 2 Only	Suit 24mm Shaft

Suit 25mm Diameter Shaft:

B33-25G30	\$28	33.08mm	25.10mm	30.0mm	.08 kg 68721-66630	Int.Groove
B33-25G35	\$24	33.08mm	25.10mm	35.0mm	.08 kg Suit Yanmar	Int.Groove
B35-25-22	\$23	35.02mm	25.11mm	21.8mm	Task 2008	Plain Bush
B35-25-27	\$28	35.03mm	25.19mm	27.0mm	For IHI	404 324 502
B35-25-30	\$23	35.03mm	25.12mm	30.0mm		Plain Bush
B35-25X30	\$30	35.11mm	25.14mm	29.8mm	.08 kg 00024-00024	O/B F8
B35G25G31	\$26	35.08mm	25.15mm	31.0mm	for John Deere Bushing	R81854
B35-25-33	\$18	35.02mm	25.19mm	33.0mm	For IHI	404 324 501
B35-25G34	\$27	35.10mm	25.15mm	33.8mm	00021-00026	Int.Groove
B35-25X35	\$34	35.09mm	25.14mm	34.8mm	.12 kg 00024-00064	O/B F8
B35-25-40	\$30	35.03mm	25.12mm	40.0mm	Darwin Bearings	Plain Bush
B35G25G40	\$26	35.08mm	25.14mm	40.0mm	.15 kg Task 2010	Greasable
B35G25G45	\$28	35.08mm	25.14mm	45.0mm	for John Deere Bushing	R72700
B36-25-33	\$26	36.05mm	25.12mm	33.0mm	O.S. Task	Plain Bush
B38G25G39	\$28	38.03mm	25.18mm	39.0mm	For IHI	075 233 321

Bushes for 1inch Diameter Shaft:

B32-26-16	\$23	1.250"	1.006"	0.63"	for G35361	
B32-26-20	\$23	1.251"	1.006"	0.75"	.05 kg Task 2003	Plain Bush
B32-26-26	\$23	1.251"	1.006"	1.00"	.06 kg Bobcat Retrofit	Plain Bush
B33-26-26	\$24	1.254"	1.003"	1.00"	.06 kg Heavy Press	Close Fit
B32-26-32	\$25	1.251"	1.006"	1.25"	.07 kg Task 2005	Plain Bush
B32-26-38	\$30	1.251"	1.006"	1.50"	.09 kg Task 2005	Plain Bush
B32-26-45	\$28	1.251"	1.008"	1.75"	for Massey Ferguson	Plain
B32-26-45	\$36	1.251"	1.004"	1.79"	.12 kg Flange Bush	MCC 2014
B32-26-51	\$34	1.251"	1.007"	2.00"	Task 2005	Plain Bush
B35-26-26	\$29	1.377"	1.005"	1.00"	.09 kg Darwin LNG	Plain Bush
B35-26-32	\$27	1.377"	1.005"	1.25"	.12 kg Task 2005	Plain Bush
B35-26-38	\$32	1.377"	1.007"	1.50"	.13 kg Task 2004	Plain Bush
B35G26G38	\$34	35.07mm	1.007"	38.0mm	.13 kg John Deere Bushing	R99444
B35-26-51	\$36	1.377"	1.007"	2.00"	Task 2015	Plain Bush
B38-26-26	\$32	1.502"	1.002"	1.00"	.07 kg Universal	Plain Bearing
B38-26-38	\$32	1.502"	1.007"	1.50"	Case Hardened	Plain Bush
B38G26G50	\$41	1.502"	1.004"	1.97"	.24 kg Task 2007	Greasable
B38-26-51	\$36	1.502"	1.002"	2.00"	Darwin Bearings	Plain Bush
B40-26-50	\$36	40.05mm	1.004"	1.97"	Global Marine	Plain

Dimensions shown are for the KSet Bush, not for nearby OEM numbers

KSet Aftermarket Pins and Bushes
have a reliable reputation sold to specifications discussed at point of sale or as shown in this catalogue

It is the **Purchaser's Responsibility** to measure the parts before fitting to ensure correct Interference and Clearance Fit

KSet Engineering accepts no responsibility for pin to bush clearance after fitting

No Warranty is given or implied as to **Wear Life** or Breakability of Shaft, Pins or Bushes

Engineered Bushing Applications

Bucket, Arm and Cylinder Joints of excavators and wheel loaders
Heavy Load Joints. Boom Foot
Boom Cylinder Foot
Boom Cylinder Ram Eye
Excavator Pivot Points
Replacement of Bronze Bushes
Replace Fibre Bushes
Lineboring Rebuilds
Load Haul Dump Bearing
Farm Implement Repairs
Heavy Equipment Attachment
4-in-1 Bucket Bushes
Wheel Loader Bushing
Underground Cylinder Bush
Opencut Cylinder Bush

BUSHINGS

Quantity **Discounts Available** only upon request provided all outstanding invoices are settled within 7 Days

Discount for **10** of any line item **\$3.00** ea
Discount for **20** of any line item **\$4.00** ea
Discount for **30** of any line item **\$5.00** ea
Discount for **40** of any line item **\$6.00** ea

Pins and Bushes Shims and Seals Tools and Cutters

Minimum Product Order \$150
Prices subject to change without notice

Case Hardened Bushes - Precision Ground

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B36-28-26	\$ 24	36.04mm	28.02mm	25.4mm .08 kg	Sandvik TB40	2088 8408
B36-28-30	\$ 24	36.04mm	28.02mm	30.0mm .10 kg	Test 2004	Plain Bush
B36G28G39	\$ 28	36.04mm	28.02mm	39.5mm .12 kg	Sandvik TB60 TB40	59943148
B35-29-29	\$ 28	1.376"	1.130"	1.13" .047 kg	Test 2001	Plain Bush
B35-29-32	\$ 26	1.385"	1.128"	1.25" .062 kg	Test 2012	Plain Bush
B35-29-38	\$ 26	1.376"	1.129"	1.50" .062 kg	Test 2012	Plain Bush
B35G29G50	\$ 27	1.376"	1.131"	1.96"	Greasable	Cylinder Bush
B38-29-16	\$ 25	1.502"	1.128"	0.62" .08 kg	Test 2016	Plain Bush
B38-29-25	\$ 26	1.504"	1.132"	1.00" .10 kg	Test 2004	Plain Bush
B38-29-35	\$ 22	1.502"	1.131"	1.37"	Test 2004	Plain Bush
B41-29-24	\$ 22	1.623"	1.132"	0.98"	Locomotive	Plain Bush
B41-29-26	\$ 22	1.627"	1.129"	1.00"	Locomotive	Plain Bush

Suit 30mm Diameter Shaft

B35-30-30	\$ 26	35.05mm	30.12mm	30.0mm .064 kg	6802588 Bobcat	Toyota SDK8
B35-30-40	\$ 30	35.05mm	30.12mm	40.0mm .085 kg	6802217 Bobcat	Bobcat320-Bush-F,I,J
B35G30G40	\$ 26	35.05mm	30.12mm	40.0mm .08 kg	Bobcat	Dakin Bucket
B35G30G45	\$ 28	35.05mm	30.12mm	45.0mm .08 kg	Bobcat S330	Bushing
B36-30-30	\$ 28	36.05mm	30.12mm	30.0mm	Test 2004	Plain Bush
B36-30-40	\$ 24	36.49mm	30.10mm	40.0mm .10kg	Test 2009	Plain Bush
B38-30-20	\$ 25	38.05mm	30.10mm	20.0mm .07 kg	Test 2004	Plain Bush
B38-30-25	\$ 27	38.06mm	30.09mm	25.0mm .09 kg	Test 2011	Plain Bush
B38-30G30	\$ 27	38.05mm	30.10mm	30.0mm .10 kg	Kubota	68721-66770
B38G30G30	\$ 27	38.05mm	30.10mm	30.0mm	Test 2008	Greasable
B38-30-35	\$ 26	38.05mm	30.10mm	35.0mm .12 kg	Kubota	68721-66522
B38G30G35	\$ 27	38.05mm	30.11mm	35.0mm	Test 2007	Greasable
B38G30-36	\$ 22	38.02mm	30.11mm	35.6mm .12 kg	JCB	231/02904
B40G30G20	\$ 28	40.08mm	30.12mm	20.0mm .10 kg	Test 2012	Greasable
B40-30G22	\$ 27	40.09mm	30.14mm	22.0mm .10 kg	Takeuchi TB015	00021-30022
B40-30-30	\$ 27	40.08mm	30.11mm	30.0mm .13 kg	Test 2011	Plain Bush
B40-30G30	\$ 28	40.07mm	30.12mm	30.0mm .13 kg	Type U	Bush
B40G30G30	\$ 30	40.07mm	30.12mm	30.0mm .125 kg	IHI Mini Excacator	404 325 202
B40-30-33	\$ 24	40.05mm	30.17mm	33.0mm	IHI Mini Excacator	404 331 000
B40G30G35	\$ 34	40.05mm	30.12mm	35.0mm .135 kg	Bobcat320	Greasable
B40G30G40	\$ 34	40.05mm	30.11mm	39.7mm .17 kg	6539270 Furukawa	311541-21130
B40-30x40	\$ 34	40.10mm	30.13mm	40.0mm	IHI Mini Excacator	404 331 000
B40G30G45	\$ 34	40.05mm	30.12mm	45.0mm .18 kg	Test 2005	Greasable
B40-30-46	\$ 34	40.05mm	30.11mm	46.0mm .20 kg	IHI Mini Excacator	404 324 600
B40-30-50	\$ 39	40.05mm	30.12mm	50.0mm .22 kg	Test 2011	Plain Bush
B42G30G40	\$ 34	42.05mm	30.11mm	39.7mm .15 kg	O.S. Test	2010
B47G30G31	\$ 30	47.50mm	30.23mm	30.0mm	Agribusiness	Bushing

Bushes to Suit 1.25" Diameter Shaft

B38-32-18	\$ 27	1.502"	1.257"	0.70" .05 kg	Case Lift Cyl	30634
B38-32-22	\$ 27	1.501"	1.256"	0.88" .08 kg	Massey Ferguson	Plain
B38G32G25	\$ 30	1.502"	1.253"	1.00" .07 kg	Test 2005	Greasable
B38-32-27	\$ 29	1.501"	1.258"	1.06" .07 kg	Massey Ferguson	Plain
B38-32-32	\$ 29	1.502"	1.256"	1.25" .09 kg	Test 2000	Plain
B38-32-37	\$ 30	1.502"	1.256"	1.50" .11 kg	Test 2000	Plain
B38G32G38	\$ 31	1.502"	1.253"	1.50" .10 kg	Test 2005	Greasable
B38G32G44	\$ 34	1.501"	1.256"	1.74" .12 kg	Test 2009	Greasable
B38G32G50	\$ 40	1.501"	1.258"	1.96" .14 kg	Test 2000	Greasable
B38G32G63	\$ 46	1.502"	1.258"	2.50" .18 kg	Test 2012	Greasable

Dimensions shown are for the KSet Bush, not for nearby OEM numbers

Correct Material for Bushings

What type of steel to machine bucket bushings for a backhoe or bushings for an excavator from ?
Bushings are machined from low carbon steel such as 1020
Larger bushes will be machined from low carbon hollow bar such as Ovako 280 or 20MnV6
Wear Hardness is added to the surface of the bush by **Case Hardening**
Quenched and Tempered to 59 - 61 Hardness Rockwell C at 200 degrees Celcius

Engineered Bushing Applications

Bucket, Arm and Cylinder Joints of excavators and wheel loaders
Heavy Load Joints. Boom Foot
Boom Cylinder Foot
Boom Cylinder Ram Eye
Excavator Pivot Points
Replacement of Bronze Bushes
Replace Fibre Bushes
Backhoe Bushes
Opencut Cylinder Bush
Underground Cylinder Bush
aftermarket Tamrock bush
Adaptable Steel Bush for Bronze
Traxcavator Replacement Bush

BUSHINGS

Quantity **Discounts Available** only upon request provided all outstanding invoices are settled within 7 Days

Discount for **10** of any line item **\$3.00** ea
Discount for **20** of any line item **\$4.00** ea
Discount for **30** of any line item **\$5.00** ea
Discount for **40** of any line item **\$6.00** ea

Darwin Bearings Next Day

Bushes and Pins Seals and Shims Cutters and Tools

Minimum Product Order \$150
Prices subject to change without notice

Case Hardened Bushes - Precision Ground

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B40-32-26	\$28	40.03mm	1.251"	0.99"	.09 kg	JOY B40-31-25 01758059-0061
B40-32-32	\$28	40.03mm	1.254"	1.25"	.11 kg	Tesk 2009 Plain Bush
B40-32-40	\$31	40.03mm	1.254"	1.58"	.15 kg	Attachment Plain Bush
B40G32G40	\$34	40.02mm	32.10mm	40.0mm	.15 kg	Bush to suit 32mm Diameter Pin
B40-32-50	\$36	40.03mm	1.254"	1.97"	.18 kg	Cat247B Skid Steer Loader
B40-32G50	\$34	40.01mm	1.260"	1.95"	.18 kg	Bobcat Caterpillar 159-5756
B40G32G50	\$34	40.02mm	1.258"	1.97"	.18 kg	Cat247B Greasable
B42-32-12	\$24	1.6275"	1.253"	0.47"	.05 kg	Extra Hard Bush 64 HRC
B42-32-32	\$28	1.627"	1.255"	1.25"	.13 kg	For Case 580 D33827
B42-32-38	\$35	1.627"	1.255"	1.50"	.16 kg	Toolmaker Bushing Plain
B42-32-48	\$40	1.627"	1.256"	1.87"	.20 kg	Tesk 2004 Roller Bush
B42G32G51	\$42	1.627"	1.256"	2.00"	.20 kg	Tesk 2012 Greasable
B44-32-32	\$35	1.752"	1.256"	1.25"	.19 kg	Tesk 2009 Plain Bush
B44-32-51	\$38	1.752"	1.257"	2.00"	.30 kg	Tesk 2006 Plain Bush
B44G32G51	\$41	1.752"	1.256"	2.00"	.30 kg	Tesk 2008 Greasable
B44-32G76	\$48	1.751"	1.256"	3.00"	.45 kg	Imperial Bush Case Hardened
B51-32-26	\$36	2.002"	1.259"	1.00"	.24 kg	Heavy Wall Case Hardened
B51-32-51	\$48	2.001"	1.258"	2.00"	.49 kg	Plain Heavy Wall Bush
B51G32G51	\$50	2.001"	1.258"	2.00"	.49 kg	Greasable Heavy Wall Bush
B55G32G66	\$70	55.07mm	1.259"	66.0mm	kg	Greasable John Deere R81853
B45-33-44	\$30	44.90mm	32.80mm	44.0mm	.26 kg	2012 Special Bushing
B45-33-45	\$37	45.00mm	33.00mm	44.0mm	.26 kg	Special Bushing 2015
Bushes for 35mm Diameter Shaft:						
B40-35-25	\$29	40.05mm	35.10mm	25.0mm	.06 kg	Bobcat 331-Bush-H
B40-35-30	\$20	40.03mm	35.10mm	30.0mm	.07 kg	Toyota 90387-35003-71
B40-35-50	\$30	40.01mm	35.11mm	50.0mm	.12 kg	Toyota 35DK8 331-Bush-J
B40G35G50	\$32	40.01mm	35.11mm	50.0mm	.12 kg	Bobcat 331-Bush-HR
B45-35G29	\$24	45.10mm	35.17mm	29.2mm	.14 kg	IHI 404 323 109
B45-35-30	\$25	45.05mm	35.11mm	30.0mm		Tesk 2005 Chain Bearing Bush
B45G35G30	\$29	45.05mm	35.12mm	30.0mm	.15 kg	Bobcat & IHI 404 330 200
B45-35G35	\$29	45.06mm	35.13mm	35.0mm	.17 kg	Komatsu PC20-Bush-H,I,J,K
B45-35-35	\$29	45.05mm	35.11mm	35.0mm	.18 kg	Tesk 2008 Plain Bush
B45G35G35	\$32	45.05mm	35.10mm	35.0mm	.17 kg	Komatsu PC20-HR
B45G35-35	\$24	45.05mm	35.11mm	35.0mm		No Internal Groove
B45-35X35	\$34	45.04mm	35.22mm	34.9mm	.17 kg	Kubota 68741-66630
B45-35G38	\$30	45.05mm	35.10mm	38.0mm		Furukawa 550811-11190
B45G35G40	\$34	45.05mm	35.10mm	40.0mm	.19 kg	Furukawa 550901-12240
B45G35G44	\$32	45.06mm	35.35mm	44.0mm	.20 kg	John Deere H149680
B45G35G45	\$37	45.06mm	35.12mm	45.0mm	.22 kg	Excavator 19000-12002
B45-35-49	\$34	45.05mm	35.11mm	49.0mm	.24 kg	Tesk 2009 Plain Bush
B45-35-50	\$46	45.04mm	35.05mm	50.0mm	.25 kg	High Tensile EN36A
B45G35G50	\$41	45.05mm	35.12mm	50.0mm	.25 kg	Excavator 01009-01012
B47G35G45	\$40	47.05mm	35.15mm	45.0mm	.25 kg	O.S. Tesk 2012
B50G35G55	\$48	50.05mm	35.15mm	55.0mm	.38 kg	Heavy Wall O.S. Tesk 2012
B53G35G45	\$64	53.12mm	35.10mm	45.0mm	.43 kg	Atlas Copco 9128734300
Bushes for 1.5 inch Diameter Shaft:						
B44-38-25	\$31	1.751"	1.506"	1.00"	.08 kg	Tesk 2003 Plain Bush
B44-38-29	\$28	1.751"	1.508"	1.13"	.09 kg	Massey Ferguson 846002M1
B44-38-32	\$30	1.751"	1.506"	1.25"		Tesk 2003 Plain Bush
B44G38G32	\$32	1.751"	1.506"	1.25"	.11 kg	Tesk 2011
B44-38-38	\$36	1.751"	1.507"	1.50"		Tesk 2005 Plain Bush
B44G38G38	\$38	1.751"	1.507"	1.50"	.13 kg	Tesk Imperial Bush 2011
B44-38-45	\$34	1.751"	1.508"	1.75"		Tesk 2007 Plain Bush
B44G38G45	\$28	1.751"	1.504"	1.75"	.16 kg	Greasable Bush Precision
B44-38-50	\$32	1.752"	1.503"	1.97"	.17 kg	Tesk 2006 Close Fit
B44G38G50	\$38	1.753"	1.504"	1.97"	.17 kg	Tesk 2002 Greasable Bush
B44-38-51	\$34	1.750"	1.500"	2.00"	.17 kg	Close Tolerance Plain Bush

Bushes for 1.5 inch Diameter Shaft:

B44-38-25	\$31	1.751"	1.506"	1.00"	.08 kg	Tesk 2003 Plain Bush
B44-38-29	\$28	1.751"	1.508"	1.13"	.09 kg	Massey Ferguson 846002M1
B44-38-32	\$30	1.751"	1.506"	1.25"		Tesk 2003 Plain Bush
B44G38G32	\$32	1.751"	1.506"	1.25"	.11 kg	Tesk 2011
B44-38-38	\$36	1.751"	1.507"	1.50"		Tesk 2005 Plain Bush
B44G38G38	\$38	1.751"	1.507"	1.50"	.13 kg	Tesk Imperial Bush 2011
B44-38-45	\$34	1.751"	1.508"	1.75"		Tesk 2007 Plain Bush
B44G38G45	\$28	1.751"	1.504"	1.75"	.16 kg	Greasable Bush Precision
B44-38-50	\$32	1.752"	1.503"	1.97"	.17 kg	Tesk 2006 Close Fit
B44G38G50	\$38	1.753"	1.504"	1.97"	.17 kg	Tesk 2002 Greasable Bush
B44-38-51	\$34	1.750"	1.500"	2.00"	.17 kg	Close Tolerance Plain Bush

Dimensions shown are for the KSet Bush, not for nearby OEM numbers

Applied Engineered Bushes

Bucket, Arm and Cylinder Joints
of excavators and wheel loaders
Heavy Load Joints, Boom Foot
Boom Cylinder Foot
Boom Cylinder Ram Eye
Excavator Pivot Points
Replacement of Bronze Bushes
Replace Fibre Bushes
Backhoe Bushes
Opencut Cylinder Bush
Underground Cylinder Bush
aftermarket Tamrock bush
Adaptable Steel Bush for Bronze
Traxcavator Replacement Bush
Tree Harvester Attachment Bush
Log Grapple Bush
Australia Grabs & Grapples Bush
Rotator Pins and Bushes
Rotator Link Bush
Forestry Attachment Bush
NZ Industrial Bushings
NZ Forestry Attachment
Loader Log Grab
Forest Harvesting Attachment
Tasmania Industrial Supplies
NSW Laser Earthworks

BUSHINGS

Quantity Discounts Available only upon request provided all outstanding invoices are settled within 7 Days

Discount for 10 of any line item \$3.00 ea
Discount for 20 of any line item \$4.00 ea
Discount for 30 of any line item \$5.00 ea
Discount for 40 of any line item \$6.00 ea

Pins and Bushes Shims and Seals Tools and Cutters

Minimum Product Order \$150
Prices subject to change without notice

Case Hardened Bushes - Precision Ground

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B45-38-22	\$26	1.774"	1.500"	0.87"	No Disc	H145069
B45-38-32	\$29	1.775"	1.510"	1.25"	.12 kg	Plain Bush
B46-38-62	\$39	46.05mm	1.506"	2.44"	.27 kg	Plain Bush
B46-38-76	\$62	46.05mm	1.506"	3.00"	.32 kg	Plain Bush
B47-38G45	\$68	47.02mm	38.08mm	44.8mm	.21 kg	Sandvik VME12 3176 7714 00
B48-38-22	\$27	1.876"	1.502"	0.87"	.12 kg	Task 2014 Plain Bush
B48-38-25	\$28	1.876"	1.509"	1.00"	.12 kg	Case 455C D31140
B48-38-29	\$25	1.876"	1.508"	1.13"	.14 kg	Case 580 D30932, D37763
B48-38-32	\$29	1.876"	1.509"	1.25"	.17 kg	Case D30933
B48G38G32	\$32	1.876"	1.509"	1.25"	.15 kg	John Deere U10616
B48G38G33	\$35	48.05mm	38.15mm	33.0mm		Yanmar VIO40 Metric
B48-38-37	\$26	1.877"	1.506"	1.48"	.19 kg	Task 2009 Plain Bush
B48G38G38	\$31	1.877"	1.508"	1.50"	.18 kg	Massey Ferguson Greasable
B48-38-39	\$32	1.876"	1.509"	1.53"	.20 kg	Case 580 D30929 & D49429
B48G38G40	\$34	48.05mm	38.15mm	40.0mm	.21 kg	Task 2005 Metric
B48G38G45	\$36	48.05mm	38.15mm	45.0mm	.24 kg	Yanmar VIO20 Metric
B48G38G49	\$36	1.878"	1.507"	1.93"	.24 kg	Task 2009 Greasable
B48-38G50	\$36	48.05mm	38.15mm	50.0mm		Task 2011 Metric Bush
B48-38-51	\$36	1.877"	1.506"	2.00"	.26 kg	Task 2009 Plain Imperial Bush
B48-38G55	\$26	48.05mm	38.15mm	55.0mm		Yanmar VIO20 Metric
B48G38G55	\$36	48.05mm	38.15mm	55.0mm	.29 kg	Task 2011 Metric
B48-38-70	\$46	1.876"	1.511"	2.75"	.31 kg	Case D30931
B50G38G49	\$32	50.07mm	38.14mm	49.0mm	.30 kg	Task 2008 Metric
B50-38-57	\$34	50.06mm	1.500"	2.24"		John Deere 670B 672B H145104
B51-38-26	\$28	2.002"	1.506"	1.00"	.17 kg	Task 2000 Plain Bush
B51G38-29	\$19	2.0025"	1.507"	1.13"	.17 kg	Caterpillar 7K9592
B51-38-31	\$32	2.002"	1.509"	1.24"		Task 2007 Plain Bush
B51G38G32	\$35	2.002"	1.508"	1.25"		Task 2000 Greasable
B51-38-35	\$32	2.002"	1.507"	1.37"	.24kg	Length = 34mm Plain Bush
B51G38G38	\$26	1.990"	1.497"	1.50"		John Deere T41963
B51G39G38	\$32	2.002"	1.509"	1.50"	.25kg	Task 2003 Greasable
B51-38-39	\$30	2.002"	1.508"	1.50"		Caterpillar 5D4541
B51-38-45	\$28	2.002"	1.508"	1.75"	.31kg	Task 2008 Plain Bush
B51G38G45	\$30	2.002"	1.508"	1.75"	.30kg	Task 2003 Greasable
B51G38-47	\$30	2.003"	1.507"	1.86"	.32kg	Caterpillar 7K9593 4 x 6 holes
B51-38-51	\$38	2.002"	1.510"	2.00"	.35kg	Task 2009 Plain Bush
B51G38G51	\$41	2.002"	1.510"	2.00"	.34kg	Task 2000 Greasable
B51G38G60	\$46	2.002"	1.505"	2.37"	.40kg	Bobcat Refurb Greasable
B51-38-63	\$30	1.992"	1.520"	2.50"	.42kg	John Deere T101148
B51G38G63	\$46	2.002"	1.510"	2.48"	.42kg	Task 2007 Greasable
B51G38G70	\$59	2.002"	1.506"	2.75"		Task 2011 Greasable
B51G38G76	\$58	2.002"	1.508"	3.00"	.51 kg	Task 2004 Greasable
B51G38G102	\$64	2.002"	1.509"	4.00"	.69 kg	Task 2004 Greasable
B52G38G38	\$30	2.063"	1.509"	1.50"		O.S. Task 2007 Greasable
B54-38-25	\$34	2.126"	1.504"	1.00"	.23 kg	Task 2010 Plain Bush
B54-38-49	\$48	2.126"	1.504"	1.94"	.45 kg	Task 2010 Plain Bush
B54-38-53	\$38	2.128"	1.501"	2.08"	.50kg	Eimco New A2U913-194145
B54-38-54	\$50	2.125"	1.501"	2.13"	.50kg	Eimco Old A2U913-194145
B54-38H82	\$50	2.127"	1.504"	3.23"		Eimco 2 x 16 hole A2U913-194264
B54-38H90	\$50	2.127"	1.504"	3.54"		Eimco 2 x 16 hole A2U913-194197
B55G38G51	\$30	55.09mm	1.509"	2.01"		Greasable John Deere R82942
B57G38G43	\$28	2.243"	1.508"	1.69"		John Deere T126936, T47070
B57-38-51	\$46	2.252"	1.508"	2.00"	.58kg	Task 2009 Plain Bush
B60-37-37	\$28	2.365"	1.451"	1.46"		John Deere T81452
B76-38-44	\$36	3.000"	1.500"	1.75"		Bucket Boss 52HRC

Dimensions shown are for the KSet Bush, not for nearby OEM numbers

Correct Material for Bushings
What type of steel to machine bucket bushings for a backhoe or bushings for an excavator from ?

KSet Bushings are machined from low carbon hollow bar such as Ovako 280 or 20MnV6 Manganese Vanadium Steel **Wear Hardness** is added to the surface of the bush by Furnace **Case Hardening Quenched and Tempered** to 59 - 61 Hardness Rockwell C at 200 degrees Celcius

Engineered Bushing Applications
Bucket, Arm and Cylinder Joints of excavators and wheel loaders
Heavy Load Joints. Boom Foot
Boom Cylinder Foot
Boom Cylinder Ram Eye
Excavator Pivot Points
Replacement of Bronze Bushes
Replace Fibre Bushes
Lineboring Rebuilds

BUSHINGS
Quantity **Discounts Available** only upon request provided all outstanding invoices are settled within 7 Days

Discount for **10** of any line item **\$3.00** ea
Discount for **20** of any line item **\$4.00** ea
Discount for **30** of any line item **\$5.00** ea
Discount for **40** of any line item **\$6.00** ea

Pins and Bushes
Shims and Seals
Tools and Cutters

Minimum Product Order \$150
Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Bushes for 40mm Diameter Shaft:

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B44-40-25	\$ 28	44.05mm	40.05mm	25.0mm .06 kg	Mount Isa	Thin Wall Bush
B44-40-30	\$ 29	44.05mm	40.05mm	30.0mm .07 kg	Mount Isa	Thin Wall Bush
B45-40-38	\$ 35	45.05mm	40.10mm	38.0mm .10 kg	Test 2012	Plain Bush
B45-40-47	\$ 40	45.05mm	40.10mm	47.0mm .12 kg	Test 2004	Plain Bush
B48-40-20	\$ 30	48.04mm	40.05mm	20.0mm .085 kg	Sandvik	5502 3390
B48-40-30	\$ 30	48.03mm	40.09mm	30.0mm .13 kg	Sandvik	4985 2501
B48-40-31	\$ 29	48.03mm	40.04mm	30.0mm .13 kg	Sandvik	4536 8998
B48-40-38	\$ 29	1.8756"	40.20mm	38.1mm	Case580	G108507
B48G40G60	\$ 54	48.05mm	40.12mm	60.0mm .26 kg	Kobelco 2004	Greasable
B50-40G24	\$ 30	50.10mm	40.17mm	24.26mm .13 kg	IHI35J-Bush-HL	404 323 101
B50-40-28	\$ 32	50.03mm	40.20mm	28.0mm .16 kg	Case Loader Bucket	D129264
B50G40G30	\$ 32	50.05mm	40.10mm	30.0mm .16 kg	Hydraulic cylinder bush	Greasable
B50-40-32	\$ 29	50.00mm	40.22mm	32.0mm .18 kg	Case 580K	E172051
B50-40G32	\$ 29	50.03mm	40.16mm	31.9mm .18 kg	Kubota KX71	68741-66770
B50G40G34	\$ 34	50.05mm	40.11mm	34.6mm	Furukawa	353541-21130
B50-40-35	\$ 30	50.03mm	40.18mm	34.8mm	Case 580 SLE	Plain Bush
B50-40G39	\$ 34	50.10mm	40.18mm	39.2mm .22 kg	IHI	35J-Bush-H,I,J,K,G
B50-40-39	\$ 34	50.05mm	40.17mm	39.5mm .22 kg	Kubota KX41	68741-6677-0
B50-40-40	\$ 35	50.05mm	40.29mm	40.0mm .22 kg	John Deere	R72579
B50G40G40	\$ 39	50.05mm	40.11mm	40.0mm .21 kg	IHI35J-Bush-HR	075-223-221
B50G40G45	\$ 42	50.05mm	40.12mm	45.0mm .24 kg	IHI35J Takeuchi	075 224 021
B50G40X45	\$ 48	50.05mm	40.15mm	45.0mm	075 223 923	OF8/BF8
B50-40-50	\$ 42	50.05mm	40.17mm	50.0mm .28 kg	Kubota KX71	68351-6776-0
B50G40G50	\$ 45	50.05mm	40.17mm	50.0mm .27 kg	Kubota KX71	68351-6777-0
B50G40G60	\$ 48	50.10mm	40.17mm	60.0mm .32 kg	Hydraulic cylinder bush	Greasable
B50G40G62	\$ 47	50.09mm	40.12mm	62.0mm .33 kg	John Deere	R81488
B50G40G67	\$ 52	50.09mm	40.24mm	67.0mm .37 kg	John Deere	T100240
B50-40-70	\$ 47	50.01mm	40.23mm	70.0mm .39 kg	Case 580K	D129240
B50G40G80	\$ 47	50.10mm	40.17mm	80.0mm .44 kg	Greasable	Bushing
B50-40G100	\$ 60	50.10mm	40.25mm	100.0mm	John Deere	T76638
B51-40-38	\$ 35	2.002"	40.17mm	38.0mm	O.S. Test 2007	Plain Bush
B51G40G50	\$ 40	2.002"	40.16mm	50.0mm	Greasable	Bushing
B52-40-50	\$ 48	52.07mm	40.14mm	50.0mm .34 kg	O.S. Test 2009	Plain Bush
B53-40-38	\$ 38	53.08mm	40.25mm	38.1mm .29 kg	John Deere	9R0111
B53G40G50	\$ 45	53.08mm	40.16mm	50.0mm .37 kg	O.S. Test 2011	Greasable
B55-40-30	\$ 32	55.01mm	40.22mm	30.0mm .26 kg	Case 580SLE	D136570
B55G40X45	\$ 44	55.06mm	40.16mm	45.0mm .36 kg	Test 2004	Greasable Bush
B55G40G65	\$ 48	55.07mm	40.22mm	65.0mm .56 kg	John Deere 315	R81849
B56-40-50	\$ 50	56.05mm	40.12mm	50.0mm .47 kg	Test 2006	Plain Bush
B57-40-23	\$ 37	56.56mm	40.11mm	22.7mm .24 kg	Case 580K	G108526
B57-40-24	\$ 37	56.68mm	40.21mm	24.0mm .25 kg	Case	542668
B60-40-32	\$ 42	60.10mm	40.15mm	32.0mm .40 kg	Test Heavy Wall	2013
B60-40-45	\$ 42	60.10mm	40.15mm	45.0mm .57 kg	Test Heavy Wall	2010
B60G40G50	\$ 59	60.08mm	40.17mm	50.0mm	Test Heavy Wall	2013
B60G40G60	\$ 62	60.08mm	40.16mm	60.0mm .73 kg	Test Heavy Wall	2009
B70G40G120	\$ 140	70.00mm	40.10mm	120 mm 2.41 kg	Test Heavy Wall	2009

Bushes for 1 3/4" Diameter Shaft:

B51-44-38	\$ 39	2.002"	1.759"	1.50" .14 kg	Massey Ferguson	Plain Bush
B51G44G44	\$ 40	2.001"	1.754"	1.75" .16 kg	Hydraulic cylinder bush	Greasable
B51-44-51	\$ 48	2.002"	1.756"	2.00" .19 kg	Test 2011	Plain Bush
B51G44G51	\$ 48	2.002"	1.756"	2.00" .19 kg	Hydraulic cylinder bush	Greasable
B54-44-22	\$ 28	2.126"	1.758"	0.88" .12 kg	Case D33047, D46405, G34845	
B54-44-26	\$ 28	2.125"	1.759"	1.01" .14 kg	Case	D34340
B54-44-29	\$ 28	2.125"	1.760"	1.12" .16 kg	Case 455C	D35071
B54-44-30	\$ 26	2.125"	1.757"	1.19" .16 kg	Case 580K	D94018

6.8mm Jobber Drill Bit HSS
Titanium Nitride Coated \$ 5.00 ea
135 degrees split point

Code: TL-9LM068

6 Pack
Jobber Drills
\$ 22.00 / 6

Code:
TL6-9LM068

Use For
8mm x 1.25 Tap



TAP - High Speed Steel \$12.00
8mm x 1.25 Intermediate Plus GST
Code: TL-CMCHI080

6 Pack
TAPS - HSS \$ 64.00 / 6
8mm x 1.25 Intermediate
Code: TL6-CMCHI080

BUSHINGS

Quantity Discounts Available only upon request provided all outstanding invoices are settled within 7 Days

Discount for 10 of any line item \$3.00 ea

Discount for 20 of any line item \$5.00 ea

Discount for 30 of any line item \$6.00 ea

**Pins and Bushes
Shims and Seals
Tools and Cutters**

Minimum Product Order \$150
Prices subject to change without notice

Case Hardened Bushes - Precision Ground

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B54-44-37	\$41	2.126"	1.753"	1.50"	.27 kg	Tesk	2004
B54-44-38	\$30	2.115"	1.750"	1.48"	No Discount	John Deere Bushing	U43636
B54-44-39	\$32	2.125"	1.760"	1.50"	.27 kg	Case 455C	D34354
B54G44G38	\$43	2.126"	1.754"	1.50"	.22 kg	Hydraulic cylinder bush,	Greasable
B54G44G44	\$36	2.126"	1.754"	1.75"	.25kg	Hydraulic cylinder bush,	Greasable
B54G44G51	\$22	2.118"	1.765"	2.00"	.28 kg	John Deere 670B,672B	T42080
B54G44G52	\$46	2.126"	1.753"	2.00"	.28 kg	Tesk 2005	Greasable
B54-44-58	\$38	2.126"	1.759"	2.25"	.30 kg	Case	D42788
B57-44-26	\$33	2.250"	1.760"	1.00"	.20 kg	Case 480B Ft Stg Axle	D43940
B57-44-27	\$16	2.242"	1.770"	1.06"	No Discount	John Deere Bushing	T159279
B57-44-28	\$22	2.251"	1.759"	1.10"	.22 kg	Case D127172,	107124A1
B57-44-29	\$17	2.243"	1.765"	1.12"	No Discount	John Deere Bushing	U10481
B57-44-30	\$30	2.250"	1.760"	1.14"	.24 kg	Case	107124A1
B57-44-32	\$30	2.251"	1.761"	1.25"	.25 kg	John Deere T140669	Case D37495
B57-44-33	\$20	2.243"	1.760"	1.26"	.25 kg	John Deere	T25898
B57-44-34	\$30	2.251"	1.759"	1.36"	.25 kg	Case 580 SLE	Bushing
B57-44G35	\$32	2.253"	1.757"	1.38"	.25 kg	CAT950-Bush-Stg	7J9688
B57-44-36	\$30	2.251"	1.757"	1.39"	.25 kg	Caterpillar	7K9589
B57G44G38	\$26	2.240"	1.748"	1.50"		John Deere Grader	T41976
B57G45G38	\$24	2.243"	1.765"	1.50"		John Deere Bushing	U16070
B57-44-39	\$36	2.252"	1.756"	1.50"	.30 kg	Case	D50146
B57G44G39	\$44	2.252"	1.756"	1.50"	.30 kg	Geasable Bush	2016
B57-44-42	\$42	2.251"	1.760"	1.65"	.34 kg	Case	D55626
B57-44-43	\$28	2.240"	1.767"	1.70"		John Deere	T34301
B57-44-44	\$25	2.252"	1.756"	1.75"	.35 kg	Tesk 2004	Plain Bush
B57-44-45	\$28	2.243"	1.760"	1.77"		John Deere Bushing	T25875
B57G44G45	\$42	2.251"	1.756"	1.75"	.36 kg	Hydraulic cylinder bush,	Greasable
B57G44-46	\$28	2.243"	1.770"	1.81"		John Deere Bushing	U16017
B57G44G46	\$28	2.240"	1.765"	1.81"	.36 kg	John Deere	T34414
B57-44-50	\$28	2.250"	1.765"	1.97"		Tesk 2004	Plain Bush
B57-44-51	\$36	2.252"	1.756"	2.00"	.40 kg	CAT 953	Plain Bush
B57G44G51	\$42	2.252"	1.756"	2.00"	.39 kg	Hydraulic cylinder bush	Greasable
B57G44-52	\$30	2.250"	1.760"	2.06"		Off-set Groove 2:5:12	D129061
B57G44G57	\$47	2.252"	1.756"	2.25"	.44 kg	Hydraulic cylinder bush	Greasable
B57G44-59	\$32	2.251"	1.758"	2.34"	T	CAT-950-Bush-J	7K0085
B57-44-60	\$51	2.252"	1.756"	2.37"	.48 kg	Tesk 2009	Plain Bush
B57G44G60	\$52	2.251"	1.755"	2.37"	.46 kg	Hydraulic cylinder bush,	Greasable
B57G44G63	\$52	2.251"	1.757"	2.46"	.49 kg	Caterpillar	2K4504
B57-44-70	\$36	2.250"	1.760"	2.75"	.53 kg	Case	D121845
B57G44G70	\$58	2.252"	1.756"	2.75"	.53 kg	Tesk 2013	Greasable
B57G44G76	\$64	2.252"	1.756"	3.00"	.58 kg	Tesk 2011	Greasable
B57-44-80	\$58	2.258"	1.753"	3.13"	.64 kg	Caterpillar	8J6535
B57G44G92	\$51	2.243"	1.765"	3.62"		John Deere 670B 672B	T59506
B57-44-94	\$54	2.250"	1.756"	3.70"		Case D127168 580SK-Bush-J-Old	
B57G44G94	\$49	2.251"	1.756"	3.70"		Tesk 2004	Greasable
B57T44-104	\$68	2.250"	1.755"	4.10"	.79 kg	Case	580SK-Bush-J new
B57-44G125	\$64	2.251"	1.756"	4.92"		Case	580SK-Bush-J extra
B57G44G145	\$60	2.240"	1.759"	5.71"		J Deere T121987,T126201,T105930	
B60-44-51	\$50	2.376"	1.756"	2.00"	.51 kg	Tesk 2006	Plain Bush
B64-44-51	\$58	2.502"	1.756"	2.00"	.66 kg	Tesk 2005	Plain Bush
B64-44-63	\$63	2.502"	1.758"	2.50"		Tesk 2003	Plain Bush
B64G44G63	\$58	2.502"	1.758"	2.50"	.77 kg	Hydraulic cylinder bush	Greasable
B64G44G76	\$58	2.502"	1.756"	3.00"		Hydraulic cylinder bush	Greasable
B66-44-160	\$120	2.617"	1.763"	6.30"		Heavy Wall 2016	Plain Bush

Imperial Bushings - Inch Chart
All Australian made for John Deere backhoe
Caterpillar grader bearings
John Deere Bushings
Case 580 Backhoe Loaders
Case construction 4-in-1 bucket
Vic Wheel Loader spare parts
Global Steel Bushes Suppliers
Hardened Steel Sleeve Bushings
Hardened Steel Bushings Online
Hardened Steel Sleeve
Farm equipment hardened bushes
Old Hardened Steel Bushings
Hardened Steel Bushings Suppliers
Massey Backhoe bushes

KSet Helpful Tips on Repairs to
John Deere scraper parts
Excavator Pin & Bushing Supplier
Inch Bushings for American backhoe
Replacing backhoe pins and bushings
Excavator bucket bushings and pins
Hydraulic Ram Eye bushings
Pneumatic cylinder bushes
Broadacre tillage implement bushes
Industrial bushings for agricultural use

BUSHINGS
Quantity Discounts Available only upon request provided all outstanding invoices are settled within 7 Days
Discount for 10 of any line item \$3 ea
Discount for 20 of any line item \$5 ea
Discount for 30 of any line item \$6 ea

Pins and Bushes
Shims and Seals
Tools and Cutters
Minimum Product Order \$150
Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 45mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B50G45G45	\$ 40	50.07mm	45.10mm	45.0mm .13kg	Greasable Precision Ground	
B50-45X45	\$ 48	50.05mm	45.10mm	45.0mm .13kg	Atlas Copco 3177 0074 00 BF8	
B50-45-56	\$ 44	50.07mm	45.10mm	56.0mm .17kg	Task 2009 Plain Bush	
B50-45-57	\$ 45	49.83mm	45.09mm	57.0mm .17kg	John Deere T140211,T69352	
B55G45G25	\$ 33	55.05mm	45.15mm	25.0mm .15kg	Task 2012 Greasable Bush	
B55-45-30	\$ 34	55.05mm	45.15mm	30.0mm .19kg	Kubota KX161-3SS Plain Bush	
B55-45-35	\$ 35	55.05mm	45.15mm	35.0mm .20kg	404 326 000 Plain Bush	
B55G45G35	\$ 35	55.05mm	45.16mm	35.0mm .20kg	Task 2004 Greasable Bush	
B55-45-36	\$ 34	55.07mm	45.15mm	36.0mm .23kg	PY12B 010 09P1 SK045-Bush-HL	
B55-45X36	\$ 48	55.05mm	45.13mm	36.0mm .22kg	Kubota KX161-3SS-Bush-HL BF8	
B55G45G39	\$ 39	55.07mm	45.15mm	38.8mm .23kg	Yanmar VIO 50-Bush-HL	
B55-45-40	\$ 35	55.11mm	45.28mm	40.0mm .25kg	John Deere T76639	
B55G45G40	\$ 41	55.05mm	45.13mm	40.0mm .24kg	Yanmar VIO 50-Bush-G	
B55-45X40	\$ 56	55.11mm	45.15mm	40.0mm .30kg	IHI50VX-Bush-HL,I,J,K O/BF8	
B55-45-41	\$ 35	55.10mm	45.15mm	40.0mm .25kg	Task 2004 Plain Bush	
B55F45-42	\$ 25	55.03mm	45.15mm	42.0mm	Flange Bush 3501770 M2	
B55G45G44	\$ 43	55.05mm	45.18mm	44.0mm .26kg	Task 2003 Greasable Bush	
B55-45G45	\$ 39	55.06mm	45.13mm	44.8mm .27kg	01743-10405 PC45-1-D,E KY045-H	
B55-45X45	\$ 50	55.05mm	45.13mm	44.8mm .27kg	Kubota KX045-Bush-HL BF8	
B55G45G45	\$ 45	55.07mm	45.13mm	44.8mm .26kg	19000-46502 07144-10405	
B55G45X45	\$ 52	55.05mm	45.13mm	44.8mm .27kg	Komatsu 20T-70-71870	
B55-45X46	\$ 50	55.05mm	45.13mm	45.0mm .27kg	Komatsu 20T-70-71880 O/BF8	
B55G45G50	\$ 50	55.05mm	45.13mm	50.0mm .30kg	Yanmar VIO 50-Bush-HR	
B55G45X50	\$ 52	55.05mm	45.13mm	50.0mm .30kg	Kubota KX045-Bush-R BF8	
B55G45X51	\$ 56	55.11mm	45.15mm	50.0mm .30kg	IHI 50 IHI50VX-Bush-HR BF8	
B55-45X51	\$ 52	55.06mm	45.13mm	51.0mm .30kg	20T-70-71250 PC45-Bush-F OF8	
B55-45G55	\$ 43	55.05mm	45.13mm	55.0mm .35kg	Furukawa 337811-11130	
B55G45G55	\$ 49	55.06mm	45.15mm	55.0mm .33kg	Task 2005 Greasable Bush	
B55-45G59	\$ 45	55.05mm	45.12mm	59.0mm .36kg	550831-23130 610511-51130	
B55-45-60	\$ 47	55.07mm	45.15mm	60.0mm .37kg	Kubota KX161-Bush-J	
B55G45G60	\$ 54	55.05mm	45.13mm	60.0mm .39kg	Task 2005 Greasable Bush	
B55-45X60	\$ 62	55.10mm	45.16mm	60.0mm .37kg	Yanmar VIO 50-Bush-I O/BF8	
B55G45G61	\$ 38	55.07mm	45.26mm	61.0mm	John Deere H148881	
B55F45X65	\$149	55.07mm	45.18mm	65.0mm	Flange 99.7 VIO 50-Bush-J	
B55G45G66	\$ 55	55.05mm	45.19mm	66.0mm .39kg	John Deere R81850,R84376	
B56-45-40	\$ 47	56.05mm	45.13mm	40.0mm .27kg	O.S. Task 2008 Plain Bush	
B56-45-50	\$ 38	56.05mm	45.13mm	50.0mm .34kg	O.S. Task 2008 Plain Bush	
B56G45G50	\$ 48	56.05mm	45.13mm	50.0mm .33kg	O.S. Task 2010 Greasable	
B58-45-34	\$ 39	58.10mm	45.29mm	34.0mm .29kg	CAT Bearing 9R0411	
B58-45-40	\$ 39	58.10mm	45.29mm	39.9mm .34kg	CAT 428 Backhoe 9R0147	
B60G45G40	\$ 46	60.10mm	45.14mm	40.0mm .37kg	Task 2013 Greasable Bush	
B60G45G50	\$ 54	60.07mm	45.13mm	50.0mm .47kg	Task 2013 Greasable Bush	
B60G45G60	\$ 58	60.07mm	45.13mm	60.0mm .57kg	Task 2002 Greasable Bush	
B61-45-37	\$ 40	61.03mm	45.17mm	37.0mm	Line Boring Plain Bush	
B62-45-42	\$ 40	62.10mm	45.15mm	42.0mm .47kg	Hitachi EX122, EX60UR	
B62G45G55	\$ 48	62.05mm	45.15mm	55.0mm .60kg	Line Boring Greasable Bush	
B65G45G65	\$ 60	65.10mm	45.14mm	65.0mm .87kg	O.S.Task 2012 Greasable Bush	
B68G45G55	\$ 80	68.08mm	45.15mm	55.0mm .87kg	Atlas Copco 104,T1D 912873 4400	

Suit 1.875" Diameter Shaft:

B57-48-19	\$ 37	2.252"	1.878"	19.1mm	Case D31512 Plain Bush	
B68-48-65	\$ 36	68.06mm	48.13mm	65.0mm .95kg	Task Bush=Generic KSet Bush	

Dimensions shown are for the KSet Bush,not for nearby OEM numbers

Correct Material for Bushings
What type of steel to machine bucket bushness for a backhoe or bushings for an excavator from ?

KSet Bushings are machined from low carbon hollow bar such as Ovako 280 or 20MnV6 Manganese Vanadium Steel **Wear Hardness** is added to the

surface of the bush by Furnace **Case Hardening Quenched and Tempered** to 59 - 61 Hardness Rockwell C at 200 degrees Celcius

Engineered Bushing Applications
Bucket, Arm and Cylinder Joints of excavators and wheel loaders
Heavy Load Joints. Boom Foot
Boom Cylinder Foot

Boom Cylinder Ram Eye
Excavator Pivot Points
Replacement of Bronze Bushes
Replace Fibre Bushes
Lineboring Rebuilds

Replacing excavator pins & bush
Pins and bushes heavy equipment
Repairs to mini excavator
Rebuild bobcats skid steer loaders
Bobcat bucket pins and bushings

BUSHINGS

Quantity **Discounts Available** only upon request provided all outstanding invoices are settled within 7 Days

Discount for 10 of any line item \$3.00 ea

Discount for 20 of any line item \$5.00 ea

Discount for 30 of any line item \$6.00 ea

Pins and Bushes
Shims and Seals
Tools and Cutters

Minimum Product Order \$150
Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 50mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B55-50-20	\$54	55.05mm	50.10mm	20.0mm .16 kg	Thin Wall	Plain Bush
B55G50G50	\$65	55.05mm	50.17mm	50.0mm .16 kg	Case Hardening Steel: 20MnV6	
B55G50G60	\$68	55.05mm	50.17mm	60.0mm .20 kg	Thin Wall	Greasable Bush
B60-50-19	\$27	60.02mm	50.22mm	18.5mm .13 kg	Case	D129272
B60-50-20	\$30	60.03mm	50.12mm	20.0mm .14 kg	Case Hardened	Retrofit Bush
B60-50-26	\$35	60.03mm	50.18mm	25.6mm .17 kg	Case D140029	580SK-Bush-H,I
B60-49-27	\$36	60.00mm	49.99mm	27.4mm	Case 580K Trunnion	G110117
B60-50-27	\$35	60.00mm	50.26mm	26.5mm .19 kg	Case	E176226
B60-50-28	\$34	60.12mm	50.09mm	27.0mm	Tight Clearance J Deere	T154277
B60-50-30	\$32	60.00mm	50.22mm	30.0mm .20 kg	Case 580K Loader	D127542
B60-50-31	\$29	59.86mm	49.93mm	31.0mm .20 kg	John Deere	R85884
B60-50-33	\$34	60.01mm	50.23mm	33.0mm .22 kg	Case 580 SLE	D150608
B60-50-34	\$34	60.03mm	50.12mm	34.0mm .23 kg	Testk 2003	Plain Bush
B60-50-36	\$34	59.99mm	50.20mm	36.0mm .24 kg	Case 580K Loader	D137345
B60-50X36	\$44	60.10mm	50.15mm	36.0mm	Kobelco SK060-Bush Z-HL	BF8
B60-50-38	\$40	60.11mm	50.13mm	38.0mm .26 kg	Matbro	33948/001
B60-50G38	\$40	60.10mm	50.15mm	38.0mm .26 kg	Int. Groove	KY045-Bush-H
B60-50-40	\$42	60.01mm	50.18mm	40.0mm .27 kg	580SK-Bush-C,D,E	D141555
B60G50G40	\$42	60.07mm	50.17mm	39.8mm .26 kg	WA420-Bush-S	707-76-5024
B60-50-45	\$45	60.01mm	50.23mm	45.0mm .31 kg	Case 580K	E176478
B60G50G45	\$45	60.10mm	50.15mm	45.0mm .30 kg	075 225 321	Greasable Bush
B60G50X45	\$52	60.10mm	50.15mm	45.0mm .29 kg	Steel Bush Factory Australia	BF8
B60-50-46	\$45	60.05mm	50.11mm	46.0mm .31 kg	Case Hardened	Plain Bush
B60-50-50	\$48	60.10mm	50.15mm	50.0mm .34 kg	Matbro 504217	Plain Bush
B60-50G50	\$48	60.10mm	50.12mm	50.1mm .34 kg	Komatsu D65-15	07143-10505
B60-50X50	\$56	60.07mm	50.12mm	49.7mm .35 kg	Komatsu PC45-C,PC60-7-G	BF8
B60G50G50	\$49	60.05mm	50.13mm	50.0mm .35 kg	Kobelco SK045-D,E & PC60-K	
B60G50X50	\$60	60.10mm	50.13mm	50.0mm	707-76-50471	PC45-1-Bush-B BF8
B60-50X51	\$54	60.05mm	50.14mm	50.1mm	PC45-Bush-F	0F8 SK045-Bush-A,F
B60-50X52	\$60	60.10mm	50.15mm	50.0mm .35 kg	Kobelco	SK060-Bush-I O/B F8
B60G50G53	\$45	60.00mm	50.27mm	52.4mm .35 kg	Case	180427A1
B60-50-54	\$44	60.05mm	50.18mm	54.1mm	D138047	580SK-Bush-D,HDL
B60-50-55	\$49	60.10mm	50.15mm	55.0mm	Kubota	KX161-Bush-F
B60G50G55	\$50	60.06mm	50.15mm	54.9mm	Furukawa	352831-11130
B60-50-56	\$42	60.11mm	50.13mm	56.0mm	Matbro Was 60.13 Dia	33948/005
B60G49G56	\$38	60.07mm	49.73mm	56.0mm .38 kg	John Deere	R97724
B60G50G59	\$50	60.05mm	50.13mm	59.3mm .39 kg	Sandvik	Tamrock 20797408
B60G50G60	\$52	60.05mm	50.13mm	60.0mm .39 kg	Kobelco	SK045-Bush-C
B60G50X60	\$59	60.05mm	50.16mm	60.0mm .38 kg	Yanmar	VI050-Bush-B,C BF8
B60G50G64	\$52	60.11mm	50.12mm	64.0mm .45 kg	Matbro	34964
B60G50X65	\$66	60.07mm	50.18mm	64.8mm .45 kg	PC45-Bush-A	20T-70-71140
B60G50G69	\$50	60.07mm	50.14mm	69.8mm .49 kg	416-70-11810	WA180-Bush-L,K,J
B60-50-70	\$50	60.11mm	50.13mm	70.0mm .50 kg	Matbro Was 60.13 Dia	503971
B60G50G70	\$52	60.13mm	50.13mm	70.0mm .49 kg	707-76-50371	WA120-Bush-E
B60G50X70	\$56	60.13mm	50.16mm	70.0mm .47 kg	Matbro	37452/012

Dimensions shown are for the KSet Bush, not for nearby OEM numbers

KSet Engineers design bushes to suit market requirements

Example: A neater fit to shafts and pins.

Bushes for 50mm Diameter Shaft Continued next Page...

Where to buy new pins and bushes other than dealer?

KSet Engineering are guaranteed new

KSet Bushings are machined from low carbon hollow bar such as Ovako 280 or 20MnV6 Manganese Vanadium Steel Wear Hardness is added to the surface of the bush by

Furnace Case Hardening Quenched and Tempered to 59 - 61 Hardness Rockwell C at 200 degrees Celcius

Engineered Bushing Applications

Bucket, Arm and Cylinder Joints of excavators and wheel loaders Heavy Load Joints. Boom Foot Boom Cylinder Foot

Boom Cylinder Ram Eye Excavator Pivot Points Replacement of Bronze Bushes Replace Fibre Bushes

Lineboring Rebuilds Replacing excavator pins and bushes Pins and bushes heavy equipment Repairs to mini excavator Rebuild bobcats skid steer loaders

BUSHINGS

Quantity Discounts Available only upon request provided all outstanding invoices are settled within 7 Days

Discount for 10 of any line item \$3.00 ea
Discount for 20 of any line item \$5.00 ea
Discount for 30 of any line item \$7.00 ea
Discount for 50 of any line item \$9.00 ea

Bushes and Pins Seals and Shims

Cutters and Tools

Minimum Product Order \$150

Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 50mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B60G50X74	\$58	60.07mm	50.14mm	74.3mm .49 kg	Kobelco SK060-Bush-HR BF8	
B60-50X75	\$60	60.11mm	50.18mm	74.6mm .49 kg	Yanmar VIO 50-Bush-A,F O/BF8	
B60G50X75	\$70	60.11mm	50.11mm	75.0mm .49 kg	Tight Clearance Matbro 37452/011	
B60G50X75+	\$70	60.12mm	50.19mm	75.0mm .49 kg	Note! + Extra Clearance	
B60G50G98	\$76	60.10mm	50.30mm	98.0mm .69 kg	John Deere T76309	
B60G50N110	\$76	60.04mm	50.06mm	110 mm .72 kg	Bush Internal Helical Groove	
B60G50N120	\$76	60.04mm	50.06mm	120 mm .78 kg	Bush Internal Helical Groove	
B61G50X50	\$50	61.12mm	50.20mm	50.0mm	New Matbro 37452/001	
B61G50G60	\$50	61.05mm	50.13mm	60.0mm .44 kg	Hard Steel Bush Greasable	
B62-50-50	\$64	62.10mm	50.16mm	50.0mm	Task 2006 Plain Bush	
B63-50-24	\$40	63.07mm	50.07mm	23.5mm .21 kg	Task 2003 Plain Bush	
B63G50G40	\$54	63.06mm	50.12mm	40.0mm .36 kg	Externally Greasable Bushing	
B63G50G50	\$52	63.05mm	50.12mm	50.0mm .45 kg	Externally Greasable Bushing	
B63-50X52	\$65	63.05mm	50.07mm	52.0mm .46 kg	Internal Grease Fig. 8 Groove	
B63G50G75	\$54	63.05mm	50.12mm	75.0mm .70 kg	Task 2001 Greasable Bush	
B64G50G45	\$60	63.55mm	50.12mm	45.0mm .40 kg	Externally Greasable Bushing	
B65-50G35	\$44	65.07mm	50.15mm	35.0mm .37 kg	Case W14B-Bush-J L112479	
B65G50G45	\$48	65.11mm	50.14mm	45.0mm .45 kg	Task 2011 Greasable Bush	
B65G50X47	\$62	65.10mm	50.15mm	47.0mm .46 kg	Kobelco SK060-Bush-K	
B65-50X48	\$62	65.05mm	50.15mm	47.8mm .50 kg	201-70-72210 201-70-22141 PC60,75-Bush-	
B65-50-50	\$58	65.08mm	50.16mm	50.0mm .53 kg	Case CX75 SR Aftermarket	
B65-50-55	\$58	65.13mm	50.11mm	55.0mm .59 kg	Matbro 502550	
B65F50X56	\$88	65.10mm	50.18mm	56.0mm	Flange 95 Dia SK060-Bush-J	
B65-50-60	\$60	65.07mm	50.11mm	60.0mm .65 kg	Task 2007 Plain Bush	
B65G50G60	\$62	65.11mm	50.15mm	60.0mm .63 kg	Task 2004 Greasable Bush	
B65G50G65	\$58	65.11mm	50.15mm	65.0mm .65 kg	Task 2012 Greasable Bush	
B65-50-65	\$56	65.13mm	50.11mm	65.0mm .67 kg	Matbro 501701	
B65G50G70	\$64	65.13mm	50.11mm	70.0mm .72 kg	Matbro 501707	
B65F50X73	\$120	65.04mm	50.21mm	73.0mm .88 kg	20X-70-22140 PC60,75UU-Bush-J	
B65G50G75	\$65	65.08mm	50.13mm	75.0mm .78 kg	Matbro 502582	
B65G50X84	\$78	65.08mm	50.13mm	84.0mm .80 kg	Kobelco SK060-Bush-G	
B65G50G95	\$70	65.11mm	50.13mm	95.0mm	Matbro 501712, 502994	
B67-50R24	\$20	2.625"	50.20mm	24.0mm	Case 580K G108689	
B67-50R30	\$30	2.625"	50.20mm	30.0mm	580SK-Bush-H,R G108525	
B67-50-40	\$40	2.625"	50.20mm	40.0mm .48 kg	Case 580SK-Bush-D,C	
B67-50R46	\$36	2.625"	50.20mm	46.0mm	580SK-Bush-D,E,G G108417	
B67-50-90	\$80	2.625"	50.05mm	90.0mm 1.08 kg	Case Hardened Plain Bush	

Heavy Wall Bushes for 50mm Diameter Shaft

B70-50-26	\$40	70.01mm	50.18mm	25.6 mm .37 kg	580SK-Bush-IA D141249	
B70-50R30	\$30	70.00mm	50.20mm	30.0 mm	Recessed Case580K D135075	
B70-50-34	\$30	70.01mm	50.18mm	34.0 mm .51 kg	580SK-Bush-EX D141389	
B70-50-36	\$46	70.00mm	50.20mm	36.0 mm	Case 580K D136574	
B70-50R38	\$30	70.00mm	50.26mm	38.0 mm	Recessed Case580K D127196	
B70-50R40	\$32	70.00mm	50.26mm	40.0 mm	Recessed Case580K E176155	
B70-50-45	\$52	70.05mm	50.18mm	45.0 mm .66 kg	Case Hardened Plain Bush	
B70G50G50	\$64	70.05mm	50.15mm	50.0 mm	Case Hardened Greasable Bush	
B70-50-54	\$48	70.01mm	50.19mm	54.0 mm .81 kg	580SK-Bush-D,E,G D137217	
B70-50G60	\$50	70.05mm	50.15mm	60.0 mm .89 kg	Task 2007 Internal Groove	
B70G50G60	\$58	70.05mm	50.15mm	60.0 mm	Task 2011 Greasable Bush	
B70-50-78	\$70	70.01mm	50.20mm	78.3 mm	580SK-Bush-C D145080	

Dimensions shown are for the KSet Bush, not for nearby OEM numbers

Correct Material for Bushings
What type of steel to machine bucket bushess for a backhoe or bushings for an excavator from ?

KSet Bushings are machined from low carbon hollow bar such as Ovako 280 or 20MnV6 Manganese Vanadium Steel Wear Hardness is added to the

surface of the bush by Furnace Case Hardening Quenched and Tempered to 59 - 61 Hardness Rockwell C at 200 degrees Celcius

Engineered Bushing Applications
Bucket, Arm and Cylinder Joints of excavators and wheel loaders Heavy Load Joints. Boom Foot Boom Cylinder Foot

KSet Bushes can revive your equipment and fixed plant in need of refurbishment and repairs Western Australia has used KSet bushings over many years for repairs to Sandvik Tamrock Atlas Copco mining and Construction Equipment KSet bushes are nearly always Perth next day Ex Stock NSW Port Hedland overnight Albany overnight

BUSHINGS

Quantity Discounts Available only upon request provided all outstanding invoices are settled within 7 Days

Discount for 10 of any line item \$3.00 ea
Discount for 20 of any line item \$5.00 ea
Discount for 30 of any line item \$7.00 ea

Pins and Bushes Shims and Seals Tools and Cutters

Minimum Product Order \$150
Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 2 inch Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B57G51G32	\$36	2.252"	2.003"	1.25"	.13 kg	Task 2006 Greasable Bush
B57-51-45	\$40	2.252"	2.007"	1.75"	.19 kg	Massey Ferguson 862691M1
B57G51G45	\$42	2.252"	2.004"	1.75"	.18 kg	Task 2011 Greasable Bush
B57-51-50	\$42	2.252"	2.005"	2.00"	.21 kg	Task 2011 Plain Bush
B57G51G57	\$50	2.252"	2.003"	2.25"	.24 kg	Task 2000 Greasable Bush
B57G51G64	\$56	2.252"	2.004"	2.50"	.26 kg	Task 2011 Greasable Bush
B60-51-22	\$30	2.377"	2.007"	0.88"	.14 kg	Case1155D Plain Bush
B60-51-32	\$35	2.377"	2.007"	1.25"	.20 kg	Task 2000 4J6374
B60-51-38	\$36	2.377"	2.007"	1.50"	.24 kg	Task 2000 Plain Bush
B60G51G38	\$34	2.377"	2.007"	1.50"	.23 kg	Task 2011 Greasable Bush
B60-51-44	\$35	2.377"	2.006"	1.74"	.28 kg	Task 2010 Plain Bush
B60G51G44	\$36	2.377"	2.006"	1.75"	.27 kg	Task 2011 Greasable Bush
B60-51-50	\$36	2.377"	2.006"	2.00"	.31 kg	CAT 953 Bearing for 1J2087
B60G51G50	\$40	2.377"	2.006"	2.00"	.32 kg	Task 2010 Greasable Bush
B60G51G51	\$28	2.365"	1.997"	2.00"	.32 kg	John Deere T41953
B60G51G60	\$48	2.378"	2.006"	2.37"	.38 kg	CAT Grader Greasable Bush
B60G51G64	\$40	2.378"	2.006"	2.50"	.41 kg	CAT Grader Greasable Bush
B60G51G69	\$40	2.380"	2.009"	2.74"	4:6:23.5	Offset groove Cat 2G8738
B60G51G86	\$44	2.380"	2.009"	3.37"	2:6:32	Offset groove Cat 2G7106
B64-51-19	\$28	2.501"	2.009"	0.74"	.17 kg	Case 1155D D33659
B64-51-22	\$38	2.501"	2.009"	0.88"	.20 kg	Case D33678
B64-51-25	\$36	2.502"	2.004"	0.98"	.22 kg	Eimco A2U130-194385
B64-51-26	\$34	2.502"	2.007"	1.00"	.23 kg	Task 2003 Plain Bush
B64F51-26	\$44	2.501"	2.004"	1.00"	.25 kg	Flange 71.5x4.25 A2U130-194392
B64-51-28	\$34	2.501"	2.007"	1.12"	.25 kg	Case 590 Bush 135249A1
B64-51-29	\$34	2.501"	2.009"	1.13"		Case 1155D Bush D38943
B64-51-32	\$36	2.501"	2.009"	1.25"	.27 kg	Case D30756
B64F51-32	\$50	2.502"	2.003"	1.26"	.31 kg	Eimco A2U220-194400 F71.5x4.19
B64G51G33	\$30	2.505"	2.009"	1.30"		20MnV6 Bearing Steel Cat 2G8635
B64G51G34	\$30	2.505"	2.009"	1.32"	.31 kg	Task 2004 Greaseable Bush
B64-51-35	\$32	2.501"	2.009"	1.38"	.33 kg	Case D43946 Was B63-51-35
B64G51-35	\$36	2.503"	2.008"	1.37"	.31 kg	6S3459, 3G4704 Cyl Brg 4 holes
B63F51-35	\$30	2.493"	2.006"	1.38"		Flange 70x5 J Deere T58218
B64-51G36	\$34	2.503"	2.002"	1.42"	.34 kg	DMS Stg Cyl Internal Groove
B63-51-37	\$24	2.490"	2.000"	1.50"	.34 kg	John Deere U43635
B64-51-37	\$38	2.500"	2.006"	1.50"		Case 580 Super L 135248A1
B64-51-38	\$38	2.501"	2.009"	1.50"	.34 kg	Case D31142
B64G51G38	\$40	2.502"	2.007"	1.50"	.32 kg	Task 2000 Greasable Bush
B64-51-39	\$38	2.502"	2.006"	1.50"	.34 kg	Task 2007 Plain Bush
B63G51G39	\$28	2.490"	1.997"	1.54"	.33 kg	John Deere 670B 672B T82886
B64-51-40	\$30	2.502"	2.007"	1.59"	.36 kg	CAT 966 Bucket 6K4076
B63-51-41	\$28	2.490"	1.997"	1.59"	.38 kg	John Deere T42509
B64G51G42	\$30	2.502"	2.007"	1.63"	.36 kg	Task 2000 Greasable Bush
B64-51G43	\$32	2.503"	2.002"	1.69"	.36 kg	DMS 2011 Internal Groove
B64G51G44	\$40	2.504"	2.008"	1.75"	.38 kg	Task 2013 Greasable Bush

Dimensions shown are for the KSet Bush, not for nearby OEM numbers

Bushes for 2 inch Diameter Shaft continued next page

Where to buy new pins and bushes other than dealer?

KSet Engineering are guaranteed new

KSet Bushings are machined from low carbon hollow bar such as Ovako 280 or 20MnV6 Manganese Vanadium Steel **Wear Hardness** is added to the surface of the bush by

Furnace **Case Hardening Quenched and Tempered** to 59 - 61 Hardness Rockwell C at 200 degrees Celcius

Engineered Bushing Applications

Bucket, Arm and Cylinder Joints of excavators and wheel loaders Heavy Load Joints. Boom Foot Boom Cylinder Foot

Boom Cylinder Ram Eye Excavator Pivot Points Replacement of Bronze Bushes Replace Fibre Bushes

Atlas Copco Drill JUMBO Sandvik Jumbo Drill parts Pins and bushes heavy equipment Sandvik Jumbo bushings Boulder Kalgoorlie Next Day

BUSHINGS

Quantity **Discounts Available** only upon request provided all outstanding invoices are settled within 7 Days

Discount for **10** of any line item **\$3.00** ea

Discount for **20** of any line item **\$5.00** ea

Discount for **30** of any line item **\$6.00** ea

Pins and Bushes Shims and Seals

Tools and Cutters

Minimum Product Order \$150

Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 2 inch Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B64-51-45	\$44	2.503"	2.006"	1.75"	.40 kg	Was B63-51-45	3J3185
B64-51G48	\$30	2.503"	2.007"	1.88"	.36 kg	CAT950-Bush-Top-L	7K0084
B64-51-52	\$48	2.502"	2.007"	2.00"	.46 kg	Caterpillar compatible	5G2186
B63-51G51	\$28	2.490"	2.000"	2.01"	.46 kg	John Deere	T34423
B64G51G51	\$52	2.502"	2.007"	2.00"	.44 kg	Case	D33032
B64-51-54	\$40	2.501"	2.009"	2.13"		Case	1155D
B64-51G59	\$36	2.504"	2.007"	2.34"	.36 kg	CAT 950-Bush-Lever	7K0087
B64-51-60	\$48	2.502"	2.006"	2.37"	.54 kg	Task 2009	Plain Bush
B64G51G60	\$49	2.503"	2.007"	2.37"		CAT 955L Bucket	7K9549
B64G51G63	\$56	2.502"	2.007"	2.50"	.55 kg	Task 2000 Greasable Bush	
B64-51G63	\$34	2.502"	2.006"	2.48"		Caterpillar compatible	2K4509
B64-51-68	\$54	2.5025"	2.001"	2.69"		Caterpillar compatible	256899
B64G51G70	\$59	2.502"	2.008"	2.75"	.61 kg	Logging Industry	Steel Bush
B64G51G76	\$66	2.502"	2.010"	3.00"	.66 kg	Task 2006 Greasable Bush	
B64G51G79	\$66	2.503"	2.009"	3.11"	T 4x6	CAT936Bkt/Link 4V2873, 4V3619	
B64-51G87	\$88	2.500"	2.006"	3.44"		Flange Bush	F76.2x4.75
B64G51G89	\$70	2.501"	2.004"	3.50"		Greasable	Use for 3K0868
B64G51G101	\$88	2.504"	2.008"	4.00"	.89 kg	Standen	Was B63G51G101
B65G51X54	\$56	65.08mm	2.005"	2.12"	.53 kg	Task	Internal Figure 8 Groove
B65G51X76	\$70	65.08mm	2.005"	3.00"	.74 kg	Task	Internal Figure 8 Groove
B65-51X100	\$90	65.09mm	2.010"	3.94"	.99 kg	MMW	Internal Figure 8 Groove

Heavy Wall Bushes for 2" Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B70-51-39	\$42	2.753"	2.009"	1.50"	.55 kg	Task 2008	Plain Bush
B70-51-41	\$44	2.752"	2.013"	1.61"	.57 kg	Case	D50698
B70-51-45	\$46	2.753"	2.010"	1.75"		CatD9R	Bearing, Blade
B70G51G51	\$54	2.752"	2.006"	2.00"	.70 kg	Task 2001	Greasable Bush
B70-51-60	\$60	2.751"	2.010"	2.36"	.85 kg	Case	D91241
B70-51-61	\$58	2.752"	2.010"	2.37"	.86 kg	CatD9R	Bearing, Blade
B70-51-63	\$55	2.752"	2.010"	2.50"	.90 kg	Task 2001 2009	Plain Bush
B70G51G76	\$70	2.752"	2.010"	3.00"	1.03 kg	Task 2009	Greasable Bush
B76-51-39	\$50	3.002"	2.006"	1.50"	.76 kg	O.S. Task 2006 2010	Plain Bush
B76-51-60	\$70	3.002"	2.006"	2.37"	1.20kg	O.S. Task 2001 2010	Plain Bush
B89R51G48	\$50	3.500"	2.023"	1.88"		With Seal Recesses	T113331

SB81g51g44 \$57 3.189" 2.000" 1.75" CAT966-Bush-S 9M1328
Spherical Bearing Caterpillar Compatible 9M1328



Dimensions shown are for the KSet Bush, not for nearby OEM numbers

Applied Engineered Bushes

Bucket, Arm and Cylinder Joints
 of excavators and wheel loaders
 Heavy Load Joints. Boom Foot
 Boom Cylinder Foot
 Boom Cylinder Ram Eye
 Excavator Pivot Points
 Replacement of Bronze Bushes
 Replace Fibre Bushes
 Backhoe Bushes
 Opencut Cylinder Bush
 Concrete Recycling Plant
 Rock Crusher
 Mobile Jaw Crushers
 Mobile Impact Crushers
 Mobile Screeners
 Hammer Mill Shafts
 Underground Cylinder Bush
 aftermarket Tamrock bush
 Adaptable Steel Bush for Bronze
 Traxcavator Replacement Bush
 Tree Harvester Attachment Bush
 Log Grapple Bush
 Australia Grabs and Grapples Bush
 Rotator Pins and Bushes
 Rotator Link Bush
 Forestry Attachment Bush
 NZ Industrial Bushings
 NZ Forestry Attachment
 Loader Log Grab
 Forest Harvesting Attachment
 Tasmania Industrial Supplies
 NSW Laser Earthworks
 Gippsland Sawmills

BUSHINGS

Quantity **Discounts Available** only upon request provided all outstanding invoices are settled within 7 Days

Discount for 6 of any line item \$3.00 ea
 Discount for 10 of any line item \$5.00 ea
 Discount for 30 of any line item \$8.00 ea

Pins and Bushes Shims and Seals Tools and Cutters

Minimum Product Order \$150
 Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 55mm to 2.25" Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B60-55-20	\$ 36	60.05mm	55.10mm	20.0mm	Thin Wall	Plain Bush
B65-55-26	\$ 36	65.10mm	55.15mm	26.0mm	Case Back Hoe	Plain Bush
B65-55-35	\$ 38	65.10mm	55.15mm	35.0mm	Massey Ferguson	Plain Bush
B65G55G40	\$ 48	65.05mm	55.07mm	40.0mm	Sandvik 34483978	4x3mm Holes
B65-55-44	\$ 40	65.10mm	55.14mm	44.4mm	TESK 2009	Plain Bush
B65-55X45	\$ 60	65.10mm	55.15mm	45.0mm	Kubota KX045-Bush-F	O/BF8
B65-55-50	\$ 48	65.10mm	55.17mm	50.0mm	Testk 2004	Plain Bush
B65G55G50	\$ 54	65.10mm	55.17mm	50.0mm	Testk 2007	Greasable Bush
B65G55G51	\$ 44	65.10mm	55.15mm	51.0mm	John Deere	R97726
B65-55-55	\$ 44	65.10mm	55.10mm	55.0mm	John Deere	T67855
B65G55G65	\$ 68	65.07mm	55.20mm	65.0mm	John Deere	R82076
B65G55X65	\$ 78	65.10mm	55.13mm	65.0mm	KX045-Bush-A	SK045-Bush-B
B65G55G67	\$ 47	65.07mm	55.12mm	67.0mm	John Deere	H144296
B65G55G75	\$ 83	65.07mm	55.12mm	75.0mm	John Deere	R84378
B65G55G76	\$ 70	65.07mm	55.20mm	76.0mm	John Deere	R82077
B65G55G82	\$ 70	65.07mm	55.30mm	82.0mm	John Deere	R82075
B68-55G45	\$ 52	68.08mm	55.13mm	44.8mm	WA470-Bush-S-Cyl	707-76-55520
B68G55G45	\$ 54	68.08mm	55.07mm	44.8mm	WA470-Bush-S-Rod	707-76-55120
B68G55G50	\$ 50	68.05mm	55.08mm	50.0mm	Komatsu	PC16 MR-2
B68-55X55	\$ 62	68.05mm	55.10mm	54.8mm	707-76-55180	PC60-7-Bush-D BF8
B68G55X55	\$ 66	68.05mm	55.11mm	54.9mm	Externally Greasable	Bush
B68G55X65	\$ 74	68.06mm	55.12mm	65.0mm	Takeuchi 00024-00075	TB135-Bush-A
B70-55-26	\$ 41	70.12mm	55.20mm	25.4mm	Testk 2013	Plain Bush
B70-55-36	\$ 39	70.12mm	55.20mm	36.0mm	Testk 2007	Plain Bush
B70G55G55	\$ 70	70.05mm	55.11mm	55.0mm	Testk 2008	Greasable Bush
B70G55X60	\$ 84	70.06mm	55.16mm	60.0mm	Case	CX75SR-Bush-H
B70G55G70	\$ 78	70.05mm	55.18mm	70.0mm	Yanmar	Greasable Bush
B70G54G98	\$ 48	70.13mm	54.76mm	98.0mm	John Deere	T105677
B75G55G70	\$ 98	75.05mm	55.18mm	70.0mm	Heavy Wall	Greasable Bush
B70-56X65	\$ 102	70.10mm	56.4 mm	65.0mm	Komatsu	141-78-11311
B70-56X85	\$ 110	70.10mm	56.4 mm	85.0mm	Komatsu	141-78-11321
B65-57-43	\$ 58	65.10mm	57.15mm	43.0mm	Claas	Light Wall Bush
B67-57-39	\$ 50	2.629"	2.267"	1.54"	Modified	1J2192
B67-57-50	\$ 50	2.630"	2.267"	1.97"	Modified	1J2192
B67-57-55	\$ 52	2.630"	2.267"	2.16"	Caterpillar D11	Lift Cyl
B67-57-76	\$ 58	2.630"	2.267"	3.00"	Caterpillar D11	Nose Cone
B70-57-26	\$ 36	2.754"	2.256"	1.00"	Testk 2003	Plain Bush
B70-57-28	\$ 30	2.751"	2.260"	1.13"	Case 1155D	D52579
B70-57-30	\$ 44	2.755"	2.257"	1.18"	Case 580K	D127167
B70-57-32	\$ 50	2.754"	2.257"	1.25"	Eimco	913 3059243
B70-57-38	\$ 52	2.754"	2.256"	1.50"	Previous Part	B70-57-37
B70-57-41	\$ 54	2.754"	2.257"	1.63"	Eimco	913 3059268
B70-57-48	\$ 40	2.753"	2.260"	1.88"	CAT950-Bush-D,E	7J9699
B70-57-50	\$ 60	2.752"	2.259"	1.97"	CAT980G-Pin-S	8P0420
B70G57G51	\$ 66	2.752"	2.256"	2.00"	Testk 2005	Greasable Bush
B70-57-54	\$ 60	2.752"	2.259"	2.12"	CAT 953	Bearing
B70-57-57	\$ 63	2.754"	2.257"	2.25"	Eimco	913 3059276
B70G57G60	\$ 76	2.753"	2.257"	2.37"	Greasable Bush	4V8643
B70-57-63	\$ 76	2.754"	2.256"	2.50"	Testk 2013	
B70-57G63	\$ 50	2.752"	2.261"	2.50"	CAT 988B	Stg 9J5875
B70-57-70	\$ 82	2.754"	2.256"	2.75"	Eimco	913 3059250
B70G57G70	\$ 82	2.753"	2.257"	2.75"	Testk 2004	Greasable Bush

Bushes for 2.25 inch Diameter Shaft continued next page

Engineers Supplies

KSet Bushes are supplied to
Brisbane Hydraulic Cylinder Repairs
Brisbane Heavy Fabrication
Pin, Boss & Bush Manufacturer
Brisbane Line boring

Rapid Bulldozer Ram Repairs
Excavator Pivot Points
Adelaide Equipment Overhaul
Adelaide Construction Equipment
Rockhampton Heavy Equipment

Earthmoving Bucket Bush
Goldfields Equipment Repairs
Stawell Mining & Earthmoving
Quarry Loader Maintenance
Hard Rock Mining Equipment

Replacement of Bronze Bushes
Replace Fibre Bushes
Atlas Copco Drill JUMBO
Sandvik Jumbo Drill parts
Pins and bushes heavy equipment
Sandvik Jumbo bushings

Frequently Asked Questions:

Where can I buy Quality Aftermarket
Pins - Bushes - Dust Seals for
Kobelco SK80 MSR Excavators?

KSet Engineering Pty Ltd
Hardened Bushings - Wiper Seals
Available EX STOCK.
Overnight Delivery Australia-Wide !

BUSHINGS

Quantity Discounts Available only upon
request provided all outstanding invoices
are settled within 7 Days

Discount for 6 of any line item \$5.00 ea
Discount for 10 of any line item \$8.00 ea
Discount for 20 of any line item \$10.00 ea

Pins and Bushes Shims and Seals

Tools and Cutters

Minimum Product Order \$150
Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 2.25" - 60mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B75G57X99	\$128	75.10mm	57.15mm	99.4mm	1.44kg	Claas Greasable Bush	
B76-57-43	\$ 52	3.001"	2.260"	1.70"		Case D90722	
B76-57-54	\$ 58	3.002"	2.256"	2.12"	.87kg	Caterpillar 6K2702	
B76-57-70	\$ 70	3.002"	2.258"	2.75"	1.12kg	Task 2000 Plain Bush	
B76-57R125	\$ 84	2.999"	2.250"	4.9"		3 Only Recessed ends	
B79G57G70	\$110	3.126"	2.257"	2.75"		O.S.Task Greasable Bush	
B65-60X55	\$ 78	65.07mm	60.10mm	55.0mm	.22kg	Atlas Copco 0500 4520 03	
B68-60X65	\$ 50	68.07mm	60.16mm	65.0mm		Task 2012 Bushing	
B70G60G28	\$ 52	70.14mm	60.17mm	28.0mm	.21kg	John Deere T70723	
B70G60G30	\$ 58	70.10mm	60.15mm	30.0mm	.22kg	Hydraulic CylinderBush 2009	
B70-60-35	\$ 58	70.07mm	60.15mm	35.0mm	.28kg	Task 2012 Plain Bush	
B70G60G35	\$ 58	70.07mm	60.15mm	35.0mm	.25kg	Hydraulic CylinderBushing	
B70-60-38	\$ 65	70.07mm	60.15mm	38.0mm	.32 kg	TESK Plain bush 2006	
B70G60G47	\$ 56	70.07mm	60.13mm	47.0mm	.36 kg	Furukawa 341811-11320	
B70-60-50	\$ 56	70.08mm	60.13mm	50.0mm		Plain bush Case Hardened	
B70G60G50	\$ 62	70.07mm	60.15mm	50.0mm	.383kg	Task Bush Greasable	
B70G60X50	\$ 68	70.07mm	60.11mm	50.0mm	.38kg	341811-11310 341811-11160	
B70G60G60	\$ 68	70.07mm	60.18mm	60.0mm	.47kg	Matbro 36267	
B70G60X60	\$ 78	70.10mm	60.13mm	60.0mm	.46kg	Matbro Closed Fig.8 503621	
B70F60-60	\$140	70.05mm	60.20mm	60.0mm	.53kg	Flange 80x7 FBL-10 Steering	
B70G60X65	\$ 74	70.06mm	60.13mm	64.9mm	.50kg	Kobelco SK045-Bush-TD,SL	
B70G60G70	\$ 78	70.07mm	60.13mm	70.0mm	.55kg	Task 2000 Greasable	
B70G60X75	\$ 76	70.10mm	60.13mm	75.0mm	.58kg	Matbro 37452/013	
B70G60X80	\$ 84	70.10mm	60.13mm	80.0mm	.61kg	Kobelco SK220-Bush-HR	
B70G60G85	\$ 80	70.05mm	60.12mm	85.0mm	.70kg	B5X Boom Cyl Bush	
B70G60X90	\$ 90	70.10mm	60.13mm	90.0mm	.69kg	Matbro 37452/002	
B70G60X100	\$ 84	70.10mm	60.13mm	100.0mm	.78kg	Matbro 37452/008	
B71-60X50	\$ 88	71.44mm	60.01mm	50.2mm	.45kg	Eimco A2U936-194288 OF8	
B71-60X59	\$ 88	70.44mm	60.07mm	59.1mm	.48kg	Eimco A2U936-194295 OF8	
B72-60X35	\$ 68	72.02mm	60.08mm	35.0mm	.33kg	K&H Bush K5X15° OF8 x 2	
B72-60X36	\$ 40	72.02mm	60.26mm	35.0mm		Line Boring Internal Fig 8	
B72G60G50	\$ 72	72.05mm	60.15mm	50.0mm	.50kg	Kubota 68311-4113-0	
B72G60G60	\$ 68	72.05mm	60.15mm	60.0mm	.56kg	Kubota 68311-4112-0	
B73G60X43	\$ 85	73.13mm	60.15mm	43.0mm	.97kg	Kawasaki KLD85Z2 O/BF8	
B73G60G50	\$ 48	73.10mm	60.15mm	50.0mm		Task Bush Greasable	
B73G60X55	\$ 69	73.13mm	60.15mm	55.0mm	.57kg	KLD80Z2-Bush-L,K BF8	
B73-60X93	\$ 96	73.13mm	60.15mm	93.0mm	.97kg	Kawasaki KLD85Z2 Bkt BF8	
B75G60G28	\$ 40	75.06mm	60.10mm	28.0mm	.21kg	Line Boring Greasable Bush	
B75-60-30	\$ 40	75.08mm	60.12mm	30.0mm		Plain Hardened & GroundBush	
B75-60-35	\$ 50	75.08mm	60.12mm	34.8mm		4365897 EX120-Bush-G (2)	
B75G60G35	\$ 48	75.05mm	60.15mm	35.0mm	.27 kg	Task Bush Greasable	
B75G60G49	\$ 54	75.05mm	60.05mm	49.8mm	.60 kg	Komatsu WA500-Bush-S	

Dimensions shown are for the KSet Bush, not for nearby OEM numbers

To suit 60mm shaft continued next page.....

Australian Made Bushes KSet Bushes Ex Stock

Next Day Delivery Australia-wide
Precision Ground bushes
Case-Hardened bushing
Industrial quality bushes
Available for Agricultural Machinery

Broadacre machinery refurbishment
to heavy industry standards
Cotton Harvester Machinery Namoi
Australian Farm Innovations
Farm Implement Upgrading

Trailer Repair and Upgrade
Industrial upgrade to farm trailers
Bucket, Arm and Cylinder Joints
Conveyor Chain Bush
Adaptable Steel Bush for Bronze

Tree Harvester Attachment Bush
Log Grapple Bush
Australia Grabs and Grapples Bush
Rotator Pins and Bushes

Forestry Attachment Bush
NZ Industrial Bushings

Wheel Loader Log Grab
Volvo Loader Arm & Grab
Forest Harvesting Attachment
Tasmania Industrial Supplies
Murray Valley Laser Earthworks

BUSHINGS

Quantity Discounts Available only upon
request provided all outstanding invoices
are settled within 7 Days

Discount for 6 of any line item \$6.00 ea
Discount for 10 of any line item \$8.00 ea
Discount for 20 of any line item \$10.00 ea

Pins and Bushes

Minimum Product Order \$150
Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 60mm Diameter Shaft...Continued

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B75G60G50	\$60	75.05mm	60.15mm	50.0mm	.60 kg 20X-70-24150 PC60,75UU-Bush-HL	
B75-60X50	\$72	75.05mm	60.15mm	49.9mm	.60 kg Komatsu PC60-Bush-F OF8	
B75G60G55	\$70	75.09mm	60.15mm	55.0mm	Kobelco SK220-Bush-HL	
B75-60-60	\$70	75.05mm	60.12mm	60.0mm	.74 kg Tesk Plain bush 2000	
B75-60X60	\$68	75.05mm	60.15mm	59.6mm	.72 kg Komatsu PC60-7-Bush-C,E BF8	
B75G60G60	\$80	75.05mm	60.17mm	60.0mm	.72 kg Hydraulic Cylinder Bush 2001	
B75G60X60	\$78	75.05mm	60.16mm	59.8mm	07144-10606 PC60,75UU-Bush-HR	
B75G60X61	\$72	75.09mm	60.11mm	60.0mm	Caterpillar compatible 229-1095	
B75G60G65	\$79	75.05mm	60.12mm	65.0mm	.78 kg Tesk 2001 2001	
B75G60X65	\$82	75.10mm	60.13mm	65.0mm	.77 kg Tesk 2004 Int. Fig 8 grooveA	
B75G60G69	\$84	75.13mm	60.20mm	69.0mm	Kobelco YY12B01448P1 SK135-Bush-I	
B75-60X69	\$68	75.10mm	60.18mm	68.7mm	.83 kg 203-70-56150 PC120-Bush-I OF8	
B75G60X70	\$90	75.09mm	60.20mm	70.0mm	.84 kg Kobelco SK035 Sw Frame	
B75G60X71	\$98	75.11mm	60.18mm	70.0mm	.84 kg Kobelco SK220-Bush-J,K OF8	
B75F60X72	\$220	75.12mm	60.23mm	71.5mm	1.17 kg YW12B01036P1 SK115SR-Bush-J	
B75G60X75	\$82	75.10mm	60.13mm	75.0mm	.90 kg Tesk 2012 2011	
B75G60X79	\$80	75.10mm	60.15mm	79.0mm	.96 kg Kawasaki KLD80Z1 BF8	
B75-60X80	\$80	75.08mm	60.18mm	80.0mm	.96 kg Kobelco SK220-Bush-I OF8	
B75G60X80	\$88	75.07mm	60.10mm	80.0mm	.96 kg Tesk 2015 Cylinder Bush BF8	
B75G60G85	\$86	75.05mm	60.11mm	85.0mm	1.03 kg Tesk 2000 2000	
B75F60X87	\$154	75.15mm	60.20mm	86.8mm	1.84 kg 203-70-42182 PC120-Bush-J OF8	
B75G60X90	\$78	75.11mm	60.15mm	89.8mm	1.09 kg 203-70-56160 PC120-Bush-K OF8	
B75G60X106	\$126	75.13mm	60.16mm	105.9mm	1.29 kg Kawasaki KLD80Z1 BF8	
B76G60G50	\$68	76.25mm	60.15mm	50.0mm	Imperial Outside OD = 3.002"	

Heavy Wall Bushes for 60mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B78-60G106	\$98	78.10mm	60.18mm	106.0mm	1.60 kg Plus-size O.D. Type U	
B79G60X62	\$90	79.05mm	60.15mm	62.0mm	.96 kg Kawasaki KLD85Z2 BF8	
B80-60-40	\$60	80.10mm	60.14mm	40.0mm	0.68 kg Plus-size O.D. Plain Bush	
B80G60G65	\$98	80.10mm	60.14mm	65.0mm	1.08 kg Plus-size O.D. Greasable Bush	
B80G60G80	\$99	80.10mm	60.14mm	80.0mm	1.33 kg Plus-size O.D. Greasable Bush	
B84G60N155	\$120	84.0mm	60.18mm	155.0mm	1.33 kg Hardened Inside Only	
B85G60G72	\$90	85.05mm	60.15mm	71.8mm	1.61 kg Sandvik Atlas 9124 8810 00	
B88G60G68	\$102	88.12mm	60.14mm	68.0mm	1.74 kg Sandvik Atlas 9128 7345 00	

Dimensions shown are for the KSet Bush, not for nearby OEM numbers
KSet Engineers design bushes to suit market requirements
Example: A neater fit to shafts and pins.

PFERRD Economy Rolls
Complete PFERRD range available

KSet Popular Selection

Economy Rolls



Size	Code	Price
40 mm x 50 m	TL-ER 40A 60	\$ 39
40 mm x 50 m	TL-ER 40A 80	\$ 39
40 mm x 50 m	TL-ER 40A 120	\$ 39
40 mm x 50 m	TL-ER 40A 180	\$ 39

Plus GST

BUSHINGS

Quantity **Discounts Available** only upon request provided all outstanding invoices are settled within 7 Days
Discount for **6** of any line item \$5 ea
Discount for **10** of any line item \$8 ea
Discount for **20** of any line item \$10 ea

Pins and Bushes
Shims and Seals
Tools and Cutters

Minimum Product Order \$150
Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 2.5 inch Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B75-64-65	\$ 52	75.07mm	2.506"	65.00mm	Metric / Imperial	2011
B76-64-22	\$ 30	3.000"	2.514"	0.90"	Special OD	Plain Bush
B76-64-23	\$ 42	3.004"	2.514"	0.90"	Case 580K	G108310
B76-64-26	\$ 44	3.003"	2.508"	1.00"	Case	D33635
B76-64-31	\$ 30	3.000"	2.506"	1.25"	Special OD	Plain Bush
B76-64-32	\$ 49	3.003"	2.506"	1.25"	Task 2009	Marketplace Part
B76-64-35	\$ 43	3.003"	2.519"	1.38"	CAT Cyl 623E	6J6043
B76-64-38	\$ 43	3.004"	2.506"	1.50"	CAT 920	7J9745
B76-64-41	\$ 38	3.005"	2.509"	1.61"	John Deere	T54081
B76-64G44	\$ 30	3.004"	2.510"	1.75"	CAT950	Bkt / Link 7J9344
B76G64G44	\$ 38	3.004"	2.510"	1.75"	Caterpillar compatible	8J5778
B76G64G46	\$ 46	3.001"	2.506"	1.80"	Case 1150	R26633
B76-64-47	\$ 48	3.004"	2.504"	1.86"	Eimco	A2U913-194031
B76-64-50	\$ 44	3.003"	2.506"	1.98"	Caterpillar compatible	7K9528
B76-64G50	\$ 57	3.003"	2.506"	1.98"	CAT955	2K4506
B76-64-51	\$ 60	3.002"	2.506"	2.00"	JOY	1069127-224
B76G64G51	\$ 62	3.002"	2.506"	2.00"	Task	Greaseable
B76-64G56	\$ 48	3.002"	2.506"	2.22"	Cross-selling	2K4442, 7K9985
B76G64G56	\$ 50	3.003"	2.506"	2.23"	CAT988 7K9529	Bkt Top 7K0078
B76-64-57	\$ 48	3.002"	2.506"	2.25"	TESK	Plain Bush
B76-64G57	\$ 46	3.004"	2.510"	2.25"	Caterpillar Bearing	7J9732
B76G64G57	\$ 50	3.004"	2.510"	2.25"	V Ident.Groove	7K0078
B76-64-60	\$ 66	3.003"	2.506"	2.36"	CAT955 Bkt/Link	5K7995
B76-64G65	\$ 58	3.003"	2.510"	2.56"	CAT 936	Market place Bearing
B76G64G65	\$ 72	3.002"	2.506"	2.56"	Standen	HSB 192
B76G64G69	\$ 60	3.004"	2.510"	2.74"	CAT 980A Bkt/Link	7J9731
B76-64-70	\$ 70	3.003"	2.509"	2.75"	JOY	1069127-411
B76G64G70	\$ 64	3.002"	2.506"	2.75"	Task 2003	Greaseable Bush
B76G64G75	\$ 68	3.003"	2.507"	2.97"	6K3177	CAT977K Bkt / Link Bearing
B76-64G76	\$ 52	3.000"	2.514"	3.00"	John Deere	R36156
B76G64G76	\$ 70	3.002"	2.509"	3.00"	Task 2008	Greaseable Bush
B76G64G84	\$ 88	3.006"	2.510"	3.31"	T50063 John Deere	10mm Ext.Groove
B76G63G84	\$ 84	3.002"	2.506"	3.31"	HSB 193	Standen Rippers
B76-64-89	\$ 90	3.004"	2.507"	3.50"	Task 2004	Plain Bushing
B76G64G95	\$ 90	3.003"	2.509"	3.75"	5V1874	CAT950, 960, 962-Bush-J
B76G64G102	\$ 99	3.002"	2.509"	4.00"	Task 2009	Greaseable Bush
B76-64H108	\$110	3.003"	2.504"	4.25"	A2U913-194033	Eimco
B76G64-109	\$ 70	3.002"	2.511"	4.30"	4V8675	CAT966G,972GH-Bush-J
B76G64G109	\$ 84	3.002"	2.509"	4.30"	Task 2016	Internal Grease Groove
B76-64-116	\$ 92	3.003"	2.504"	4.58"	A2U913-194073	Eimco
B76-64H116	\$ 94	3.003"	2.504"	4.58"	A2U913-194035	Eimco
B76-64H117	\$102	3.003"	2.504"	4.58"	A2U913-194072	Eimco
B76-64H138	\$102	3.003"	2.504"	5.43"	A2U913-194038	Eimco

Heavy Wall Bushes for 2.5 inch Diameter Shaft

B77G64G114	\$136	3.037"	2.507"	4.50"	1.31 kg	Plus-size O.D.	Greaseable Bush
B79-64-51	\$ 60	3.128"	2.507"	2.00"	.70 kg	JOY	1069127-459
B79G64G76	\$ 80	3.111"	2.508"	3.00"	1.10 kg	Plus-size O.D.	Greaseable Bush
B80G64G50	\$ 70	80.10mm	2.505"	1.97"	0.65 kg	Plus-size O.D.	Greaseable Bush
B82G64G63	\$ 88	3.252"	2.504"	2.50"	1.06 kg	Task Loader Bush	2001
B82G64G76	\$ 98	3.252"	2.508"	3.00"	1.28 kg	Task Excavator Bush	2005
B89G64G76	\$ 88	3.495"	2.507"	3.00"	1.82 kg	Line Borers Bush	2013
B95G64G152	\$180	3.752"	2.506"	6.00"	3.64 kg	Line Borers Bush	2016

Dimensions shown are for the KSet Bush, not for nearby OEM numbers
KSet Engineers design bushes to suit market requirements
Example: A neater fit to shafts and pins.

PFERRD Economy Rolls
Complete PFERRD range available

KSet Popular Selection

Economy Rolls



Size	Code	Price
40 mm x 50 m	TL-ER 40A 60	\$ 39
40 mm x 50 m	TL-ER 40A 80	\$ 39
40 mm x 50 m	TL-ER 40A 120	\$ 39
40 mm x 50 m	TL-ER 40A 180	\$ 39

Plus GST

Frequently Asked Questions:

In New Zealand can I buy ready-made hardened steel bushes / bushings ?

KSet Engineering Pty Ltd

has 1,250 different size bushings available EX STOCK.
Delivery to New Zealand takes 2 days.

BUSHINGS

Quantity **Discounts Available** only upon request provided all outstanding invoices are settled within 7 Days

Discount for **6** of any line item **\$6.00** ea
Discount for **10** of any line item **\$8.00** ea
Discount for **20** of any line item **\$10.00** ea

Pins and Bushes
Shims and Seals
Tools and Cutters

Minimum Product Order \$150
Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 65mm Diameter Shaft

KSet Part No.	Price	Outside	Inside	Length	Manufacture Notes	Locations
EX GST						
B73-65G60	\$ 46	73.13mm	65.15mm	60.3mm	.54 kg Plain External	Groove Internal
B75G65G30	\$ 59	75.09mm	65.28mm	30.0mm	John Deere	T76637
B75G65G35	\$ 56	75.10mm	65.16mm	35.0mm	Greaseable Case Hardened	Type X
B75-65X60	\$ 60	75.05mm	65.15mm	60.0mm	Case Hardened	Type X
B75G65G60	\$ 78	75.07mm	65.14mm	60.0mm	TESK 2012	Greaseable
B75G65G64	\$ 74	75.05mm	65.13mm	64.0mm	343831-11130 Furukawa	343811-11370
B75G65X75	\$ 88	75.10mm	65.15mm	75.0mm	Kobelco	SK220-Bush-J,K OF8
B75G65G80	\$ 82	75.05mm	65.15mm	80.0mm	TESK	Greaseable
B76G65G50	\$ 74	76.02mm	65.08mm	50.0mm	John Deere	T126935,T100252
B79-65G65	\$ 58	79.80mm	65.16mm	64.8mm	Internal Groove	2 only
B80-65-35	\$ 58	80.10mm	65.16mm	34.8mm	4365448	EX120-Bush-HR (2)
B80-65-50	\$ 58	80.10mm	65.16mm	50.0mm	4344898S	EX120-Bush-I,J,K
B80-65X50	\$ 70	80.11mm	65.16mm	49.8mm	203-70-56140 OF8	PC120-Bush-HL
B80G65X50	\$ 78	80.13mm	65.16mm	50.0mm	Hitachi	EX 120
B80G65X58	\$ 80	80.06mm	65.15mm	57.9mm	707-76-65220 2BF8	PC120-Bush-HR
B80G65G59	\$ 90	80.13mm	65.20mm	58.9mm	.80 kg YB12B01101P1 Kobelco	SK135-Bush-K
B80G65X60	\$ 70	80.12mm	65.22mm	60.0mm	CAT 311	2291092
B80G65G64	\$ 84	80.10mm	65.15mm	64.3mm	Use 2 4344899, 4444914S	EX120-Bush-HL
B80-65G65	\$ 80	80.04mm	65.22mm	64.8mm	.89 kg 417-70-11860	WA250-Bush-J,K,L
B80G65G65	\$ 78	80.06mm	65.14mm	64.9mm	07144-10607	WA200-5-Bush-C,J,K,L
B80G65X65	\$ 90	80.06mm	65.16mm	64.9mm	Komatsu	PC120-Bush-G
B80G65G69	\$ 90	80.14mm	65.23mm	68.9mm	Kobelco YM12B01120P1	SK135-Bush-HL
B80-65-70	\$ 88	80.12mm	65.18mm	70.0mm	New Item	Plain Bush
B80G65G74	\$ 90	80.12mm	65.23mm	73.9mm	Kobelco YY12B01554P1	SK135-Bush-HR
B80G65G75	\$ 90	80.06mm	65.15mm	74.5mm	1.02 kg Tesk	2007
B80F65X75	\$ 160	80.10mm	65.26mm	74.8mm	LP12B01030P1	Flange 123x9 SK135-Bush-J O,BF8
B80G65G80	\$ 92	80.07mm	65.15mm	80.0mm	1.07 kg Tesk	2012
B80G65G81	\$ 92	80.11mm	65.17mm	80.0mm	1.07 kg CAT 311 Bearing	229-1091
B80G65G84	\$ 101	80.05mm	65.15mm	84.0mm	1.11 kg Furukawa	353831-11130
B80G65G89	\$ 101	80.05mm	65.10mm	88.5mm	1.17 kg Komatsu	135-30-11251
B80G65G100	\$ 104	80.06mm	65.16mm	99.6mm	1.37 kg Tesk	2007
B80-65X130	\$ 110	80.06mm	65.15mm	129.8	707-76-65250	Int Groove 35mm wide PC60-7-Bush-B

Heavy Wall Bushes for 65mm Diameter Shaft

KSet Part No.	Price	Outside	Inside	Length	Manufacture Notes	Locations
EX GST						
B83G65G100	\$ 110	83.06mm	65.16mm	99.5mm	1.63 kg O.S. Tesk	Lineborer
B85G65X65	\$ 118	85.10mm	65.16mm	65.0mm	1.17 kg O.S. Tesk	BF8
B85G65X70	\$ 118	85.09mm	65.16mm	70.0mm	1.27 kg Sumitomo BF8	SH125X3-Bush-H
B90-65X90	\$ 120	90.09mm	65.12mm	90.0mm	2.17 kg TESK	2013 BF8
B95F65X80	\$ 220	95.17mm	65.30mm	80.0mm	2.41 kg Flange Bush	Replaces 2 Kobelco
					Kobelco YY12B01446P1+	YY12B01447P1
B76-67G191	\$ 88!	76.02mm	66.62mm	190.5mm	\$ REDUCED \$	2 only

Dimensions shown are for the KSet Bush, not for nearby OEM numbers
KSet Engineers design bushes to suit market requirements
Example: A neater fit to shafts and pins.

PFERD
Rubber Drum Holders - 6mm Shank
Complete PFERRD range available
Bulk orders available

KSet Popular Selection




Size	Code	Price
38 Dia x 25 w	TL-GK3825 /6	\$ 39
45 Dia x 30 w	TL-GK4530 /6	\$ 39
51 Dia x 25 w	TL-GK5125 /6	\$ 47
60 Dia x 30 w	TL-GK6030 /6	\$ 50

Plus GST

PFERD
Abrasive Spiral Bands - Zirconia
Complete PFERRD range available
Bulk orders available

KSet Popular Selection



Size	Code	Price
38 Dia x 25 w	TL-GSB3825 Z60	\$ 3.25
45 Dia x 30 w	TL-GSB4530 Z60	\$ 3.25
51 Dia x 25 w	TL-GSB5125 Z60	\$ 3.50
60 Dia x 30 w	TL-GSB6030 Z80	\$ 3.50

Plus GST

BUSHINGS
Quantity **Discounts Available** only upon request provided all outstanding invoices are settled within 7 Days
Discount for 4 of any line item \$6 ea
Discount for 10 of any line item \$9 ea
Discount for 20 of any line item \$12 ea

Pins and Bushes

Minimum Product Order \$150
Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 2.75" & 70mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B80-70-25	\$ 56	79.99mm	70.20mm	25.0mm	Case D144421 580SK-BUSH-BC	
B80-70-28	\$ 42	79.78mm	69.90mm	28.0mm .27 kg	Case 580SL 124568A2 Trunnion	
B80G70G50	\$ 75	80.07mm	70.18mm	50.0mm .46 kg	Test 2003 Greaseable Bush	
B80G70X50	\$ 88	80.07mm	70.15mm	50.0mm .44 kg	Test 2004 Figure 8 groove	
B80F70-52	\$160	80.02mm	70.10mm	51.98 .63 kg	Flange 100x7.5 Sandvik 2643 9788	
B80F70X52	\$170	80.02mm	70.10mm	51.98 .62 kg	Flange 100x7.5 Sandvik 2643 9808	
B80-70-60	\$ 79	80.07mm	70.13mm	60.0mm .56 kg	Furukawa 352811-11230	
B80-70N60	\$160	80.02mm	70.04mm	60.0mm .54 kg	JUG-A-O 0504-10003	
B80G70X60	\$ 86	80.10mm	70.12mm	59.7mm .56 kg	Kobelco SK60 PY52F 010 03P1 BF8	
B80-70N65	\$165	80.02mm	70.04mm	65.0mm .58 kg	JUG-A-O 0504-10004	
B80G70X65	\$ 84	80.10mm	70.12mm	65.0mm .65 kg	Sumitomo BF8 SH120-3-Bush-HL	
B80G70G75	\$ 90	80.07mm	70.20mm	75.0mm .66 kg	Test 2001 Greaseable Bush	
B80-70-79	\$ 88	80.05mm	70.15mm	80.0mm .74 kg	Test 2009 Plain Bush	
B80-70-80	\$ 88	80.11mm	70.13mm	80.0mm .73 kg	John Deere T67856, 504234	
B80-70X80	\$ 98	80.05mm	70.15mm	80.0mm .72 kg	Furukawa 353811-11190	
B80G70X85	\$110	80.09mm	70.20mm	85.0mm .75 kg	TESK 2009 Greasable Bush	
B80G70X90	\$110	80.10mm	70.19mm	90.0mm .80 kg	Kobelco SK135 Offset	
B80-70G104	\$110	80.07mm	70.20mm	104.0mm .94 kg	Volvo BM90C-Bush-J,K,L	
B82-70-32	\$ 52	3.253"	2.761"	1.28" .39 kg	CAT 633 Steering Bush 4T0370	
B82-70-45	\$ 52	3.253"	2.759"	1.75" .52 kg	CAT 920 8E6752	
B82G70-56	\$ 66	3.253"	2.760"	2.20" .62 kg	CAT936-Bkt/Link 4V2883	
B82-70-57	\$ 66	3.253"	2.756"	2.25" .70 kg	CAT983-Bush-F8K7618, 7J9374	
B82-70G57	\$ 44	3.252"	2.758"	2.23" .70 kg	CAT950-Bush-A 7K0086	
B82-70-60	\$ 60	3.252"	2.757"	2.37"	CAT Blade Bearing 3G9598	
B82G70G60	\$ 62	3.252"	2.757"	2.37" .67 kg	Test 2011 Greasable Bush	
B82G70G64	\$ 68	3.253"	2.760"	2.50"	Cat Bearing 3G5285	
B82-70-70	\$ 68	3.254"	2.751"	2.75" .86 kg	Test 2005 Plain Bush	
B82G70G70	\$ 68	3.252"	2.759"	2.75"	CAT953-Bush-L,K Tilt Link	
B82-70-74	\$ 68	3.252"	2.756"	2.90" .90 kg	CAT983 7K8114	
B82G70G75	\$ 68	3.252"	2.756"	2.95"	CAT983 Bearing	
B82-70-95	\$ 90	3.253"	2.757"	3.75" 1.11kg	3G5281 Caterpillar Bearing	
B83-70X44	\$ 86	83.13mm	70.14mm	44.0mm .53kg	Kawasaki KLD 80 Z1 B/OF8	
B83-70X55	\$ 98	83.13mm	70.14mm	55.0mm .66kg	Kawasaki KLD 80 Z1 B/OF8	
B83-70X71	\$ 75	83.10mm	70.13mm	71.0mm	Kawasaki KLD 95 Z	
B85G70G44	\$ 68	85.10mm	70.13mm	44.0mm .59kg	2002 Bucket Bush	
B85G70X50	\$ 84	85.15mm	70.18mm	50.0mm .44 kg	CAT 311 2487835	
B85G70X55	\$ 80	85.11mm	70.18mm	55.0mm .73 kg	404 325 400 IHI BF8	
B85G70G59	\$ 72	85.05mm	70.10mm	58.9mm .80kg	20797388 Sandvik TB40 Boom Lift	
B85-70G60	\$ 72	85.09mm	70.19mm	59.6mm .82kg	707-76-70720 Komatsu	
B85G70X60	\$ 80	85.10mm	70.12mm	59.7mm .82kg	418-63-33140&Kobelco SK045-Bush-T	
B85G70G65	\$ 72	85.07mm	70.24mm	64.8mm	707-76-70010 Komatsu W120	
B85G70X66	\$ 88	85.13mm	70.18mm	66.0mm .66kg	Kobelco SK210-Bush-I	
B85G70X67	\$ 82	85.15mm	70.30mm	66.8mm .92kg	205-70-73180 PC200-Bush-HL, HR	
B85-70-70	\$ 78	85.10mm	70.18mm	70.0mm 1.02kg	Test 2004	
B85-70X70	\$ 58	85.05mm	70.20mm	69.7mm .97kg	707-76-70240 PC120-Bush-D,E BF8	
B85G70X70	\$ 82	85.07mm	70.15mm	70.0mm	707-76-70230 PC120-Bush-B,C	
B85G70X75	\$ 84	85.10mm	70.15mm	75.0mm 1.03kg	Komatsu PC200-Bush-HL	
B85-70X77	\$ 78	85.15mm	70.18mm	76.9mm 1.08kg	203-70-56130 PC120-Bush-F OF8	
B85G70X78	\$ 88	85.07mm	70.16mm	78.0mm	707-76-70110 PC200-6,7-Bush-HR	
B85-70G80	\$ 78	85.17mm	70.20mm	80.0mm	CAT325,330 7Y3551	
B85G70X80	\$ 88	85.10mm	70.19mm	80.0mm 1.11kg	Kobelco SK135 Offset	

Bushes for 70mm Diameter Shaft continued next page

PFERD
Rubber Drum Holders - 6mm Shank
Complete PFERRD range available
Bulk orders available

KSet Popular Selection




Size	Code	Price
38 Dia x 25 w	TL-GK3825 /6	\$ 39
45 Dia x 30 w	TL-GK4530 /6	\$ 39
51 Dia x 25 w	TL-GK5125 /6	\$ 47
60 Dia x 30 w	TL-GK6030 /6	\$ 50

Plus GST

PFERD
Abrasive Spiral Bands - Zirconia
Complete PFERRD range available
Bulk orders available

KSet Popular Selection



Size	Code	Price
38 Dia x 25 w	TL-GSB3825 Z60	\$ 3.25
45 Dia x 30 w	TL-GSB4530 Z60	\$ 3.25
51 Dia x 25 w	TL-GSB5125 Z60	\$ 3.50
60 Dia x 30 w	TL-GSB6030 Z80	\$ 3.50

Plus GST

BUSHINGS
Quantity Discounts Available only upon request provided all outstanding invoices are settled within 7 Days
Discount for 6 of any line item \$6.00 ea
Discount for 10 of any line item \$9.00 ea
Discount for 20 of any line item \$10.00 ea

Pins and Bushes

Minimum Product Order \$150
Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 70mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B85G70X84	\$ 98	85.13mm	70.29mm	84.8mm	21K-70-41411 203-70-4141 2xOF8	
B85G70X85	\$ 98	85.13mm	70.16mm	84.7mm 1.18kg	203-70-56121 PC120-Bush-A 2xBF8	
B85G70X86	\$ 98	85.10mm	70.18mm	85.0mm 1.19kg	205-70-71360 PC200-Bush-B,G	
B85G70G86	\$ 78	85.08mm	70.16mm	85.8mm	707-76-70651 Komatsu Cylinders	
B85G70X90	\$110	85.05mm	70.15mm	90.0mm 1.35kg	Testk 2016 Closed Fig.8 Groove	
B85G70X97	\$ 98	85.05mm	70.15mm	97.0mm 1.35kg	Kato HD900 Closed Fig.8 Groove	
B86-70-25	\$ 56	86.00mm	70.20mm	25.0mm .37kg	Case 580K	E176194
B86-70-28	\$ 60	86.01mm	70.20mm	28.0mm .40kg	Case 580K	D135559
B86-70-30	\$ 62	86.01mm	70.20mm	30.0mm .42kg	Case 580K	D135557
B86-70-32	\$ 40	86.00mm	70.20mm	32.0mm	Case 580Kss	E176196
B86-70-34	\$ 64	86.01mm	70.20mm	34.0mm .51kg	Case D135558 D138042 D155073	
B86G70G36	\$ 50	86.13mm	69.5 mm	36.0mm	Greasabe Bush to Bore Out	
B86F70X55	\$100	86.00mm	70.10mm	55.0mm	Flange 150 Dia x 15	BF8
B86G70X80	\$110	86.01mm	70.18mm	80.0mm	O.S. Testk	2004
B89G70G70	\$ 80	3.503"	2.756"	2.75" 1.26kg	TEesk	2004
B89G70G75	\$ 86	89.10mm	70.15mm	75.0mm	Kawasaki	KL 85 Z2

Heavy Wall Bushes for 70mm Diameter Shaft

B90-70-24	\$ 40	90.00mm	70.22mm	24.0mm	Case 580K	D135741
B90F70-24	\$ 38	90.00mm	70.22mm	24.0mm	Flange 94 x 4.25	D135742
B90-70-30	\$ 52	90.00mm	70.21mm	30.0mm	Case 580K	D151060
B90-70-32	\$ 46	90.01mm	70.23mm	32.2mm	Case 580SK-Top-Piv	
B90-70R32	\$ 32	90.00mm	70.20mm	32.0mm	Case 580K	D135555
B90F70-33	\$ 32	90.00mm	70.19mm	33.0mm	Case D135740 580SK-Bush-AB	
B90-70-38	\$ 48	90.01mm	70.19mm	37.8mm	Case D151070 580SK-Low-Piv	
B90F70-38	\$ 40	90.00mm	70.19mm	38.0mm	Flange 94x4 580SK-Bush-AB	
B90-70R38	\$ 32	90.00mm	70.20mm	38.0mm	Recess 80x4.3	D135556
B90F70R38	\$ 40	90.00mm	70.22mm	38.0mm	Flange 94x4	D136569
B90F70R39	\$ 66	90.00mm	70.22mm	39.3mm	Flange 94x4 580SK-Bush-B	
B90-70R40	\$ 56	90.00mm	70.33mm	40.0mm	Case 580K	E176209
B90-70-44	\$ 66	90.01mm	70.19mm	44.0mm	Case 580SK-Bush-F	
B90-70R50	\$ 75	90.00mm	70.20mm	49.7mm .82kg	Case 580K	D136715
B90-70-50	\$ 74	90.01mm	70.19mm	49.8mm	Case 580	137250A1
B90G70G55	\$ 74	90.06mm	70.15mm	55.0mm 1.08kg	Greasable Bush	Rod End
B90-70-63	\$ 68	90.01mm	70.22mm	63.2mm	Case 590	D151058
B90G70G69	\$ 78	90.06mm	70.15mm	69.0mm 1.36kg	Sandvik 23330018	Rod End
B90G70G80	\$ 88	90.10mm	70.18mm	80.0mm	TESK Greaseable Bush	2002
B90-70X80	\$ 88	90.10mm	70.18mm	80.0mm 1.60kg	Kato HD700V2 Bush-I	B/OF8
B90-70X81	\$ 78	90.10mm	70.18mm	80.0mm 1.60kg	Kato HD700V2 Bush-J	BF8
B90-70X86	\$ 82	90.10mm	70.18mm	86.0mm 1.71kg	Kato HD700V2 Bush-K	BF8
B90G70X86	\$120	90.10mm	70.18mm	86.0mm	Kato 800V2,900 Bush-J	
B90-70X100	\$136	90.12mm	70.23mm	100.0mm	Kato 800V2,900 Bush-K	
B92-70-51	\$ 66	92.10mm	2.756"	50.8mm	Line Boring Bush	O.S. TESK
B93G70X86	\$ 90	93.10mm	70.17mm	86.0mm	O.S. TESK 2005	BF8
B95G70G69	\$ 90	95.06mm	70.15mm	69.0mm 1.76kg	Sandvik 34453868	Bushing Tube
B100G70R75	\$ 96	100.06mm	70.12mm	75.0mm	Komatsu WA250-3A-Bush-D,E	
B105G70G100	\$120	105.11mm	70.08mm	100.0mm	Greasable Line Bore Bush	
B108G70G70	\$120	108.11mm	70.08mm	69.77mm	Sandvik	2873 4600

Dimensions shown are for the KSet Bush, not for nearby OEM numbers

SHORTEN BUSHES EASILY !

Code: TL-RNGN \$ 40 each plus GST
RNRN 12 04 00T01020 670

TL6-RNGN \$ 196 for 6

Turning Insert -

- Ceramic Whisker Reinforced -



Hard Part Turning

Code: TL-SNGN \$ 45 each plus GST
SNGN 12 07 08T01020 670

TL6-SNGN \$ 230 for 6

Turning Insert

Ceramic Whisker Reinforced -
A silicon carbide aluminium oxide based
ceramic with excellent bulk toughness.
Recommended for **Hard Part Turning**
in unfavourable conditions



BUSHINGS

Quantity **Discounts Available** only upon
request provided all outstanding invoices
are settled within 7 Days

Discount for 4 of any line item \$6 ea

Discount for 10 of any line item \$9 ea

Discount for 20 of any line item \$12 ea

Pins and Bushes Shims and Seals

Tools and Cutters

Minimum Product Order \$150

Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 71mm to 75mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B86-71X50	\$ 78	86.14mm	71.20mm	50.0mm	0.72kg	Hitachi	Zaxis 160-Bush-I
B86G71G50	\$ 70	86.14mm	71.25mm	50.0mm	0.72kg	4409122	ZX200-3-Bush-I
B86G71G65	\$ 78	86.12mm	71.20mm	65.0mm	0.94kg	3072715	EX120-Bush-F (2)
B86G71G70	\$ 78	86.12mm	71.20mm	70.0mm	1.01kg	4443878	ZX120-Bush-F,J (2)
B86G71G84	\$ 78	86.12mm	71.20mm	90.0mm	1.21kg	Hitachi	Zaxis 160-Bush-HR
B86G71G90	\$ 78	86.12mm	71.20mm	90.0mm	1.30kg	Hitachi	Zaxis 160-Bush-HL
B85-75-38	\$ 52	85.07mm	75.18mm	37.9mm	.38kg	Plain Bush	1x6mm Ext Chamfer
B85F75-38	\$ 68	85.12mm	75.20mm	37.9mm	.41kg	Flange 89 x 4	VOE11082827
B85G75G60	\$ 70	85.05mm	75.15mm	60.0mm	.57kg	Hydraulic Cylinder	Greasable Bush
B85G75X60	\$ 76	85.05mm	75.12mm	60.0mm	.57kg	Kobelco	SK135
B85G75X90	\$ 98	85.08mm	75.19mm	90.0mm	.86kg	Hydraulic Cylinder	Greasable Bush
B90G74G48	\$ 50	90.12mm	74.85mm	48.2mm		T154057	John Deere 315SE
B90-75-50	\$ 70	90.05mm	75.20mm	50.0mm	.77kg	Plain Bush	Bucket Bush
B90-75X57	\$ 88	90.11mm	75.40mm	57.1mm	.83kg	154-78-14224	Komatsu
B90-75-60	\$ 78	90.05mm	75.15mm	60.0mm		2002	Plain Bush
B90-75G64	\$ 76	90.05mm	75.26mm	64.7mm	.97kg	154-63-42320	Komatsu
B90G75G65	\$ 78	90.05mm	75.18mm	64.7mm	.91kg	154-63-42420	Komatsu
B90-75G65	\$ 78	90.12mm	75.20mm	65.0mm	1.01kg	154-78-14223	Komatsu
B90-75G66	\$ 78	90.07mm	75.16mm	65.0mm	1.01kg	Komatsu	WA320-Bush-B,C
B90G75G75	\$ 84	90.05mm	75.15mm	75.0mm	1.12kg	385-1001-0591	Komatsu D85A-18
B90-75G80	\$ 86	90.08mm	75.18mm	80.0mm	1.21kg	Komatsu	WA300-Bush-J
B90G75G85	\$ 87	90.06mm	75.18mm	85.0mm	1.27kg	Komatsu	WA300, 320-Bush-L,K
B90G75G120	\$ 98	90.12mm	75.20mm	119.8mm		417-70-31820	WA200-5-Bush-F
B90-75G138	\$ 98	90.12mm	75.25mm	138 mm		385-1001-8432385-1001-0591	W 120

Heavy Wall Bushes for 75mm Diameter Shaft


KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B92G75G65	\$ 80	92.07mm	75.28mm	65.0mm	1.10kg	Hydraulic Cylinder	Greasable Bush
B95-75-50	\$ 60	95.05mm	75.18mm	50.0mm	1.03kg	Task 2000	Plain Bush
B95-75-55	\$ 64	95.05mm	75.15mm	55.0mm	1.15kg	Komatsu	D85A-18
B95-75-68	\$ 82	95.01mm	75.01mm	67.9mm	1.43kg	Plain Bush	Static Fit
B95-75-75	\$ 84	95.06mm	75.15mm	75.0mm	1.57kg	Komatsu	D85A-18
B95G75G100	\$ 96	95.10mm	75.15mm	100mm	2.07kg	Greasable Bush	Bushing
B100G75G75	\$120	100.12mm	75.15mm	75 mm	2.17kg	Task 2016	Greaseable Bush
B100G75G100	\$148	100.12mm	75.15mm	100 mm	2.90kg	Task 2004	Greaseable Bush



Dimensions shown are for the KSet Bush, not for nearby OEM numbers
KSet Engineers design bushes to suit market requirements
Example: A neater fit to shafts and pins.

PFERD Fan Grinders 6mm Shank
Aluminium Oxide - 120 Grit
Complete PFERRD range available
Bulk orders available

KSet Popular Selection



Size	Code	Price
50 Dia x 30 w	TL-F5030/6 A120	\$ 9
60 Dia x 40 w	TL-F6040/6 A120	\$ 11
80 Dia x 50 w	TL-F8050/6 A120	\$ 15

Plus GST

Frequently Asked Questions:

In New Zealand can I buy ready-made hardened steel bushes / bushings ?

KSet Engineering Pty Ltd

has 1,250 different size bushings available EX STOCK.

Delivery to New Zealand takes 2 days.

BUSHINGS

Quantity **Discounts Available** only upon request provided all outstanding invoices are settled within 7 Days

Discount for 4 of any line item \$6.00 ea

Discount for 10 of any line item \$9.00 ea

Discount for 20 of any line item \$12.00 ea

Pins and Bushes
Shims and Seals
Tools and Cutters

Minimum Product Order \$150

Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 3" Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B89-76-33	\$ 49	3.504"	3.014"	1.31"	D7G Ripper Group	3J6442
B89-76-39	\$ 50	3.503"	3.004"	1.54"	Eimco	A2U913-194036
B89-76T40	\$ 48	3.493"	2.9985"	1.56"	CAT950-Bush-B	7J9694
B89-76-49	\$ 58	3.503"	3.004"	1.93"	Eimco	A2U913 194037
B89G76G51	\$ 64	3.501"	3.006"	2.00"	Testk	4x5Ø Holes
B89G76G53	\$ 48	3.500"	3.006"	2.12"	Hydraulic cylinder bush	Greasable
B89-76-57	\$ 66	3.504"	3.006"	2.24"	Testk	2003
B89-77-57	\$ 48	3.505"	3.020"	2.25"	D7G Ripper Group	3J6167
B89-76-63	\$ 66	3.506"	3.012"	2.50"	Testk	2005
B89G76G63	\$ 72	3.504"	3.006"	2.50"	Testk	McC 2007
B89G76G64	\$ 52	3.506"	3.011"	2.50"	Aftermarket Caterpillar	7J9346
B89-76-70	\$ 68	3.502"	3.004"	2.75"	Testk	2011
B89G76G73	\$ 68	3.505"	3.005"	2.85"	Replaces Bronze	8J6536
B89-76G75	\$ 68	3.504"	3.008"	2.97"	CAT955 Bkt/Link	7K9573
B89G76G76	\$ 74	3.504"	3.006"	3.00"	Testk	2001
B89F77-79	\$ 90	3.485"	3.025"	3.10"	Flange 114 x 2.5	T38642
B89-76G81	\$ 68	3.503"	3.009"	3.18"	CAT966-Bush-C	4V8674
B89-76G83	\$ 68	3.504"	3.006"	3.25"	Case Loader	721-Bush-J,L,K
B89G76G89	\$ 90	3.502"	3.005"	3.50"	Testk	2x5Ø Holes
B89G76G94	\$ 89	3.503"	3.011"	3.70"	CAT980C,F,G-Bush-L,K	1V9148
B89G76G102	\$ 90	3.503"	3.006"	4.00"	Caterpillar Compatible	4J6533
B89G76X105	\$ 148	3.504"	3.006"	4.13"	Atlas Copco	5575 7008 92
B89-76G107	\$ 80	3.504"	3.008"	4.23"	CAT950-Bush-F	8K5757
B89G76X108	\$ 130	3.503"	3.005"	4.25"	Groove=86.6Ø	10Radius
B89G76G132	\$ 98	3.506"	3.011"	5.23"	CAT R1300G	1981142
B89G76G133	\$ 98	3.506"	3.014"	5.24"	CAT 966-Bush-B	9J7078
B90G76G76	\$ 98	3.547"	3.006"	3.00"	Extra Size O.D.	Greasable
B95-76-26	\$ 42	3.753"	3.006"	1.00"	TESK, Plain	2007
B95-76-38	\$ 46	3.753"	3.007"	1.50"	Caterpillar 3J6484	D10 Ripper
B95-76-40	\$ 48	3.751"	3.008"	1.60"	Caterpillar	28 Ripper
B95-76-51	\$ 48	3.752"	3.004"	2.00"	Caterpillar	28 Ripper
B95G76G60	\$ 48	3.753"	3.006"	2.37"	Caterpillar	3G5999, 3G5999
B95G76G62	\$ 46	3.740"	3.000"	2.45"	Greasable	Bushing
B95G76G63	\$ 78	3.752"	3.006"	2.50"	TESK, Greasable	2001
B95G76G70	\$ 96	3.753"	3.006"	2.75"	Hydraulic cylinder bush	Greasable
B95G76G76	\$ 98	3.752"	3.006"	3.00"	Hydraulic ram bush	Greasable
B95F76G79	\$ 180	3.7525"	3.0055"	3.11"	Flange 129x6	8X6729
B95G76G82	\$ 96	3.752"	3.006"	3.25"	Hydraulic ram bush	Greasable
B95G76G89	\$ 98	3.754"	3.006"	3.50"	Hydraulic cylinder bush,	Greasable
B95G76G102	\$ 106	3.752"	3.006"	4.00"	Testk 2001	Greasable
B95G76G120	\$ 76	3.740"	3.000"	4.71"	John Deere	T66214, U43721
B95G76G121	\$ 130	3.752"	3.006"	4.75"	Hydraulic cylinder bush,	Greasable
B98-76-51	\$ 70	3.879"	3.004"	2.00"	8J7596	Bearing 621/3/7G Hitch
B98G76G54	\$ 62	3.880"	3.005"	2.12"	8D8829	CAT623G Scraper
B98G76G102	\$ 138	3.877"	3.006"	4.00"	O.S.Testk 2008	Greaseable
B100-76X75	\$ 120	100.05mm	3.008"	2.95"	Eimco	A2U913-194150
B100T76X89	\$ 170	100.05mm	3.009"	3.503"	Eimco	A2U913-194148
B100-76X144	\$ 220	100.03mm	3.001"	5.68"	Eimco	A2U913-194265
B102G76G76	\$ 120	4.004"	3.006"	3.00"	Eimco	A2U913-194265
B102G76G102	\$ 140	4.004"	3.006"	4.00"	Hydraulic cylinder bush,	Greasable
B102G76G152	\$ 190	4.004"	3.006"	6.00"	Hydraulic cylinder bush,	Greasable
B114G76G96	\$ 130	4.503"	3.002"	3.78"	Heavy Wall Bush / Boss,	Greasable
B133T76R67	\$ 248	5.255"	3.005"	2.636"	Eimco	A2U913-194149

Dimensions shown are for the KSet Bush, not for nearby OEM numbers

Metal Cased Polyurethane Pin Wiper Dust Seals




Pages 36 - 37

PFERD Fan Grinders 6mm Shank

Aluminium Oxide - 120 Grit
Complete PFERD range available
Bulk orders available

KSet Popular Selection



Size	Code	Price
50 Dia x 30 w	TL-F5030/6 A120	\$ 9
60 Dia x 40 w	TL-F6040/6 A120	\$ 11
80 Dia x 50 w	TL-F8050/6 A120	\$ 15

Plus GST

BUSHINGS

Quantity Discounts Available only upon request provided all outstanding invoices are settled within 7 Days

Discount for 4 of any line item \$6 ea

Discount for 10 of any line item \$9 ea

Discount for 20 of any line item \$12 ea

Pins and Bushes Shims and Seals Tools and Cutters

Minimum Product Order \$150

Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 80mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B92-79-64	\$70	3.632"	3.139"	2.53"	D10 Lift Arm Bush	3G8052
B85-80X70	\$106	85.07mm	80.15mm	70.0mm .35kg	3125 2388 00	Atlas Copco
B90F80-17	\$44	90.00mm	80.19mm	17.0mm	D144162 Flange 94x4 Case	Case 590
B90-80-20	\$44	90.00mm	80.20mm	20.0mm	D144170	Case 580
B90-80-30	\$48	90.01mm	80.18mm	29.6mm .32kg	114318A1, 192559A1	Hitachi EX350
B90-80-50	\$68	90.17mm	80.29mm	50.0mm .53kg	4196105	Greasable
B90G80G60	\$88	90.06mm	80.15mm	60.0mm .59kg	Hydraulic ram,Rod end	Plain Bush
B90-80-65	\$96	90.10mm	80.15mm	65.0mm .68kg	Suit Hitachi	38738
B90-80-80	\$98	90.10mm	80.15mm	80.0mm .83kg	Matbro	SK210-Bush-HR
B90G80G90	\$110	90.08mm	80.15mm	90.0mm .92kg	Kobelco	504227
B90G80G100	\$120	90.10mm	80.15mm	100.0mm 1.02kg	Matbro	BML90C Small Z Link
B90-80G140	\$160	90.07mm	80.15mm	140.0mm 1.46kg	Volvo	Greasable
B92G80X84	\$120	92.05mm	80.14mm	84.0mm kg	Hydraulic ram, Rod end	ZX200-Bush-HR-HL
B95-80-40	\$70	95.15mm	80.25mm	39.9mm 0.88kg	4352398	Hitachi
B95-80-55	\$96	95.05mm	80.15mm	55.0mm 0.88kg	4107838	Excavator Bush
B95-80-65	\$88	95.05mm	80.15mm	65.0mm 1.04kg	Hitachi	ZX200-3-Bush-J O/B F8
B95G80X65	\$80	95.18mm	80.29mm	64.9mm 1.04kg	4409178	
B95G80X66	\$80	95.18mm	80.29mm	64.9mm 1.04kg	4443882Hitachi	ZX200-3-Bush-K O/B F8
B95G80X67	\$106	95.14mm	80.31mm*	67.0mm 1.05kg	207-70-53150	Komatsu OF8
B95G80X68	\$106	95.12mm	80.20mm	67.0mm 1.06kg	Less Clearance	Testk 2002
B95-80-70	\$89	95.10mm	80.19mm	70.0mm 1.16kg	Hitachi	EX200-Bush-J
B95G80X70	\$110	95.12mm	80.18mm	70.0mm 1.11kg	Caterpillar	CAT320C-Bush-K
B95G80X75	\$98	95.08mm	80.31mm	75.0mm 1.18kg	Komatsu	PC200, 220-Bush-HL
B95G80G78	\$90	95.10mm	80.28mm	78.0mm 1.23kg	Hydraulic Ram EyeGreasable Bush	
B95G80X78	\$98	95.08mm	80.33mm*	78.0mm 1.20kg	707-76-80020	PC220-Bush-HR
B95G80X79	\$102	95.12mm	80.20mm	78.0mm 1.25kg	Firmer Fit	Less Clearance
B95G80G80	\$98	95.18mm	80.25mm	80.0mm 1.24kg	CAT320C-Bush-HL,J	195-0103
B95M80G80	\$118	95.16mm	80.25mm	80.0mm 1.24kg	CAT320C	7Y3427
B95-80X80	\$98	95.13mm	80.30mm*	80.0mm 1.31kg	20Y-70-32351	Komatsu 21K-70-12161
B95F80X80	\$POA	95.13mm	80.15mm	80.0mm	Flange 160x8	Kobelco K909A
B95G80X81	\$98	95.12mm	80.20mm	81.0mm 1.30kg	Testk Fig.8	240 2913
B95-80X84	\$120	95.10mm	80.18mm	84.0mm 1.32kg	Hyundai Loader HL757-9-Bush-L,K	
B95-80G85	\$90	95.21mm	80.23mm	85.1mm 1.32kg	Cat-345-Bush-I	4I6897
B95G80X85	\$120	95.05mm	80.15mm	85.0mm 1.32kg	EX200-Bush-B	SE210-Bush-K,H
B95G80X86	\$106	95.09mm	80.22mm	86.0mm	PC220-Bush-B,C,D,E,G	2BF8 13W Ext
B95F80X88	\$240	95.13mm	80.15mm	88.0mm 2 kg	Flange 140x8	Greasable external
B95-80X89	\$108	95.16mm	80.29mm	89.0mm Kobelco	LC12B01763P1	SK350-Bush-I BF8
B95G80X90	\$108	95.14mm	80.33mm	90.0mm 1.39kg	PC200,220-Bush-K	205-70-67150 OF8
B95G80X91	\$120	95.12mm	80.20mm	90.0mm	Kobelco	SK220 "HL", SK330-8 "I"
B95-80X95	\$120	95.10mm	80.18mm	94.8mm 1.50kg	Hyundai Loader	HL757-9-Bush-J
B95G80X95	\$124	95.10mm	80.16mm	95.0mm 1.50kg	SK220-Bush-HR	HD700-Bush-HR
B95F80X95	\$144	95.11mm	80.35mm	95.0mm 2 kg	Flange 130x7	205-70-72130 PC220-Bush-J
B95-80X98	\$130	95.15mm	80.14mm	98.5mm 1.56kg	Kawasaki	KLD 80 Z1
B95G80G100	\$120	95.09mm	80.16mm	100mm 1.64kg	Testk	Greasable Bush
B95-80X100	\$130	95.11mm	80.18mm	100mm 1.64kg	Samsung	SE210-Bush-J OF8
B95G80X100	\$140	95.13mm	80.16mm	100mm 1.64kg	HD700 "HL"	CAT320C-Bush-HR
B95G80G104	\$124	95.10mm	80.15mm	104mm 1.68kg	CAT 087 5847	325B-Bush-J

Bushes for 80mm Diameter Shaft continued next page...

PFERRD Economy Rolls
Complete PFERRD range available

KSet Popular Selection

Economy Rolls



Size	Code	Price
40 mm x 50 m	TL-ER 40A 60	\$ 39
40 mm x 50 m	TL-ER 40A 80	\$ 39
40 mm x 50 m	TL-ER 40A 120	\$ 39
40 mm x 50 m	TL-ER 40A 180	\$ 39

Plus GST

BUSHINGS

Quantity **Discounts Available** only upon request provided all outstanding invoices are settled within 7 Days

Discount for **4** of any line item \$7 ea
Discount for **10** of any line item \$10 ea
Discount for **20** of any line item \$14 ea

Pins and Bushes Shims and Seals

Tools and Cutters

Minimum Product Order \$150

Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Heavy Wall Bushes for 80mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B95G80X110	\$140	95.13mm	80.18mm	110mm	1.63kg	Task 2009 Closed Fig.8 Groove
B95G80X125	\$190	95.13mm	80.18mm	125mm	1.93kg	Komatsu 205-70-71330 2x7Ø 2F8
B98G80X67	\$130	98.13mm	80.20mm	67.0mm		O.S. PC220-Bush-HL OF8
B98G80X78	\$140	98.13mm	80.20mm	78.0mm	1.50kg	O.S. PC220-Bush-HR BF8
B98G80X90	\$150	98.13mm	80.20mm	90.0mm	1.70kg	O.S. PC200,220-Bush-K OF8
B100-80-21	\$ 80	100.00mm	79.97mm	20.7mm	0.46kg	580SLE Trunnion 1986794C1
B100F80-46	\$ 50	100.00mm	80.21mm	46.0mm		Flange 104x4.15 Case D151059
B100G80G50	\$ 82	100.13mm	80.21mm	50.0mm	1.06kg	Task 2010 Greasable Bush
B100G80G65	\$ 92	100.12mm	80.20mm	65.0mm	1.06kg	Task 2016 Greasable Bush
B100-80-80	\$ 98	100.13mm	80.22mm	80.0mm	1.77kg	Task Plain Bush
B100G80G80	\$110	100.13mm	80.22mm	80.0mm	1.81kg	Task 2010 Greasable Bush
B100G80X90	\$150	100.13mm	80.21mm	90.0mm	1.98kg	Cobra ZL 50G Wheel Loader
B100G80X95	\$170	100.13mm	80.21mm	95.0mm	2.09kg	Task 2010 BF8
B100G80X110	\$170	100.13mm	80.20mm	110 mm	2.42kg	O.S.Task 2BF8
B100G80X139	\$220	100.13mm	80.23mm	139 mm		Samsung SE210-LC-Bush-J OF8
B105G80X95	\$180	105.13mm	80.17mm	95.0mm	2.69kg	Task BF8
B110G80G70	\$180	110.13mm	80.25mm	70.0mm	3.48kg	Greasable Bush Mud Bucket
B110F80X95	\$170	110.06mm	80.32mm	95.0mm	3.3 kg	Flange130x7 SK200,PC220-7-Bush-J
B110G80X100	\$212	110.13mm	80.26mm	99.9mm	3.48kg	O.S.Task Greasable Bush
B110G80X110	\$234	110.13mm	80.26mm	110 mm	3.84kg	O.S.Task Greasable Bush BF8
B115G80G96	\$130	115.08mm	80.05mm	96.0mm	4.90kg	Heavy Wall Bush / Boss Greasable

Suit 3.25" Diameter Shaft

B95-83-70	\$ 74	3.752"	3.257"	2.75"		7S3863 CAT983
B95G83G73	\$ 78	3.753"	3.257"	2.87"		Case Loader Greasable Bush
B95F83-78	\$ 74	3.751"	3.255"	3.05"		Flange Bush 105mm x 5.7
B95-83-79	\$ 66	3.755"	3.253"	3.12"	1.10kg	9J9427 CAT623G Scraper
B95G83G83	\$ 66	3.752"	3.261"	3.27"	1.13kg	3G8779 CAT960F, 962G-Bush-L,K
B95G83G95	\$ 58	3.753"	3.261"	3.74"	1.29kg	3G9191 Caterpillar
B95G83G102	\$ 96	3.754"	3.257"	4.00"	1.41kg	Task 2009 Greasable Bush
B99G83G108	\$ 98	3.879"	3.257"	4.25"	1.53kg	Task 2010 CAT966 Track Loader

Bushes for 85mm Diameter Shaft


B95-85-75	\$ 88	95.05mm	85.15mm	75.0mm		Task 2003 Plain Bush
B95G85G80	\$ 76	95.08mm	85.15mm	80.0mm	0.93kg	Greasable Bush Plain Bush
B95-85-100	\$100	95.05mm	85.15mm	100 mm	1.15kg	Task 2006 Plain Bush
B95G85X125	\$140	95.10mm	85.25mm	125 mm		Some WA420s WA420-Bush-L,K
B100G85X48	\$ 74	100.10mm	85.18mm	48.0mm		Kato 900-Bush-HL BF8
B100F85-50	\$140	100.03mm	85.07mm	50.29	1.09kg	Flange 125x7.47 Sandvik 26433448
B100-85G80	\$ 90	100.10mm	85.20mm	80.0mm	1.35kg	419-70-11890 WA320-Bush-A
B100-85G85	\$106	100.10mm	85.18mm	85.0mm	1.43kg	424-70-11810 WA420,450-J
B100G85G85	\$110	100.10mm	85.20mm	85.0mm	1.42kg	Komatsu WA420-Bush-L,K
B100N85G85	\$120	100.12mm	85.22mm	84.8mm	1.36kg	423-70-21810 WA380,420-Bush-J
B100G85X98	\$168	100.10mm	85.18mm	98.0mm	1.63kg	Kato 900-Bush-HDL BF8
B100G85G100	\$120	100.07mm	85.12mm	100 mm	1.67kg	424-70-11820 WA420-Bush-L,K
B100G85X105	\$120	100.10mm	85.18mm	105 mm		Kato 800-Bush-J OF8
B103G85G100	\$140	103.10mm	85.18mm	100 mm		O.S. Task Greasable Bush
B115G85G96	\$130	115.08mm	85.05mm	96.0mm	3.48kg	Heavy Wall Bush / Boss, Greasable

Dimensions shown are for the KSet Bush, not for nearby OEM numbers

PFERD

Rubber Drum Holders - 6mm Shank
Complete PFERRD range available
Bulk orders available

KSet Popular Selection



Size	Code	Price
38 Dia x 25 w	TL-GK3825 /6	\$ 39
45 Dia x 30 w	TL-GK4530 /6	\$ 39
51 Dia x 25 w	TL-GK5125 /6	\$ 47
60 Dia x 30 w	TL-GK6030 /6	\$ 50

Plus GST

PFERD

Abrasive Spiral Bands - Zirconia
Complete PFERRD range available
Bulk orders available

KSet Popular Selection



Size	Code	Price
38 Dia x 25 w	TL-GSB3825 Z60	\$ 3.25
45 Dia x 30 w	TL-GSB4530 Z60	\$ 3.25
51 Dia x 25 w	TL-GSB5125 Z60	\$ 3.50
60 Dia x 30 w	TL-GSB6030 Z80	\$ 3.50

Plus GST

Pins and Bushes Shims and Seals Tools and Cutters

Minimum Product Order \$150
Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 3 1/2" Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B101-88-63	\$60	3.986"	3.484"	2.48"	Caterpillar	200-3926
B99-89N100	\$140	3.921"	3.508"	3.94"	2 only Int. Helical Groove	
B100-89-57	\$50	3.954"	3.504"	1.69"	Plain Bush	3 only
B102F89-43	\$88	4.002"	3.506"	1.69"	Flange Bush	A2U913-194032
B102-89-44	\$82	4.004"	3.521"	1.75"	Caterpillar	Sub for 4J2379
B102-89-49	\$82	4.003"	3.507"	1.93"	Caterpillar Aftermarket	5J1193
B102-89-51	\$88	4.002"	3.505"	2.00"	Task	Plain Bush
B102-89G64	\$98	4.006"	3.510"	2.50"	Caterpillar	Internal Groove
B102-89G75	\$98	4.002"	3.506"	2.97"	Caterpillar Aftermarket	7K9576
B102-89-76	\$60	4.003"	3.518"	3.01"	Caterpillar Aftermarket	IJ5304
B102G89G76	\$88	4.002"	3.506"	2.99"	Caterpillar Aftermarket	7K9576
B102G89G77	\$72	4.004"	3.510"	3.00"	Caterpillar Aftermarket	9J6549
B102G89G82	\$78	4.003"	3.511"	3.27"	Caterpillar Aftermarket	3G7624
B102-89G94	\$80	4.002"	3.506"	3.70"	Caterpillar Aftermarket	5K7037
B102-89-95	\$62	4.003"	3.507"	3.75"	After market	CAT983 7J7887
B102G89G95	\$90	4.005"	3.516"	3.75"	Caterpillar Aftermarket	9J7099
B102G89X101	\$110	4.004"	3.505"	4.00"	Task 2010	Greasable BF8
B102G89X108	\$124	4.004"	3.505"	4.25"	Scandinavian	Greasable BF8
B102G89G111	\$98	4.007"	3.517"	4.36"	CAT-966G-Bush-D	9J7100
B103G89N101	\$140	4.032"	3.506"	4.00"	Hydraulic Cylinder Joy	100163419
B103G89N102	\$140	4.038"	3.506"	4.00"	Hydraulic Cylinder Joy	100163419
B104G89-27	\$48	4.133"	3.503"	1.08"	CAT-950-Bush-BR	9K9159
B104G89G76	\$98	4.129"	3.505"	3.00"	Task 2004	Greasable
B104G89G82	\$90	4.128"	3.512"	3.24"	CAT-966G-Bush-L,K	4V8520
B104G89G89	\$88	4.129"	3.505"	3.50"	Task 2002	Greasable
B104G89G94	\$98	4.128"	3.512"	3.70"	CAT-980C,F,G-Bush-D,E	1V8242
B104G89G102	\$120	4.129"	3.505"	4.00"	Caterpillar Aftermarket	6K71571
B104-89G110	\$98	4.128"	3.510"	4.33"	CAT-950-962-Bush-A	3V2333
B104G89G111	\$98	4.128"	3.512"	4.37"	Greasable Case Hardened Bush	
B104-89G120	\$98	4.128"	3.513"	4.75"	CAT-966G 972-Bush-A	4V8673
B108-89-46	\$88	4.253"	3.507"	1.83"	CAT983 Plain Bearing	4J2379
B108-89-57	\$87	4.253"	3.508"	2.24"	CAT983 Plain Bearing	8K7677
B108-89-64	\$97	4.253"	3.507"	2.50"	CAT Plain Bearing	5K4787
B108-89-67	\$99	4.253"	3.510"	2.65"	CAT983 Plain Bearing	8K7613
B108G89G81	\$125	4.253"	3.507"	3.18"	Task 2016 Geaseable Bearing	
B108-89-101	\$130	4.253"	3.507"	3.98"	Task 2002	Plain Bearing
B110-89X75	\$110	4.332"	3.505"	2.95"	Eimco	A2U130-194277
B112-89-68	\$110	4.411"	3.513"	2.66"	Caterpillar 185-7221	Plain Bearing
B114-89-38	\$80	4.502"	3.504"	1.50"	CAT 28 Ripper	Plain Bearing
B114-89-51	\$70	4.507"	3.529"	2.00"	4T9751 Ripper Group	Bearing
B114G89G57	\$98	4.502"	3.508"	2.25"	Task 2003	Greasable
B114-89-64	\$98	4.503"	3.507"	2.50"	CAT983	Sub for 7K1513
B114-89-73	\$98	4.504"	3.506"	2.87"	Caterpillar	Sub for 7J0052
B114-89-76	\$98	4.505"	3.508"	3.00"	Task 2009	Plain Bushing
B114-89G85	\$98	4.504"	3.517"	3.35"	Caterpillar D9	Sub for 3G6402
B114G89G96	\$130	4.504"	3.502"	3.78"	Heavy Wall Bush/Boss	Greasable
B115G89X114	\$180	4.530"	3.510"	4.50"	Logmax	Greasable BF8
B120-89-75	\$120	120.10mm	3.506"	2.95"	Heavy Wall Bush	Plain
B121-89X108	\$170	4.754"	3.508"	4.25"	Type X Bush	Greasable BF8
B125-89-80	\$130	125.10mm	3.506"	3.15"	Heavy Wall Bush	Plain

Dimensions shown are for the KSet Bush, not for nearby OEM numbers
KSet Engineers design bushes to suit market requirements
Example: A neater fit to shafts and pins.

Grease for Hardened Bushes

Renolit XTB2 450g

Long life multipurpose grease specially designed for extreme bearing applications. Suits a variety of automotive applications, including wheel bearing and general chassis lubrication

Product Code : GR-XTB2 \$10 ea + GST



Grease for Pin Steel
Grease for Excavator Bushes
Maitland Hunter Valley NSW

BUSHINGS

Quantity Discounts Available only upon request provided all outstanding invoices are settled within 7 Days

Discount for 4 of any line item \$8 ea

Discount for 10 of any line item \$11 ea

Discount for 20 of any line item \$14 ea

Pins and Bushes

Minimum Product Order \$150

Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 90mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B100-90-70	\$110	100.12mm	90.15mm	70mm	0.80kg	Task 2011 Plain Bush
B100F90N74	\$166	100.06mm	90.13mm	74mm	1.12kg	FLange Bush FBL - 503140
B100G90G75	\$140	100.10mm	90.15mm	75mm	0.86kg	Task 2010 Greasable
B100-90-80	\$120	100.12mm	90.15mm	80mm	0.90kg	Task 2013 Plain Bush
B100G90G100	\$180	100.10mm	90.15mm	100mm	1.15kg	Volvo L 180 2 Required
B100G90G137	\$220	100.10mm	90.16mm	137mm	2.44kg	Volvo L 180 2 Rqd
B105G90G49	\$ 98	105.15mm	90.23mm	49.3mm	0.90kg	ZX350-Bush-I 4438771 Offset Groove
B105G90G50	\$120	105.12mm	90.25mm	50mm	0.90kg	107-4161-3000 Kato 1250-H,G,L
B105-90-55	\$114	105.10mm	90.16mm	55mm	1.00kg	Hitachi EX300-Bush-I
B105-90-60	\$117	105.10mm	90.20mm	60mm	1.12kg	Task 2002 Plain Bush
B105-90-70	\$ 99	105.13mm	90.27mm	70mm	1.26kg	Hitachi 4203425
B105-90X70	\$104	105.10mm	90.16mm	70mm	1.25kg	205-70-66550 PC200-Bush-F 2xOF8
B105G90X70	\$136	105.10mm	90.16mm	70mm	1.24kg	Task 2001 2xBF8
B105-90X76	\$140	105.12mm	90.22mm	76mm	1.30kg	Hyundai Loader HL757-9-Bush-E
B105G90X85	\$142	105.18mm	90.28mm	85mm	1.45kg	3038451 EX350-F - EX200-B,C,F
B105G90X88	\$128	105.14mm	90.16mm	88mm	1.55kg	207-63-76170 PC300-Bush-HR
B105G90G90	\$110	105.13mm	90.18mm	90mm	1.60kg	Task 2001 Greasable
B105G90X90	\$128	105.14mm	90.16mm	90mm	1.59kg	Komatsu PC300-Bush-HL, K
B105-90X92	\$128	105.10mm	90.23mm	92mm	1.62kg	Komatsu PC300-Bush-I OF8
B105G90X95	\$128	105.13mm	90.30mm	95mm	1.69kg	SK330-6-K & Kato 1250-HL
B105G90X102	\$160	105.12mm	90.20mm	102mm	1.80kg	Kobelco SK330-6-Bush-HL BF8
B105G90X105	\$140	105.11mm	90.20mm	104.5mm	1.80kg	Volvo VOE1451 7940 2BF8
B105G90X109	\$160	105.09mm	90.24mm	109.4mm	1.83kg	Hitachi ZX450 Light Duty 0937502
B105G90X110	\$160	105.10mm	90.20mm	110mm		Kato 1250 "G" Greasable
B105G90X112	\$160	105.11mm	90.18mm	112mm	1.89kg	Kobelco SK220-F & SK330-8-HL
B105-90X114	\$140	105.14mm	90.27mm	114mm	Kobelco	LC12B01761P1 SK350-8-Bush
B105G90X114	\$140	105.14mm	90.27mm	114mm	Kobelco	LC12B01781P1 SK350-8-Bush-HL
B105G90X114	\$140	105.14mm	90.27mm	114mm	Kobelco	LC01V00006S023 SK350-8-Bush-HR
B105G90X115	\$160	105.14mm	90.21mm	115mm	Kobelco	SK330-8-HR,J Kato 1250-HR
B105G90X120	\$210	105.13mm	90.28mm	120mm	2.11kg	VOE 14880984 Kato 1250-Bush-B
B105G90X130	\$174	105.13mm	90.25mm	130mm	2.24kg	Komatsu PC200-Bush-A
B106G90G90	\$101	106.18mm	90.25mm	90mm		CAT320C 7Y2396
B106M90G90	\$102	106.18mm	90.25mm	90mm		CAT325-Bush-J Ext Slot 7Y3553
B106M90G100	\$110	106.18mm	90.25mm	100mm		CAT333-Bush-J External slot

Heavy Wall Bushes for 90mm Diameter Shaft

B110G90X73	\$154	110.14mm	90.21mm	73mm	1.74kg	KATO 1250 "K" Greasable
B110-90-50	\$106	110.12mm	90.15mm	50mm	1.15kg	Task 2016 Plain Bush
B110-90-80	\$118	110.12mm	90.15mm	80mm	1.84kg	Task 2012 Plain Bush
B110-90X100	\$199	110.14mm	90.21mm	100mm	2.42kg	KATO 1250 "J" 2xOF8
B110G90X100	\$190	110.15mm	90.24mm	100mm	2.40kg	Ext. groove + Closed Fig.8 groove
B110F90X102	\$228	110.18mm	90.24mm	102mm	3.24kg	Flange 150x8 PC300-Bush-6-J 2F8
B110G90N113G	\$210	110.02mm	90.05mm	113mm	2.66kg	Twin Grooves A2U900-194346
B115G90X85	\$206	115.13mm	90.18mm	85mm	3.12kg	Externally Greasable Figure 8 groove
B115G90X100	\$216	115.13mm	90.18mm	100mm	3.12kg	Externally Greasable Figure 8 groove
B120F90X100	\$460	120.15mm	90.25mm	100mm	4.88kg	Flange 185x10.6 SH300-2-Bush-J O/BF8x2
B120F90X105	\$340	120.18mm	90.33mm	105.9mm	4.10kg	Flange 155x6 SK250/260-Bush-J OF8x2
B120F90X106	\$248	120.14mm	90.36mm	105.9mm	4.16kg	Flange 150x7.5 PC350-7-Bush-J OF8x2
B120G90X110	\$220	120.14mm	90.29mm	110 mm	4.22kg	Greasable Closed Fig. 8 Groove
B120F90X126	\$460	120.14mm	90.29mm	125.6	4.99kg	LC12B01653P1+LC12B01761P1 SK350-8-J

Dimensions shown are for the KSet Bush, not for nearby OEM numbers

Grease for Hardened Bushes

Renolit XTB2 450g

Long life multipurpose grease specially designed for extreme bearing applications. Suits a variety of automotive applications, including wheel bearing and general chassis lubrication

Product Code : GR-XTB2 \$10 ea + GST



Grease for Pin Steel
Grease for Excavator Bushes
Maitland Hunter Valley NSW

BUSHINGS

Quantity Discounts Available only upon request provided all outstanding invoices are settled within 7 Days

Discount for 4 of any line item \$8 ea

Discount for 10 of any line item \$11 ea

Discount for 20 of any line item \$14 ea

Pins and Bushes

Minimum Product Order \$150

Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 95mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B110G95G70	\$ 98	110.13mm	95.20mm	70.0mm	1.33kg	707-76-95050 WA320-Bush-D,E	
B110-95-72	\$ 98	110.15mm	95.20mm	72.0mm	1.40kg	707-76-95040 WA420-3	
B110-95G80	\$ 90	110.13mm	95.20mm	80.0mm		427-70-11870 707-76-95010	
B110-95X80	\$128	110.10mm	95.22mm	79.8mm	1.49kg	424-70-11770WA380,420-Bush-C	
B110-95X85	\$130	110.13mm	95.20mm	85.0mm	1.49kg	Komatsu WA320-Bush-F OF8	
B110-95G90	\$110	110.13mm	95.20mm	90.0mm		385-1007-0591 W120-2	
B110G95X90	\$140	110.13mm	95.20mm	90.0mm		385-1007-0611 W120-2	
B110G95X95	\$140	110.14mm	95.20mm	95.0mm	1.80kg	421-70-11241 WA470-Bush-J	
B110N95G95	\$120!	110.11mm	95.29mm	94.8mm	1.80kg	421-70-21240 WA470-1-Bush-J	
B110G95X105	\$150	110.14mm	95.20mm	104.9mm		424-70-11890 WA420-Bush-A	
B110G95X115	\$150	110.14mm	95.27mm	114.9mm	2.16kg	421-70-11251 WA470-Bush-L,K	

Heavy Wall Bushes for 95mm Diameter Shaft

B115G95X115	\$194	115.14mm	95.28mm	114.8mm		TESK 2009	Greasable BF8
-------------	-------	----------	---------	---------	--	-----------	---------------

Heavy Wall Bushes for 3.75" Diameter Shaft

B108-96-74	\$ 98	4.257"	3.764"	2.92"		4J5693	CAT623G Scraper
B108-96-88	\$ 98	4.254"	3.763"	3.46"		5J6611	CAT623G Scraper
B108-96-92	\$ 98	4.255"	3.763"	3.62"		4J5695	CAT623G Scraper
B114G96G88	\$ 98	4.506"	3.763"	3.48"	2.12kg	1V6934	CAT988B Bkt/Link
B114G96G107	\$ 98	4.505"	3.763"	4.21"	2.57kg	Caterpillar	1V7036
B121-96-76	\$ 98	4.751"	3.754"	3.00"		Caterpillar	CAT980-Bush-J
B121G96N140	\$120	4.754"	3.759"	5.50"		Caterpillar	CAT 980



Wear Life of Pin Materials

4140 Hardened & Tempered 29 Rockwell C
as available from steel merchants

K1045 - INDUCTION HARDENED 58 Rockwell C
58 Rockwell C (615 Brinell) resists wear about **10 times better** and longer than 29 Rockwell C

4140 - INDUCTION HARDENED 58 Rockwell C - Very Resistant to Breakage
58 Rockwell C (615 Brinell) resists wear about **12 times better** and longer than 29 Rockwell C

Dimensions shown are for the KSet Bush, not for nearby OEM numbers
KSet Engineers design bushes to suit market requirements
Example: A neater fit to shafts and pins.

Grease for Hardened Bushes Renolit XTB2 450g

Long life multipurpose grease specially designed for extreme bearing applications. Suits a variety of automotive applications, including wheel bearing and general chassis lubrication

Product Code : GR-XTB2 \$10 ea + GST



Grease for Pin Steel
Grease for Excavator Bushes
Maitland Hunter Valley NSW

BUSHINGS

Quantity **Discounts Available** only upon request provided all outstanding invoices are settled within 7 Days

Discount for **4** of any line item \$8 ea
Discount for **10** of any line item \$11 ea
Discount for **20** of any line item \$14 ea

Pins and Bushes

Minimum Product Order \$150
Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 100mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B110G100G78	\$ 110	110.10mm	100.15mm	78.0mm		TesK 2012	Greasable
B110-100-100	\$ 180	110.12mm	100.16mm	100.0mm	1.29kg	Volvo L 180	4 Required
B110-100G140	\$ 220	110.12mm	100.17mm	140.0mm		Volvo L 180	2 Required
B115-100-52	\$ 100	115.12mm	100.20mm	51.7mm	1.04kg	381857S ZX350-Bush-HR,HL(6)	
B115-100-60	\$ 110	115.15mm	100.30mm	59.7mm	1.35kg	Hitachi 3026075	
B115-100-65	\$ 110	115.15mm	100.29mm	65.0mm	1.29kg	Hitachi EX300-Bush-J	
B115G100G70	\$ 120	115.13mm	100.21mm	69.8mm	1.38kg	Groove 25 fm Cfr ZX350-Bush-J,K	
B115G100X74	\$ 140	115.15mm	100.20mm	74.0mm		20T-70-71520 PC45-Bush-T	
B115-100X79	\$ 140	115.10mm	100.21mm	79.5mm		Volvo VOE 1488 0987	O,BF8
B115G100X80	\$ 148	115.15mm	100.20mm	80.0mm	1.49kg	TesK 2001	BF8
B115G100G85	\$ 130	115.15mm	100.20mm	85.0mm	1.65kg	TesK 2003	Greasable
B115G100X90	\$ 156	115.12mm	100.27mm	90.0mm	1.73kg	Hitachi EX200-Bush-A	
B115-100X95	\$ 140	115.15mm	100.20mm	95.0mm		208-70-13141 PC400-Bush-I	
B115G100X95	\$ 140	115.15mm	100.20mm	95.0mm	1.84kg	707-76-10230 PC400-Bush-B,K	
B115G100X98	\$ 140	115.10mm	100.23mm	97.5mm	1.90kg	VOE 1451 7186 2BF8	
B115-100X100	\$ 140	115.11mm	100.24mm	99.5mm		VOE 1488 0988 EC460-Bush-I	
B115G100X105	\$ 140	115.15mm	100.18mm	105.7mm	2.04kg	207-70-51440 PC300-Bush-C,D,E	
B115G100G108	\$ 166	115.10mm	100.18mm	108.0mm	2.11kg	Hitachi ZX300-Bush-HR	
B115G100X108	\$ 170	115.10mm	100.18mm	108.0mm	2.10kg	Komatsu PC450-LC-Bush-HL	
B115G100X109	\$ 180	115.09mm	100.23mm	109.4mm	2.11kg	Hitachi ZX450 0937504 BF8	
B115G100X110	\$ 180	115.12mm	100.19mm	110.0mm	2.13kg	CAT320 CAT 350 BF8	
B115G100X111	\$ 180	115.10mm	100.18mm	111.0mm	2.13kg	TesK 2003 O/B FIG 8	
B115G100X120	\$ 198	115.11mm	100.31mm	120.0mm	2.31kg	Volvo EC330CL VOE1488 0985	
B115G100X130	\$ 198	115.10mm	100.25mm	129.7mm	2.70kg	206-70-61310 PC220-Bush-A 2F8	
B116F100N87	\$ 280	116.05mm	100.10mm	87.05	1.92kg	Flange Bush FBL10-Bush-J	
B116G100G100	\$ 130	116.20mm	100.29mm	100.0mm	2.25kg	7Y2397 CAT345-Bush-K	
B116G100X100	\$ 180	116.22mm	100.24mm	100.0mm	2.25kg	228-5617 CAT330D-Bush-J	
B116G100G120	\$ 130	116.20mm	100.24mm	120.0mm	2.55kg	087-5546 CAT450-Bush-HR	
B116-100X130	\$ 260	116.15mm	100.20mm	129.7mm	2.70kg	Caterpillar CAT325-Bush-F	

Heavy Wall Bushes for 100mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B117G100X95	\$ 180	117.12mm	100.20mm	95.0mm	2.11kg	TESK 2009	BF8
B120G100-21	\$ 105	119.99mm	100.43mm	21.0mm		Case580 SLE 4W Ext D147280	
B120G100-25	\$ 85	119.99mm	100.43mm	25.0mm		Case580 SLE 4W Ext 101907A1	
B120G100G70	\$ 150	120.05mm	100.15mm	70.0mm	2.00kg	TesK 2013	Greasable
B120-100-75	\$ 140	120.05mm	100.15mm	75.0mm	2.04kg	TesK 2002	Plain Bush
B120G100X115	\$ 204	120.16mm	100.21mm	115.0mm	3.06kg	Case-Hardened Bush BF8	
B120G100G120	\$ 198	120.16mm	100.22mm	120.0mm	3.47kg	TesK 10mm W Ext	
B120F100X125	\$ 240	120.16mm	100.20mm	125.0mm	208-70-32140	Flange 166 Ø PC400-Bush-J	
B120G100X130	\$ 260	120.16mm	100.22mm	130.0mm	3.47kg	TesK 12mm W Ext Closed Fig. 8	
B120G100X150	\$ 288	120.16mm	100.22mm	150.0mm	4.00kg	TesK 12mm W Ext Open Fig. 8	
B125G100G100	\$ 260	125.14mm	100.20mm	100.0mm	kg	Greaseable Bush TesK 2016	
B130F100X106	\$ 350	130.18mm	100.32mm	105.8mm	4.68kg	Flange 166 Ø x7.5 PC450-8-Bush-J	
B130G100X114	\$ 360	130.16mm	100.22mm	114.0mm	4.67kg	TesK 2012	BF8
B135G100G100	\$ 260	135.15mm	100.22mm	100.0mm	4.96kg	Case-Hardened	Greasable

Dimensions shown are for the KSet Bush, not for nearby OEM numbers

Metal Cased Polyurethane
Pin Wiper Dust Seals



Pages 36 - 37

BUSHINGS

Quantity **Discounts Available** only upon request provided all outstanding invoices are settled within 7 Days

Discount for **4** of any line item **\$8** ea
Discount for **10** of any line item **\$11** ea
Discount for **20** of any line item **\$14** ea

Pins and Bushes

Minimum Product Order \$150

Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 4 inch to 4.25" Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B114G102X76	\$ 120	4.503"	4.009"	3.00"	1.24 kg	Eimco	A2U913 194013
B114-101-101	\$ 140	4.504"	3.999"	4.00"	1.70 kg	Task	Sleeve, Static Fit
B114-102-102	\$ 150	4.504"	4.009"	4.00"	1.70 kg	Task 2007	3mmStep
B114G102X121	\$ 180	4.504"	4.008"	4.75"		Task 2007	BF8 groove
B114-102X127	\$ 180	4.504"	4.006"	5.00"	2.12kg	Task 2007	10 Only
B115G102G101	\$ 200	4.542"	4.045"	3.97"		JOY 100163419	Was Al Bronze
B115G102X102	\$ 230	4.538"	4.006"	4.00"		Hydraulic Cylinder JOY 100163419	
B118-102-50	\$ 100	4.629"	4.012"	1.97"		Caterpillar	D11 MDS
B118-102-60	\$ 98	4.630"	4.013"	2.37"		Caterpillar	4V2879
B118-102-76	\$ 98	4.635"	4.010"	3.00"		Caterpillar	145-8737
B118G102G89	\$ 88	4.630"	4.007"	3.50"	1.88 kg	Hydraulic cylinder bush	Greasable

Heavy Wall Bushes for 4" Diameter Shaft

B120-102-50	\$ 75	120.12mm	4.006"	1.97"		Bucket Bush	Plain
B121-102-63	\$ 140	4.752"	4.0085"	2.48"		0501-10097	Plain Bush
B121G102G70	\$ 130	4.754"	4.007"	2.75"	1.78 kg	Caterpillar	7K9545
B121G102G89	\$ 130	4.754"	4.007"	3.50"	2.39 kg	Task Type I	Greasable
B121G102G108	\$ 140	4.754"	4.007"	4.25"	2.90 kg	Caterpillar	7K9532
B124G102G108	\$ 180	4.879"	4.007"	4.25"	kg	Task Type I	Greasable
B125-102-65	\$ 75	125.12mm	4.006"	2.56"		Bucket Bush	Plain
B127-102X90	\$ 150	5.006"	4.007"	3.51"		Task TYPE X	O/BF8 Groove
B127-102G110	\$ 165	5.005"	4.016"	4.33"		Caterpillar compatible	3T9658
B127G102G127	\$ 190	5.004"	4.006"	5.00"		Upsized OD	For 5K7991

Suit 105mm Diameter Shaft

B120G105X75	\$ 120	120.15mm	105.25mm	75.0mm	1.51kg	Kato	HD1250-BUSH-HL
B120G105X100	\$ 180	120.15mm	105.25mm	100.0mm	2.03kg	Kato	HD1250-BUSH-C
B120G105X110	\$ 210	120.15mm	105.25mm	110.0mm	2.23kg	SH330-HR	& HD-1250-D,E
B120G105X150	\$ 250	120.17mm	105.25mm	150.0mm		Unbored	\$ 200
B120G105X157	\$ 290	120.15mm	105.25mm	157.0mm	3.25kg	Kato 1250	BF8 Groove
B125G105X120	\$ 230	125.15mm	105.22mm	120.0mm		Cobra ZL 50G	BF8
B130G105X160	\$ 320	130.17mm	105.25mm	160.0mm	3.25kg	Heavy Wall	Greasable Bush

Suit 4.25" Diameter Shaft

B121G108-101	\$ 120	121.26mm	108.50mm	101.0mm		JOY	External Groove Only
B121G108G118	\$ 160	4.755"	4.264"	4.64"		1V8241 CAT988C,F,G-Bush-B,C	
B124G108G101	\$ 150	4.881"	4.263"	3.97"		Caterpillar	5J8363
B127-102-51	\$ 150	4.995"	4.245"	2.00"		Hydraulic and	Pneumatic

Dimensions shown are for the KSet Bush, not for nearby OEM numbers
KSet Engineers design bushes to suit market requirements
Example: A neater fit to shafts and pins.

KSet Aftermarket Spares for:

Caterpillar Crawler Parts - Hitachi Spare Parts - Kobelco Spare Parts - Komatsu Spare Parts

Applied Engineered Bushes

Bucket, Arm and Cylinder Joints
of excavators and wheel loaders
Heavy Load Joints, Boom Foot
Boom Cylinder Foot
Boom Cylinder Ram Eye
Excavator Pivot Points
Replacement of Bronze Bushes
Replace Fibre Bushes
Backhoe Bushes
Opencut Cylinder Bush
Underground Cylinder Bush
aftermarket Tamrock bush
Adaptable Steel Bush for Bronze
Traxcavator Replacement Bush
Tree Harvester Attachment Bush
Log Grapple Bush
Australia Grabs & Grapples Bush
Rotator Pins and Bushes
Rotator Link Bush
Forestry Attachment Bush
NZ Industrial Bushings
NZ Forestry Attachment
Loader Log Grab
Forest Harvesting Attachment
Tasmania Industrial Supplies
NSW Laser Earthworks

BUSHINGS

Quantity Discounts Available only upon request provided all outstanding invoices are settled within 7 Days

Discount for 4 of any line item \$8 ea
Discount for 10 of any line item \$11 ea
Discount for 20 of any line item \$14 ea

Pins and Bushes

Minimum Product Order \$150

Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 110mm to 115mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B125-110-45	\$108	125.18mm	110.28mm	45.0mm	0.97kg	Hitachi 4381855 8 rqd	EX350-Bush-B,C
B125-110-54	\$110	125.17mm	110.27mm	53.8mm	1.17kg	Hitachi 4381859	EX350-Bush-D,E
B125-110G90	\$130	125.06mm	110.22mm	89.8mm	1.94kg	707-76-11030	WA480-5-Bush-B
B125G110G90	\$130	125.07mm	110.18mm	89.8mm	1.94kg	Komatsu	WA380,420-Bush-D,E
B125G110X90	\$146	125.14mm	110.28mm	89.9mm	1.95kg	421-70-11381	WA450,470-Bush-C
B125-110G100	\$136	125.10mm	110.21mm	99.5mm	2.13kg	707-76-11040	WA450,470-Bush-B
B125G110X100	\$170	125.15mm	110.20mm	100.0mm	2.10kg	207-70-12161	PC600-I PC300-Bush-F
B125G110X101	\$140	125.20mm	110.34mm	100.0mm	2.10kg	3055478	Hitachi EX350-Bush-A
B125-110G105	\$135	125.16mm	110.28mm	104.8mm	2.23kg	421-70-11261	WA450,470-Bush-A
B125G110X112	\$190	125.13mm	110.28mm	112.4mm	2.40kg	VOE1451 5557	Volvo EC460-Bush-HR
B125G110X114	\$190	125.18mm	110.31mm	114.0mm	2.40kg	Hitachi	EX350-Bush-F
B125G110X116	\$168	125.07mm	110.34mm	115.7mm	2.50kg	PC400-Bush-C,D,E,	PC600-Bush-HR
B125G110G120	\$200	125.15mm	110.30mm	119.6mm	2.51kg	425-70-11820	WA480,500-Bush-K,L
B125G110X124	\$230	125.12mm	110.24mm	124.1mm	2.68kg	4609090	Hitachi ZX450 Heavy Duty
B125G110X126	\$210	125.15mm	110.20mm	126.0mm	2.70kg	Hitachi	EX350-Dogbone
B125G110X137	\$220	125.13mm	110.24mm	136.5mm	2.95kg	VOE1451 5335	EC460-Bush-HL
B125G110X140	\$190	125.15mm	110.20mm	140.0mm	2.98kg	PC300-Bush-A	PC850-Bush-F PC600-Bush-HL
B125-110X155	\$240	125.14mm	110.35mm	154.8mm	3.26kg	425-70-11730	WA500-Bush-J
B125G110X160	\$220	125.10mm	110.39mm	160.0mm	3.38kg	Tesk	Extra external groove
B130F110X72	\$250	130.22mm	110.31mm	72.0mm		425-70-11341, 43	2 rqd WA500-Bush-F
B130G110X85	\$190	130.20mm	110.26mm	85.0mm	2.52kg	3079233	Hitachi ZX450
B130G110X123	\$240	130.22mm	110.28mm	122.6mm	3.96kg	3060476	Hitachi ZX450-Bush-H,L,K
B130-110X128	\$294	130.15mm	110.20mm	128.0mm	3.90kg	Hyundai Loader	HL757-9-Bush-F
B130G110X140	\$294	130.15mm	110.20mm	140.0mm	4.15kg	Greasable	Closed Fig. 8 Groove
B135-110-90	\$190	135.15mm	110.28mm	90.0mm	3.40kg	Case Hardenend	Plain Bush
B135G110X99	\$225	135.17mm	110.20mm	99.5mm	3.62kg	VOE1457 1194	2BF8 Volvo
B135-110-100	\$190	135.15mm	110.28mm	100.0mm	3.77kg	Case Hardenend	Plain Bush
B135G110G110R	\$210	135.06mm	110.27mm	109.9mm	3.85kg	707-76-11050	WA420-Bush-D,E
B135G110G120	\$290	135.15mm	110.24mm	119.5mm	4.56kg	VOE1457 0425	EC700-Bush-H
B140G110G126	\$340	140.14mm	110.20mm	126.0mm	5.79kg	Heavy Wall	Greasable
B133G114G130	\$120	5.255"	4.513"	5.12"		1V8240	CAT980C,F,G-Bush-A
B133G114G150	\$120	5.258"	4.515"	5.91"		5V1386	CAT950B,E,F-Bush-F
B133G114G184	\$164	5.255"	4.516"	7.22"		1V7001	CAT983,988B-Bush-K
B140-114-67	\$98	5.504"	4.518"	2.63"		9J1914	D11 Ripper
B140-114-117	\$160	5.506"	4.519"	4.62"		4T3845	Caterpillar
B135G115X132	\$250	135.23mm	115.39mm	131.8mm	3.9kg	209-72-53170	PC600,800-Bush-I,K
B135F115X150	\$360	135.22mm	115.49mm	149.7mm	5.74kg	Flange Bush	PC650-6-Bush-J OF8x2

Suit 120mm Diameter Shaft

B130-120G145	\$280	130.14mm	120.19mm	145.0mm	2.20kg	Volvo	2 Required L180
B135G120G95	\$186	135.10mm	120.20mm	94.5mm	2.30kg	707-76-12030	WA450,470-Bush-E
B135-120X100	\$210	135.11mm	120.32mm	99.8mm	2.35kg	707-76-12041	WA500-Bush-B,C
B135G120G105	\$195	135.10mm	120.18mm	104.5mm	2.40kg	707-76-12130	WA450,470-Bush-D
B135-120X112	\$198	135.17mm	120.38mm	112.0mm	2.60kg	208-70-61521	PC400-Bush-F
B135G120X112	\$220	135.17mm	120.38mm	112.0mm	2.60kg	Tesk 2006	Greasable Bush BF8
B135G120X120	\$250	135.15mm	120.24mm	120.0mm	2.80kg	707-76-12140	WA480,500-Bush-D,E
B135-120X130	\$310	135.15mm	120.36mm	129.7mm	2.98kg	EC700Bush-J OF8	WA500-6-ABC BF8
B135G120X130	\$310	135.15mm	120.36mm	129.7mm	2.98kg	Volvo	EC700-Bush-K
B135G120X155	\$370	135.15mm	120.36mm	154.8mm	3.65kg	425-70-31830	WA500-6-Bush-J
B135G120X160	\$274	135.20mm	120.37mm	159.8mm	3.77kg	208-70-51410, 31220	PC400-Bush-A
B135G120G175	\$316	135.15mm	120.24mm	175.0mm	4.20kg	424-70-11860	WA380,420-Bush-F
B140-120-72	\$	140.30mm	120.40mm	71.8mm	2.32kg	4439033	ZX450-Boom/Arm Pin Bush-F
B140-120-90	\$	140.28mm	120.34mm	89.8mm	2.88kg	4216361	ZX450-Boom Base Bush-F
B140G120X110	\$240	140.27mm	120.37mm	109.8mm	3.50kg	3055205	ZX450-Bush-A,F

Correct Material for Bushings

What type of steel to machine bucket bushing for a backhoe or bushings for an excavator from ?

KSet Bushings are machined from low carbon hollow bar such as Ovako 280 or 20MnV6 Manganese Vanadium Steel **Wear Hardness** is added to the surface of the bush by Furnace **Case Hardening Quenched and Tempered** to 59 - 61 Hardness Rockwell C at 200 degrees Celcius

Engineered Bushing Applications

Bucket, Arm and Cylinder Joints of excavators and wheel loaders
Heavy Load Joints. Boom Foot
Boom Cylinder Foot
Boom Cylinder Ram Eye
Excavator Pivot Points
Replacement of Bronze Bushes
Replace Fibre Bushes
Lineboring Rebuilds

BUSHINGS

Quantity **Discounts Available** only upon request provided all outstanding invoices are settled within 7 Days

Discount for 4 of any line item \$10 ea

Discount for 10 of any line item \$14 ea

Discount for 20 of any line item \$20 ea

Pins and Bushes

Minimum Product Order \$150

Prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 125mm to 200mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B133-121H57	\$ 98	5.255"	4.750"	2.23"	A2U913-194034	Eimco Unhardened
B133-121-64	\$140	5.255"	4.749"	2.50"	935-2939313	Eimco
B140-125-90	\$186	140.17mm	125.32mm	89.6mm	421-70-11272, 11872	WA470-Bush-F
B140-125X95	\$198	140.13mm	125.38mm	94.8mm	426-70-11871	WA600-Bush-C
B140-125X130	\$280	140.15mm	125.42mm	129.7mm	425-70-31840	WA500-6-Bush-D,E
B140-125X196	\$340	140.15mm	125.45mm	196.5mm	426-70-11710	WA600-3-Bush-J
B145F125X93	\$280	145.20mm	125.5 mm	92.6mm	Flange Bush	WA600-1-Bush-J
B150-125N150	\$380	150.10mm	125.22mm	150.0mm	Eimco	A2U220-194399
B154-125N150	\$480	150.10mm	125.22mm	150.0mm	Eimco	A2U220-194480

Suit 5 Inch Diameter Shaft

B139G127-127	\$290	5.510"	5.011"	4.98"	Joy	External Groove
B139-127G152	\$200	5.505"	5.010"	6.00"	Caterpillar	Internal Groove
B146G127G105	\$130	5.755"	5.013"	4.13"	1V9143	CAT980C,F,G-Bush-F
B146G127G132	\$150	5.755"	5.014"	5.19"	1V5635	CAT983,992C-Bush-J
B146-127-140	\$190	5.753"	5.009"	5.50"	7K8115	CAT983
B146G127-140	\$150	5.756"	5.014"	5.51"	4V8519 4 holes	CAT966-Bush-F
B152-127-112	\$220	6.002"	5.011"	4.39"	Forestry Equipment	Plain Bush
B152-127-132	\$220	6.007"	5.013"	5.20"	186-9776 2900 Bottom H Frame	

Suit 130mm Diameter Shaft

B145G130X130	\$390	145.10mm	130.25mm	129.8mm	EX3500	Greasable
B150G130X145	\$410	150.15mm	130.22mm	145.0mm	Volvo	EC700-Bush-H
B150-130-74	\$210	150.17mm	130.27mm	74.0mm	Task 2013	Plain Bush
B150-130-89	\$240	150.17mm	130.27mm	89.0mm	Task 2013	Plain Bush
B160-130-75	\$190	160.18mm	130.28mm	75.0mm	Task 2013	Plain Bush
B160-130-90	\$220	160.18mm	130.28mm	90.0mm	Task 2013	Plain Bush
B160-130-120	\$290	160.18mm	130.28mm	120.0mm	Task 2010	Plain Bush
B160G130X180	\$460	160.18mm	130.28mm	180.0mm	Task 2010	Greasable Bush
B165F130X149	\$670	165.20mm	130.42mm	149.0mm	Flange Bush F204.8N8	PC800-6-Bush-J

Suit 140mm Diameter Shaft

B155-140G135	\$290	155.20mm	140.47mm	135.0mm	426-70-11890	WA600-Bush-A,B,D,E
B155G140G135	\$320	155.20mm	140.47mm	135.0mm	426-70-11820	WA600-Bush-L
B155G140X135	\$350	155.20mm	140.33mm	135.0mm	Task 2009	Type J Greasable
B155G140G148	\$320	155.11mm	140.50mm	148.4mm	426-70-31770	WA600-6-Bush-B,C
B155G140X196	\$480	155.15mm	140.45mm	196.5mm	426-70-11720	WA600-3-Bush-K
B155G140X215	\$540	155.15mm	140.35mm	215.0mm	425-70-11861	WA500-Bush-F
B160F140X93	\$390	160.26mm	140.50mm	92.5mm	Flange Bush F175x38	WA600-1-Bush-K
B160G140X163	\$398	160.20mm	140.50mm	163.8mm	21N-70-12170	PC1250-Bush-K
B160F140X190	POA	160.34mm	140.50mm	190.0mm	Flange Bush F230x8.2	PC1250-7-Bush-J
B175F140X193	POA	175.20mm	140.52mm	193.0mm	Flange Bush	PC1250-8-Bush-J
B171-152-59	\$290	6.7545"	6.009"	2.32"	0501-10096	Plain Bush
B178G152G50	\$200	7.007"	6.004"	2.00"	Type I	Greasable

Suit 160mm Diameter Shaft

B180-160-95	\$325	180.15mm	160.42mm	94.6mm	425-70-31820	WA500-6-Bush-F
B180-160G140	\$440	180.29mm	160.42mm	140.2mm	426-70-11860	WA600-Bush-F
B180G160X146	\$470	180.13mm	160.55mm	145.6mm	21N-70-11181	PC1250-Bush-F
B180G160X159	\$480	180.13mm	160.55mm	159.4mm	21N-70-31160	PC1250-Bush-A
B180F160-177	\$560	180.34mm	160.50mm	176.9mm	21N-70-31181	PC1250-Bush-F-Boom
B180-160G188	\$590	180.13mm	160.42mm	188.3mm	426-70-31791	WA600-6-Bush-A
B185G160X150	\$620	185.25mm	160.40mm	150.0mm	EX2500 Bkt	4392649 4660859
B203-178G187	\$350	8.002"	7.006"	7.36"	Type U	Internal Groove
B220-200-118	\$280	220. mm	200. *mm	118.0mm	Type A	Plain Bush



See Page 37 for Bronze Bushes

Bushes - Steel backed with Polymer Lining

Easy Glide Bushes - Steel Backed / Acetal Lined Bearings



EZI-Glide Bushes - Retro-fit for Glacier Bush, DU Bushings

KSet Part No.	Price Per Pair EX GST	Outside	Inside	Length		Manufacture Notes	Locations
BE34-30-16	\$ 12.00 / 2 off	34mm	30mm	16mm	. kg	Import	EZX03003416
BE34-30-24	\$ 12.00 / 2 off	34mm	30mm	24mm	. kg	Import	EZX03003424
BE44-40-30	\$ 14.00 / 2 off	44mm	40mm	30mm	. kg	Import	EZX04004430
BE44-40-40	\$ 16.00 / 2 off	44mm	40mm	40mm	. kg	Import	EZX04004440
BE50-45-30	\$ 16.00 / 2 off	50mm	45mm	30mm	. kg	Import	EZX04505030
BE50-45-40	\$ 22.00 / 2 off	50mm	45mm	40mm	. kg	Import	EZX04505040
BE50-45-50	\$ 24.00 / 2 off	50mm	45mm	50mm	. kg	Import	EZX04505050
BE50-45-60	\$ 24.00 / 2 off	50mm	45mm	60mm	. kg	Import	EZX04505060
BE55-50-30	\$ 16.00 / 2 off	55mm	50mm	30mm	0.08 kg	Import	EZX05005530
BE55-50-40	\$ 20.00 / 2 off	55mm	50mm	40mm	0.10 kg	Import	EZX05005540
BE55-50-50	\$ 24.00 / 2 off	55mm	50mm	50mm	0.13 kg	Import	EZX05005550
BE55-50-60	\$ 28.00 / 2 off	55mm	50mm	60mm	0.16 kg	Import	EZX05005560
BE65-60-40	\$ 26.00 / 2 off	65mm	60mm	50mm	. kg	Import	EZX06006540
BE65-60-50	\$ 30.00 / 2 off	65mm	60mm	50mm	. kg	Import	EZX06006550
BE65-60-60	\$ 34.00 / 2 off	65mm	60mm	50mm	. kg	Import	EZX06006560
BE70-65-50	\$ 34.00 / 2 off	70mm	65mm	50mm	. kg	Import	EZX06507050
BE75-70-50	\$ 56.00 / 2 off	75mm	70mm	50mm	. kg	Import	EZX07507050
BE75-70-60	\$ 36.00 / 2 off	75mm	70mm	60mm	. kg	Import	EZX07507060
BE75-70-70	\$ 42.00 / 2 off	75mm	70mm	70mm	. kg	Import	EZX07507070

*Polymer Bushes
are sold in pairs.*

**Pins Bushes
Shims Seals
Tools Cutters**


**Minimum Product
Order \$150**

Prices subject to change
without notice

**ACETAL - An Engineering Thermoplastic, Formaldehyde Polymer Based
Low Friction Coefficient - Excellent Abrasion Resistance**

CSB-20 Steel Bronze Powder with POM Marginal Bearings

RoHS



Features

Suitable for rotating and oscillating movement, less maintenance requirements due to the long re-lubrication intervals, lower wear, lower susceptibility to edge loading, no absorption of water and therefore no swelling, good damping behaviours, good resistance to shock loads.


Structure

1. POM thickness 0.30~0.50 mm, it provides high wear resistance and low friction even with only minute volume of lubricant are supplied, this bearing surface carries a pattern of circular indents which should be filled with grease on assembly of the bearing.

2. Sintered bronze powder thickness 0.20-0.35mm, provides max. thermal conductivity away from the bearing surface, also serves as a reservoir for the resin mixture.

3. Low-carbon steel, provides exceptionally high load carrying capacity, excellent heat dissipation.

4. Copper/Tin plating thickness 0.002mm, provides good corrosion resistance.



Tech. Data

Max. load	Static	250N/mm ²	Temp. limit			-40°C~+110°C	
	Very low speed	140N/mm ²		Max. speed	Pre-lubricated		2m/s
	Rotating oscillating	70N/mm ²			Oiling Grease	Continuous	>2m/s
Max. PV		3N/mm ² *m/s	Thermal conductivity			50W(m*K) ⁻¹	
Coefficient of thermal expansion		11*10 ⁻⁶ *K ⁻¹	Friction coefficient			0.05~0.20	

Initial pre-lubrication at assembly is strongly recommended.

Typical Applications

Recommended for applications involving intermittent operation or boundary lubrication...

Automotive: suspension joints, kingpin assemblies and stub axles of trucks, automobile driving joint hinges, steering and other linkages, articulation joints, rear chassis hinges, fair leader rollers...

Machine tool building industry: spindles in drill, grinding, and milling machines, ram guide plates in multi-ram

presses...

Agricultural equipment: gearbox, clutch, bale trips and wheel caster swivels for bale accumulators, front axle pivot bearings, steering idler box bearings and kingpin bearings for harvesters...

It is especially well-suited for applications where lubricant can not be supplied continuously or repeatedly.

Dust Seals, Metal Cased Polyurethane - Pin Wipers

Part Number	Price Ex GST	Outside	Inside	Width	Manufacturer's Notes	
SL40-30-04	\$11	40 mm	30 mm	4 mm .02 kg	VAY Oil Seals	Kubota Seals
SL45-35-04	\$12	45 mm	35 mm	4 mm .02 kg	VAY Oil Seals	Kubota Seals
SL50-40-04	\$10	50 mm	40 mm	4 mm .02 kg	VAY Oil Seals	Kubota Seals
SL55-40-04	\$14	55 mm	40 mm	4 mm .02 kg	Metric	KSet Seal
SL55-40-05	\$13	55 mm	40 mm	5 mm .02 kg	Pin Wiper	KSet Seal
SL55-45-04	\$13	55 mm	45 mm	4 mm .02 kg	VAY Komatsu	07145-00045
SL60-50-04	\$13	60 mm	50 mm	4 mm .02 kg	VAY Komatsu	07145-00050
SL65-50-04	\$13	65 mm	50 mm	4 mm .02 kg	VAY Kobelco	2445R138D1
SL65-50-05	\$13	65 mm	50 mm	5 mm .02 kg	For Kobelco	2445R220D5
SL65-50-06	\$16	65 mm	50 mm	6 mm .03 kg	Sub for	130-09-12931
SL65-50-07	\$15	65 mm	50 mm	6 mm .03 kg	Metric	KSet Seal
SL65-55-04	\$12	65 mm	55 mm	4 mm .02 kg	VAY	KSet Pin Wiper Dust Seal
SL68-55-04	\$12	68 mm	55 mm	4 mm .02 kg	For Komatsu	416-09-11130
SL70-55-04	\$14	70 mm	55 mm	4 mm .02 kg	VAY	KSet Pin Wiper
SL70-60-04	\$16	70 mm	60 mm	4 mm .02 kg	NOK KSet Seal	Dust Seal
SL75-60-04	\$14	75 mm	60 mm	4 mm .03 kg	VAY 2445R138D3	07145-00060
SL75-60-05	\$14	75 mm	60 mm	5 mm .03 kg	DLI Kobelco	2445R220D1
SL75-60-08	\$14	75 mm	60 mm	8 mm .04 kg	For Komatsu	203-70-33210
SL80-60-07	\$18	80 mm	60 mm	7 mm .04 kg	MLA	Pin Wiper Dust Seal
SL75-65-06	\$24	75 mm	65 mm	6 mm .03 kg	P621	
SL80-65-04	\$16	80 mm	65 mm	4 mm .03 kg	VAY Komatsu	07145-00065
SL80-65-05	\$16	80 mm	65 mm	5 mm .03 kg	For Kobelco	2445R220D2
SL80-65-08	\$18	80 mm	65 mm	8 mm .05 kg	VAY 417-09-11120	707-77-65110
SL80-70-04	\$15	80 mm	70 mm	4 mm .02 kg	NOK Metric	Pin Wiper Dust Seal
SL85-70-04	\$12	85 mm	70 mm	4 mm .03 kg	VAY 2445R138D6	07145-00070
SL85-70-05	\$14	85 mm	70 mm	5 mm .03 kg	DLI CAT 2357679	2445R220D3
SL85-70-08	\$14	85 mm	70 mm	8 mm .05 kg	Komatsu	21K-70-12180
SL90-70-05	\$16	90 mm	70 mm	5 mm .08 kg	DLI Metric	Pin Wiper Dust Seal
SL86-71-05	\$28	86 mm	71 mm	5 mm .08 kg	Metric	Suit Hitachi
SL90-75-08	\$24	90 mm	75 mm	8 mm .08 kg	Komatsu	419-09-11110
SL90-80-4.5	\$20	90 mm	80 mm	4.5 mm .04 kg	Metric	Pin Wiper Dust Seal
SL95-80-04	\$15	95 mm	80 mm	4 mm .04 kg	CAT 0960854, 2445R138D7,	07145-00080
SL95-80-05	\$12	95 mm	80 mm	5 mm .04 kg	Kobelco	2445R220D4
SL95-80-06	\$16	95 mm	80 mm	6 mm .05 kg	Perth Seals	Overnight
SL95-80-08	\$16	95 mm	80 mm	8 mm .06 kg	Komatsu	205-70-62140
SL95-80-10	\$19	95 mm	80 mm	10 mm .07 kg	Komatsu	205-70-62150
SL95-80-11	\$19	95 mm	80 mm	11 mm .07 kg	Use for	205-70-62150
SL100-80-06	\$22	100 mm	80 mm	10 mm .08 kg	DLI Metric	KSet Seal
SL100-80-10	\$32	100 mm	80 mm	10 mm .08 kg	Metric	KSet Seal
SL110-80-10	\$32	110 mm	80 mm	10 mm .10 kg	Metric	Pin Wiper Dust Seal
SL 95-85-05	\$32	95 mm	85 mm	05 mm .04 kg	Metric	KSet Seal
SL100-85-08	\$18	100 mm	85 mm	8 mm .06 kg	DLI Komatsu	424-09-12320
SL100-90-05	\$24	100 mm	90 mm	5 mm	KSet Dust Seal	Metric
SL105-90-04	\$20	105 mm	90 mm	4 mm .04 kg	2445R138D8	07145-00090
SL105-90-05	\$18	105 mm	90 mm	5 mm .04 kg	2438U1381524	KHV0103
SL105-90-06	\$20	105 mm	90 mm	6 mm .04 kg	2445R220D6	LE00951,4067901
SL105-90-08	\$20	105 mm	90 mm	8 mm .06 kg	VAY 205-70-62180	207-70-72120
SL105-90-11	\$28	105 mm	90 mm	11 mm .04 kg	Sub for	207-70-12270
SL106-90-08	\$20	106 mm	90 mm	8 mm .06 kg	7X4803	Caterpillar 166-1495

Dust Seals for 90mm Pins continued next page....



Wiper Grease Seal fit Excavator Bucket
 Pins and Ram Eyes
 Metal Case Wipers
 Excavator Bush Seal
 Bucket Pin Dust Seal
 Komatsu Dust Seal WA
 Caterpillar compatible Dust Seal
 Rod Wiper Dust Seal
 Excavator Bucket Seal
 Hydraulic Ram Eye Seals
 Plant Machinery Seals
 093-1433 CAT
 Kobelco Dust Seals
 Hydraulic Cylinder Seal
 Mud Seals Excavator
 Pin Wipers Brisbane
 Kobelco Dust Seals
 WA200-5-Seal-BCJKL
 Excavator Seals
 Dust Seals Mackay
 WA Pins & Bushes
 Urethane Seals Metal Cased
 Nongenuine Hitachi 4084578
 Pin Wiper Komatsu
 WA Pin Wipers
 Heavy Equipment Seals
 Construction Equipment Parts
 New Aftermarket Replacement Parts
 Heavy Equipment Replacement Parts
 Rod Wiper Dust Seal
 Dust Seals for Komatsu Excavator
 Pin Wiper Seal for Hitachi 4067902
 Earthmoving Equipment Repairs NSW
 Dust Seals Pilbara Overnight
 PC200 Excavator Repairs Newcastle
 PC220 Excavator Repairs Newcastle
 Seals, Earthmoving
 Pin Wiper Dust Seals Melbourne
 Dust Seals Australia
 New Replacement Parts Maitland
 Brisbane Excavator Parts
 WA420 Pin Wiper Dust Seal
 Bucket Pin Dust Seal
 For Kobelco and Komatsu Excavator
 Sumitomo Excavator Aftermarket
 Hitachi Replacement Seals
 7X4803 = 166-1495
 Komatsu Loader Seals WA

Dust Seals, Metal Cased Polyurethane - Pin Wipers

Part Number	Price Ex GST	Outside	Inside	Width	Manufacturer's Notes	
SL110-90-07	\$25	105 mm	90 mm	7 mm	.07 kg	Metric KSet Seal
SL110-90-08	\$25	105 mm	90 mm	8 mm	.07 kg	Metric KSet Seal
SL110-95-05	\$32	110 mm	95 mm	5 mm	.06 kg	Sub for KHV0104
SL110-95-08	\$23	110 mm	95 mm	8 mm	.06 kg	Komatsu 421-09-11310
SL115-100-04	\$18	115 mm	100 mm	4 mm	.04 kg	VAY Komatsu 07145-00100
SL115-100-07	\$18	115 mm	100 mm	7 mm	.07 kg	DLI Hitachi ZX450 4074008
SL115-100-08	\$22	115 mm	100 mm	8 mm	.07 kg	Komatsu 208-70-12231
SL115-100-09	\$24	115 mm	100 mm	9 mm	.09 kg	Komatsu 205-70-62160
SL116-100-08	\$24	116 mm	100 mm	8 mm	.07 kg	Caterpillar 9X4597 166-1496
SL120-100-08	\$24	120mm	100 mm	8 mm	.10 kg	DLI Metric Pin Wiper Dust Seal
SL120-105-08	\$34	120mm	105 mm	8 mm	.10 kg	Metric KSet Seal
SL125-110-04	\$20	125 mm	110 mm	4 mm	.05 kg	VAY Komatsu 07145-00110
SL125-110-08	\$24	125 mm	110 mm	4 mm	.05 kg	4337 631 421-09-11320
SL130-110-08	\$30	130 mm	110 mm	8mm	.08 kg	Pin Wiper Concrete Crusher
SL130-110-10	\$24	130 mm	110 mm	10mm	.10 kg	DLI 4083972 Hitachi 4251212
SL135-110-08	\$38	135 mm	110 mm	8 mm	.10 kg	Double Lip Seal V0E14560213
SL135-120-04	\$26	135 mm	120 mm	4 mm	.06 kg	VAY Komatsu 07145-00120
SL135-120-08	\$24	135 mm	120 mm	8 mm	.09 kg	DLI Komatsu 421-09-11350
SL140-120-08	\$30	140 mm	120 mm	8 mm	.09 kg	Double Lip Seal V0E14560214
SL140-125-08	\$32	140 mm	125 mm	8 mm	.09 kg	DLI Komatsu 421-09-11330
SL155-130-08	\$36	155 mm	130 mm	8 mm	.09 kg	Double Lip Seal V0E14560217
SL155-140-08	\$28	155 mm	140 mm	8 mm	.10 kg	Komatsu 425-09-11110
SL160-145-06	\$60	160 mm	145 mm	6 mm	.10 kg	Oil Seal Komatsu 425-09-11210
SL160-145-08	\$44	160 mm	145 mm	8 mm	.10 kg	Komatsu 425-09-11180
SL180-160-08	\$44	180 mm	160 mm	8 mm	.10 kg	WA500-6-F 426-09-1110



Heavy Equipment Dust Seals
Perth Excavator Seals
Dust Seal suit CAT335D
Melbourne Earthmoving Seals
WA Pins & Bushes Darwin
Dust Seal Sumitomo
Rod Wiper Dust Seal
Excavator Bucket Seal
Kobelco Dust Seal nongenuine
New Seals for Hitachi ZX450
Aftermarket Volvo EC700 Seal
Rod Wiper Dust Seals
PC400 Excavator Seal
WA470 Dust Seal
Replacement Seal Volvo EC700
WA470 Pin Wiper
Bucket Pin Dust Seals
EC700 nongenuine Seal
Komatsu Wheel Loader Repairs
Metal Cased WA480 Dust Seals
WA500 Reairs Dust Seal
WA500 Seal

Dust Seals, Metal Cased Polyurethane - Imperial

SL51-38-06	\$12	2"	1 1/2"	1/4"	.02 kg	For Caterpillar 7K9201
SL64-51-06	\$12	2 1/2"	2"	1/4"	.02 kg	KSet Mud Seal Imperial
SL67-51-06	\$12	2 5/8"	2"	1/4"	.02 kg	KSet Seal Imperial
SL70-57-06	\$16	2 3/4"	2 1/4"	1/4"	.02 kg	7K9204 Imperial
SL76-64-05	\$20	3"	2 1/2"	3/16"	.03 kg	Caterpillar Grease Seal
SL76-64-08	\$14	3"	2 1/2"	5/16"	.05 kg	CAT950H Wheel Loader 7K9205
SL82-70-08	\$18	3 1/4"	2 3/4"	5/16"	.04 kg	Imperial KSet Seal
SL82-70-10	\$18	3 1/4"	2 3/4"	3/8"	.04 kg	Imperial KSet Seal
SL89-76-05	\$16	3 1/2"	3"	3/16"	.08 kg	Imperial Pin Wiper Dust Seal
SL89-76-08	\$14	3 1/2"	3"	5/16"	.08 kg	CAT950H Wheel Loader 7K9209
SL95-76-08	\$18	3 3/4"	3"	5/16"	.08 kg	Caterpillar D10 3E6756
SL98-76-13	\$18	3 7/8"	3"	1/2"	.12 kg	CAT621 Scraper 7K7463
SL95-79-04	\$15	3 3/4"	3 1/8"	1/8"	.08 kg	CAT320C 0960854
SL95-83-08	\$16	3 3/4"	3 1/4"	5/16"	.08 kg	CAT950H Wheel Loader 7K9210
SL102-89-08	\$16	4"	3 1/2"	5/16"	.07 kg	Caterpillar D10 7K9211
SL104-89-08	\$16	4 1/8"	3 1/2"	5/16"	.08 kg	CAT950H Wheel Loader 7K9212
SL114-89-08	\$20	4 1/2"	3 1/2"	5/16"	.08 kg	Caterpillar Dust Seal
SL114-102-06	\$24	4 1/2"	4"	1/4"	.08 kg	Caterpillar Dust Seal
SL127-102-08	\$14	5"	4"	5/16"	.09 kg	Caterpillar 3E6758
SL133-114-08	\$16	5 1/4"	4 1/2"	5/16"	.08 kg	CAT950H Wheel Loader 7K9218
SL146-127-08	\$16	5 3/4"	5"	5/16"	.08 kg	Caterpillar 5P0068



CAT950H Seal Bush-C Replacement
Pin Wiper Dust Seals Melbourne
Dust Seals Australia
CAT950H Seal for Link Bush-L,K
Brisbane Excavator Parts
Loader Arm CAT950H-Bush-A

For Caterpillar Excavator Repairs
Maitland Earthmoving Repairs
CAT950H Seal for Bellcrank Bush-F
For Perth Excavator Repairs

Bronze Bushes - LG2 Bearings - Spherical Bearings

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
BB36-26-34	\$ 30	34.45mm	25.5mm	34.0mm	3 Only	Plain Bush
BB54F44-40	\$ 35	54.50mm	44.50mm	40.0mm	2 Only	Flange Bush
BB52-46-40	\$ 18	2.064"	1.813"	1.69"		Plain Bush
BB52-46-44	\$ 25	2.064"	1.813"	1.75"	Chamberlain	CHAM 39591
BB64F51N49	\$120	2.5025"	2.0035"	1.93"	F72.6x3.6 Flange Bush	0310-10017
BB82G70-67	\$ 65	3.255"	2.759"	2.65"	11W ExtGr	CAT633 - Stg Bush 8J9926
BB76G64G64	\$ 70	3.003"	2.509"	2.50"		9J1676 CAT623G Scraper
BB83G64X89	\$106	3.251"	2.505"	3.50"	Eimco	A2U130-194369 222 410
BB95G76X127	\$148	3.754"	3.004"	5.00"	Eimco	222 413
BB98F76X87	\$160	3.879"	3.006"	3.44"	Flange 131.4 x 22.2	MagBronze
BB95-83X79	\$ 85	3.754"	3.255"	3.11"	7J8458	CAT623G Scraper
BB95G83G80	\$ 85	95.13mm	3.275"	80.3mm	2:10:31	JCB3CX 808-00216
BB100F85X35	\$178	100.07mm	85.10mm	34.96mm	Sandvik	2643 3298 Flange Bearing
BB100F85X74	\$230	100.08mm	85.10mm	74.00mm	Sandvik	2643 3318 Flange Bearing
BB102G90G101	\$280	102.49mm	90.42mm	101.1mm	JOY	100163420
BB108G89X76	\$106	4.251"	3.506"	3.00"	1.9 kg	Eimco 222 412
BB114G89X64	\$130	4.501"	3.505"	2.50"	2.2 kg	Eimco 222 411
BB114G89X148	\$218	4.500"	3.505"	5.81"		Eimco 247 065
BB108G95X119	\$130	4.257"	3.765"	4.68"		MnBronze 621/3/7G Hitch 4J5694
BB115G102G101	\$290	4.542"	4.044"	3.98"		Aluminium Bronze 100163419
BB121G102X64	\$118	4.752"	4.005"	2.50"		Eimco 6422 6271 = 226 271
BB127-102N41	\$185	5.004"	4.008"	1.61"	PB1	Rail MIS Pivot Juganaut 0505-10025
BB127-102N100	\$398	5.004"	4.008"	3.94"	PB1	MIS Pivot Juganaut 0505-10007
BB127-102N130	\$483	5.004"	4.008"	5.12"	PB1	Cntr MIS Plate Juganaut 0505-10026
BB127G102N146	\$716	5.004"	4.008"	5.75"	PB1	Boom Pivot Juganaut 0505-10009
BB117G105G59	\$ 80	4.612"	105.15mm	58.7mm	JCB3CX	808-00214

Dimensions shown are for the KSet Bush, not for nearby OEM numbers

Spherical Bearings Caterpillar Compatible

SB32g19g17	\$ 27	1.2505"	0.749"	0.65"	CAT Bearing	5P9962
SB81g51g44	\$ 57	3.189"	2.000"	1.75"	CAT966-Bush-S	9M1328



Miscellaneous

N171-74T38	\$214	6.747"	3" UNF	1.50" NUT for P89G222PT	A2U130-196120, A2U130-196152
N178-88T38	\$274	7.006"	M90 x 2	1.50" NUT for A2U220-193387	A2U220-196134
R229-127-19	\$235	8.998"	4.995"	0.75" Was R229-114-19	RETAINER 242 346
B41-19-84	\$ 20	1.625"	0.753"	3.32"	R56188, R124230
B38-27-87	\$ 20	1.496"	1.076"	3.41"	D90422 27 ONLY
B38-27-99	\$ 24	1.496"	1.061"	3.90"	D45904 EX STOCK
B38-27-111	\$ 30	1.496"	1.065"	4.37"	D31219 EX STOCK
B35S32T25	\$ 26	1.373"	1.28" Maj	1.00"	JOHN DEERE U41089
B55S18T44S	\$ 74	54.95mm	M20x1.5	44.0mm 4140 No HT	Split Collet 114 809 54
B55S18T49S	\$ 74	54.95mm	M20x1.5	49.0mm 4140 No HT	Split Collet 114 809 65
B55S21T38S	\$ 74	54.95mm	M24x3	38.0mm 4140 No HT	Split Collet 114 809 43
B55S21T43S	\$ 74	54.95mm	M24x3	43.0mm 4140 No HT	Split Collet 114 809 76
B63-38-41	\$ 42	2.503"	1.503"	1.61"	= Eimco A2U913-194001
B63-38H41	\$ 60	2.503"	1.503"	1.61"	= Eimco A2U913-194016
B82S76T35	\$ 80	3.240"	2.98" Maj	1.34"	U46702
B86F76-80HT	\$260	3.375"	3.001"	3.150"	= Eimco EA8002
B106T76-11	\$130	106.25mm	3.001"	11.2mm	= Eimco 913-500 003
B114-102-60	\$ 90	4.504"	4.006"	2.37"	= Eimco A2U913-194355
B133G121H57	\$150	5.255"	4.750"	2.23" 2xD10 C27 Top Artic.	A2U913-194034 16HRC



Pins and Bushes

Minimum Product Order \$150
Prices subject to change without notice