

Case Hardened Bushes - Precision Ground

Suit 90mm Diameter Shaft ... Continued

<u>KSet Part No.</u>	<u>Price</u>	<u>Outside</u> EX GST	<u>Inside</u>	<u>Length</u>		<u>Manufacture Notes</u>	<u>Locations</u>
B110G90X100	\$210	110.15mm	90.24mm	100mm	2.40kg	Ext. groove + Closed Fig.8 groove	
B110F90X102	\$270	110.18mm	90.24mm	102mm	3.24kg	Flange 150x8 207-70-32140 PC300-Bush-6-J	
B110G90N113G	\$210	110.02mm	90.05mm	113mm	2.66kg	Twin Grooves A2U900-194346	
B115-90-80	\$198	115.13mm	90.18mm	80mm	2.54kg	Plain Bush	Static Bush
B115G90X85	\$206	115.13mm	90.18mm	85mm	2.60kg	Externally Greasable	Figure 8 groove
B115G90X100	\$222	115.13mm	90.18mm	100mm	3.12kg	Externally Greasable	Figure 8 groove
B120F90X100	\$460	120.15mm	90.25mm	100mm	4.88kg	Flange 185x10.6 SH300-2-Bush-J O/BF8x2	
B120F90X105	\$340	120.18mm	90.33mm	105.9	4.10kg	Flange 155x6 SK250/260-Bush-J OF8x2	
B120F90X106	\$258	120.14mm	90.36mm	105.9	4.16kg	Flange 150x7.5 207-70-72460 PC350-7-Bush-J	
B120G90X110	\$280	120.14mm	90.29mm	110mm	4.20kg	Greasable Closed Fig. 8 Groove	
B120F90X126	\$460	120.14mm	90.29mm	125.6	4.99kg	LC12B01653P1+ LC12B01761P1 SK350-8-J	

Hardened Steel USA
3 day delivery to USA
KSet hardened steel bush
Leave KSet Friday
Arrive America Monday
Case Hardened Bushes

Suit 95mm Diameter Shaft

B105G95X102	\$219	105.12mm	95.20mm	102mm	1.26kg	Kobelco	Modification BF8
B110-95G70	\$ 80	110.15mm	95.35mm	69.9mm	1.33kg	Sample Part	WA Bush
B110G95G70	\$114	110.13mm	95.20mm	70.0mm	1.33kg	707-76-95050	WA320-Bush-D,E
B110-95-72	\$108	110.15mm	95.20mm	72.0mm	1.40kg	707-76-95040	WA420-3
B110-95G80	\$ 90	110.13mm	95.20mm	80.0mm		427-70-11870	707-76-95010
B110-95X80	\$144	110.10mm	95.22mm	79.8mm	1.49kg	424-70-11770	WA380,420-Bush-C
B110-95X85	\$144	110.13mm	95.20mm	85.0mm	1.49kg	Komatsu	WA320-Bush-F Of8
B110-95G90	\$120	110.13mm	95.20mm	90.0mm		385-1007-0591	W120-2
B110G95X90	\$150	110.13mm	95.20mm	90.0mm		385-1007-0611	W120-2
B110G95X95	\$160	110.14mm	95.20mm	95.0mm	1.80kg	421-70-11241	WA470-Bush-J
B110N95G95	\$150	110.11mm	95.29mm	94.8mm	1.80kg	421-70-21240	WA470-1-Bush-J
B110G95X105	\$150	110.14mm	95.20mm	104.9		424-70-11890	WA420-Bush-A
B110G95X115	\$170	110.14mm	95.27mm	114.9	2.16kg	421-70-11251	WA470-Bush-L,K
B115G95X115	\$194	115.14mm	95.28mm	114.8		Tesk 2009	Greasable Bf8

Hardened Steel Sleeve USA
3 day delivery America
KSet hardened steel bush
Leave KSet Wednesday
Delivered America Friday

America Steel Bearings
3 day delivery to USA
KSet hardened steel bush
Leave KSet Friday
Arrive America Monday

Bushes for 3.75" Diameter Shaft

B108-96-74	\$ 98	4.257"	3.764"	2.92"		4J5693	CAT623G Scraper
B108-96-88	\$ 98	4.254"	3.763"	3.46"		5J6611	CAT623G Scraper
B108-96-92	\$ 98	4.255"	3.763"	3.62"		4J5695	CAT623G Scraper
B114G96G88	\$ 98	4.506"	3.763"	3.48"	2.12kg	1V6934	CAT988B Bkt/Link
B114G96G107	\$ 98	4.505"	3.763"	4.21"	2.57kg	Caterpillar	1V7036
B121-96-76	\$ 98	4.751"	3.754"	3.00"		Caterpillar	CAT980-Bush-J
B121G96N140	\$120	4.754"	3.759"	5.50"		Caterpillar	CAT 980

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Wholesale Prices apply only if Product Order is \$165 or more
excluding GST, freight and packaging

BUSHINGS
Quantity Discounts Available
only upon request provided
all outstanding invoices
are settled within 7 Days
Disc. for 4 of any line item \$8 ea
Disc. for 10 of any line item \$11 ea
Disc. for 20 of any line item \$14 ea

Wholesale Prices
shown for **\$165**
Minimum order

Retail: POA
\$110 min order
Plus freight & GST. All prices
subject to change without notice

Case Hardened Bushes - Precision Ground

Bushes to suit 100mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B110F100-48	\$300	110.04mm	100.12mm	48.0	Flange 117 x 4 4 Required	FBL10 516389
B110F100-62	\$340	110.04mm	100.12mm	48.0	Flange 124 x 10 1 Required	FBL10 516388
B110G100G78	\$120	110.10mm	100.15mm	78.0	0.98kg Tesk 2012	Greasable
B110-100-100	\$180	110.12mm	100.16mm	100.0	1.29kg Volvo L 180	4 Required
B110-100G140	\$220	110.12mm	100.17mm	140.0	Volvo L 180	2 Required
B115-100-52	\$100	115.12mm	100.20mm	51.7	1.04kg 381857S	ZX350-Bush-HR,HL(6)
B115-100-60	\$110	115.15mm	100.30mm	59.7	1.35kg Hitachi	Aftermarket 3026075
B115-100-65	\$111	115.15mm	100.29mm	65.0	1.29kg Hitachi	EX300-Bush-J
B115G100G70	\$129	115.13mm	100.21mm	69.8	1.38kg 4443885 Groove 25 from Cfr	ZX350-Bush-J,K
B115G100X74	\$140	115.15mm	100.20mm	74.0	20T-70-71520	PC45-Bush-T
B115-100X79	\$140	115.10mm	100.21mm	79.5	Volvo	VOE 1488 0987 O/Bf8
B115G100X80	\$158	115.15mm	100.20mm	80.0	1.49kg Tesk 2001	Bf8
B115G100G85	\$140	115.15mm	100.20mm	85.0	1.65kg Tesk 2003	Greasable
B115G100X90	\$168	115.12mm	100.27mm	90.0	1.73kg Hitachi	EX200-Bush-A
B115-100X95	\$144	115.15mm	100.20mm	95.0	208-70-13141	PC400-Bush-I Of8
B115G100X95	\$148	115.15mm	100.20mm	95.0	1.79kg 707-76-10230 208-70-13141	PC400-Bush-B,K
B115G100X96	\$128	115.30mm	100.30mm	95.0	1.79kg 208-70-13141	PC400-Bush-K
B115G100X98	\$150	115.10mm	100.23mm	97.5	1.90kg VOE 1451 7186	2Bf8
B115-100X100	\$150	115.11mm	100.24mm	99.5	VOE 1488 0988	EC460-Bush-I
B115G100X105	\$170	115.15mm	100.18mm	105.7	2.04kg 207-70-51440 707-76-10130	PC300-Bush-C,D,E
B115G100G106	\$128	115.08mm	100.22mm	106.0	2.04kg 707-76-10290	PC400-8-Bush-B
B115G100X106	\$140	115.24mm	100.37mm	106.0	2.04kg 707-76-10130	Heavy Press Fit
B115G100G108	\$166	115.10mm	100.18mm	108.0	2.11kg Hitachi	ZX300-Bush-HR
B115G100X108	\$170	115.10mm	100.18mm	108.0	2.10kg Komatsu	PC450-LC-Bush-HL
B115G100X109	\$180	115.09mm	100.23mm	109.4	2.11kg Hitachi ZX450	0937504 Bf8
B115G100X110	\$210	115.12mm	100.19mm	110.0	2.13kg CAT320, 350	Blind fig 8 groove
B115G100X111	\$208	115.10mm	100.18mm	111.0	2.13kg Tesk 2003	Open/Blind fig 8 groove
B115G100X120	\$218	115.11mm	100.31mm	120.0	2.31kg Volvo EC330CL	VOE1488 0985
B115G100X130	\$228	115.10mm	100.25mm	129.7	2.70kg 206-70-61310 206-70-55240	PC220-Bush-A
B116F100N87	\$250	116.05mm	100.10mm	87.05	1.92kg Flange Bush 503149	FBL10-Bush-J
B116G100G100	\$130	116.21mm	100.28mm	100.0	2.25kg Cat330-Bush-B for B7Y2397	Cat345-Bush-HL,K
B116M100G100	\$160	116.22mm	100.29mm	100.0	2.25kg 4I4665 2 external grooves from one side	CAT330
B116G100X100	\$180	116.22mm	100.24mm	100.0	2.25kg 228-5617	CAT330D-Bush-J
B116G100X110	\$192	116.21mm	100.24mm	109.7	2.35kg CAT330D-Bush-HL 241-7280 137-2818	CAT325,330
B116G100G120	\$130	116.20mm	100.24mm	120.0	2.55kg 087-5546	CAT450-Bush-HR
B116-100X130	\$260	116.15mm	100.20mm	129.7	2.70kg Caterpillar	CAT325-Bush-F
B117G100X95	\$180	117.12mm	100.20mm	95.0	2.11kg Tesk 2009	Bf8
B120G100G70	\$150	120.10mm	100.15mm	70.0	2.00kg Tesk 2013	Greasable
B120-100-75	\$140	120.05mm	100.15mm	75.0	2.04kg Tesk 2002	Plain Bush
B120G100X98	\$210	120.15mm	100.22mm	98.0	2.70kg Case-Hardened Bush	Bf8
B120G100X114	\$184	120.16mm	100.35mm	115.0	3.06kg Excavator Bush Closed fig. 8 Groove	Bf8
B120G100X115	\$204	120.16mm	100.21mm	115.0	3.06kg Case-Hardened Bush	Bf8
B120G100G120	\$198	120.16mm	100.22mm	120.0	3.47kg Tesk 10mm W Ext	2016
B120F100X125	\$240	120.16mm	100.20mm	125.0	Flange 166 Ø 208-70-32140	PC400-Bush-J
B120G100X130	\$260	120.16mm	100.22mm	130.0	3.47kg Tesk 12mm W Ext	Closed Fig. 8
B120G100X150	\$288	120.16mm	100.22mm	150.0	4.00kg Tesk 12mm W Ext	Open Fig. 8
B125G100G100	\$240	125.14mm	100.20mm	100.0	3.45kg Greaseable Bush	Tesk 2016
B130F100X106	\$365	130.18mm	100.32mm	105.8	4.68kg Flange 166 Ø x7.5	PC450-8-Bush-J
B130G100X114	\$380	130.16mm	100.22mm	114.0	4.75kg Tesk 2012	Closed Fig. 8
B135G100G100	\$260	135.15mm	100.22mm	100.0	4.96kg Case-Hardened	Greasable

Hardened Steel Canada
KSet hardened steel bush
Leave KSet Friday
Arrive Canada Monday
Case Hardened Bushses

Steel Bearing Sleeve USA
KSet hardened steel bush
3 days to North America
Leave KSet Wednesday
Delivered America Friday

America Steel Bearings
KSet hardened steel bush
3 day delivery to USA
Leave KSet Friday
Delivered America Monday

BUSHINGS

Quantity Discounts Available
only upon request provided
all outstanding invoices
are settled within 7 Days

Disc. for 4 of any line item \$8 ea
Disc. for 10 of any line item \$11 ea
Disc. for 20 of any line item \$14 ea

Wholesale Prices
shown for \$165
Minimum order

Retail: POA
\$110 min order

Plus freight & GST. All prices
subject to change without notice

Case Hardened Bushes - Precision Ground

Bushes to Suit 4" Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B114G102X76	\$ 130	4.503"	4.009"	3.00"	1.24 kg	Eimco Aftermarket	A2U913 194013
B114-101-101	\$ 140	4.504"	3.999"	4.00"	1.70 kg	Task	Sleeve, Static Fit
B114-101-102	\$ 140	4.504"	4.009"	4.00"	1.70 kg	Task 2007	3mm Step
B114G101X121	\$ 180	4.504"	4.008"	4.75"	1.70 kg	Task 2007	Closed Figure 8 Groove
B114-101X127	\$ 180	4.504"	4.006"	5.00"	2.12 kg	Task 2007	Closed Figure 8 Groove
B115G102G101	\$ 200	4.542"	4.045"	3.97"		JOY 100163419	Was Al Bronze
B115G102X102	\$ 230	4.538"	4.006"	4.00"		Hydraulic Cylinder	JOY 100163419
B118-102-50	\$ 100	4.629"	4.012"	1.97"		Caterpillar	D11 MDS
B118-102-60	\$ 98	4.630"	4.013"	2.37"		Caterpillar	4V2879
B118-102-76	\$ 98	4.629"	4.012"	3.00"		D10, D11 Ripper	145-8737 x16
B118G102G89	\$ 88	4.630"	4.007"	3.50"	1.88 kg	Hydraulic cylinder bush	Greasable
B120-102-50	\$ 75	120.12mm	4.006"	1.97"		Bucket Bush	Plain
B121-102-63	\$ 140	4.752"	4.0085"	2.48"		0501-10097	JugO Artic
B121G102G70	\$ 130	4.754"	4.007"	2.75"	1.78 kg	Caterpillar	7K9545
B121G102G89	\$ 130	4.754"	4.007"	3.50"	2.39 kg	Task Type I	Greasable
B121G102G108	\$ 140	4.754"	4.007"	4.25"	2.90 kg	Caterpillar	7K9532
B124G102G108	\$ 200	4.879"	4.007"	4.25"	3.29 kg	Task Type I	Greasable
B125-102-65	\$ 75	125.12mm	4.006"	2.56"		Bucket Bush	Plain
B127-102X90	\$ 150	5.006"	4.007"	3.51"		Task Type X	O/Bf8 Groove
B127-102-94	\$ 165	5.005"	4.019"	3.71"		D10N	7T7190
B127-102G110	\$ 165	5.005"	4.016"	4.33"		D10N Case and frame	3T9658
B127G102G127	\$ 170	5.004"	4.006"	5.00"		Upsized OD	For 5K7991

Hardened Steel Canada
KSet hardened steel bush
Leave KSet Friday
Arrive Canada Monday
Case Hardened Bushes

Steel Bearing Sleeve USA
KSet hardened steel bush
3 days to North America
Leave KSet Wednesday
Delivered America Friday

America Steel Bearings
KSet hardened steel bush
3 day delivery to USA
Leave KSet Friday
Delivered America Monday

Bushes to Suit 105mm Diameter Shaft

B120G105X75	\$ 120	120.15mm	105.25mm	75.0mm	1.51kg	Kato	HD1250-Bush-HL
B120G105X100	\$ 180	120.15mm	105.25mm	100.0mm	2.03kg	Kato	HD1250-Bush-C
B120G105X110	\$ 210	120.15mm	105.25mm	110.0mm	2.23kg	SH330-HR	& HD-1250-D,E
B120G105X150	\$ 250	120.17mm	105.25mm	150.0mm		Unbored	\$ 200
B120G105X157	\$ 290	120.15mm	105.25mm	157.0mm	3.25kg	Kato 1250	Bf8 Groove
B125G105G75	\$ 210	125.15mm	105.23mm	75.0mm	1.51kg	Kato	Bush-HL
B125G105X120	\$ 240	125.15mm	105.22mm	120.0mm		Cobra ZL 50G	Bf8
B130G105X160	\$ 320	130.17mm	105.25mm	160.0mm	3.25kg	Heavy Wall	Greasable Bush

Suit 4.25" Diameter Shaft

B121G108-101	\$ 120	121.26mm	108.50mm	101.0mm		JOY	External Groove Only
B121G108G118	\$ 160	4.755"	4.264"	4.64"		1V8241	CAT988C,F,G-Bush-B,C
B124G108G101	\$ 150	4.881"	4.263"	3.97"		Caterpillar	5J8363
B127-108-51	\$ 150	4.995"	4.245"	2.00"		Hydraulic and	Pneumatic

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Wholesale Prices apply only if Product Order is \$165 or more
excluding GST, freight and packaging

BUSHINGS
Quantity Discounts Available
only upon request provided
all outstanding invoices
are settled within 7 Days
Disc. for 4 of any line item \$8 ea
Disc. for 10 of any line item \$11 ea
Disc. for 20 of any line item \$14 ea

Wholesale Prices
shown for **\$165**
Minimum order

Retail: POA
\$110 min order
Plus freight & GST. All prices
subject to change without notice

Case Hardened Bushes - Precision Ground

Bushes to Suit 110mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B125-110-45	\$108	125.18mm	110.28mm	45.0	0.97kg	Hitachi 4381855	EX350-Bush-B,C x8
B125-110-54	\$110	125.17mm	110.27mm	53.8	1.17kg	Hitachi 4381859	EX350-Bush-D,E
B125G110G70	\$110	125.12mm	110.38mm	70.0	1.54kg	Hitachi 4443884	16mm offset EX350-Bush-A
B125-110G90	\$130	125.07mm	110.22mm	89.8	1.94kg	707-76-11030	WA480-5-Bush-B
B125G110G90	\$148	125.07mm	110.18mm	89.8	1.94kg	Komatsu 707-76-11010	WA380,420-Bush-D,E
B125G110X90	\$168	125.14mm	110.28mm	89.9	1.95kg	421-70-11381	WA450,470-Bush-C
B125-110G100	\$136	125.10mm	110.21mm	99.5	2.13kg	707-76-11040	WA450,470-Bush-B
B125-110W100	\$110	125.20mm	110.16mm	100.0	2.13kg	707-76-72341	12 wide int. groove Sample
B125-110X100	\$190	125.14mm	110.32mm	100.2		207-70-61521	2xOF8 PC300-6, PC300-8
B125G110X100	\$190	125.15mm	110.20mm	100.0	2.10kg	207-70-12161	PC600-1 PC300-Bush-F OF8x2
B125G110X101	\$140	125.20mm	110.34mm	100.0	2.10kg	3055478	Hitachi EX350-Bush-A
B125-110G105	\$135	125.16mm	110.28mm	104.8	2.23kg	421-70-11261	WA450,470-Bush-A
B125G110X112	\$190	125.13mm	110.28mm	112.4	2.40kg	VOE1451 5557	Volvo EC460-Bush-HR 2Bf8
B125G110X114	\$188	125.18mm	110.31mm	114.0	2.40kg	Hitachi	EX350-Bush-F
B125G110X116	\$175	125.07mm	110.34mm	115.7	2.50kg	PC400-Bush-C,D,E,	PC600-Bush-HR
B125G110G120	\$200	125.15mm	110.30mm	119.6	2.51kg	425-70-11820	WA480,500-Bush-K,L
B125G110X124	\$250	125.12mm	110.24mm	124.1	2.68kg	4609090	Hitachi ZX450 Heavy Duty
B125G110X126	\$210	125.15mm	110.20mm	126.0	2.70kg	Hitachi	EX350-Dogbone
B125G110X137	\$220	125.13mm	110.24mm	136.5	2.95kg	VOE1451 5335	EC460-Bush-HL
B125G110X139	\$150	125.29mm	110.30mm	139.9	2.98kg	MHI	207-70-71162
B125G110X140	\$190	125.15mm	110.20mm	140.0	2.98kg	PC300-Bush-A	PC850-Bush-F PC600-Bush-HL
B125-110X155	\$240	125.14mm	110.35mm	154.8	3.26kg	425-70-11730	WA500-Bush-J Bf8
B125G110X160	\$240	125.10mm	110.39mm	160.0	3.38kg	Extra external groove	M11C40
B130F110X72	\$250	130.22mm	110.31mm	72.0		F145 425-70-11341, 43	WA500-Bush-Fx2
B130G110X85	\$190	130.20mm	110.26mm	85.0	2.52kg	3079233	Hitachi ZX450 Bf8
B130G110X110	\$240	130.24mm	110.29mm	110.0	3.26kg	Cat345 Boom Cyl Aftermarket Bearing	148-3420
B130G110X123	\$260	130.22mm	110.28mm	122.6	3.96kg	3060476	Hitachi ZX450-Bush-H,L,K Bf8
B130-110X128	\$288	130.15mm	110.20mm	128.0	3.90kg	Hyundai Loader	HL757-9-Bush-F
B130G110X130	\$288	130.24mm	110.36mm	129.9	3.84kg	Cat345 Boom Cyl Aftermarket Bearing	148-3091
B130G110X140	\$288	130.15mm	110.20mm	140.0	4.15kg	Greasable	Closed Fig. 8 Groove
B130G110G155	\$270	130.26mm	110.30mm	155.0	4.53kg	CAT365	11wide Ext Groove suit 4I-6718
B135-110-90	\$140	135.15mm	110.28mm	90.0	3.40kg	Case Hardenend	Plain Bush
B135G110X99	\$225	135.17mm	110.20mm	99.5	3.62kg	VOE1457 1194	Volvo 2Bf8
B135-110-100	\$150	135.15mm	110.28mm	100.0	3.77kg	Case Hardenend	Plain Bush
B135G110G110R	\$190	135.06mm	110.27mm	109.9	3.85kg	707-76-11050	WA420-Bush-D,E
B135G110X120	\$290	135.15mm	110.24mm	119.5	4.44kg	VOE1457 0425	EC700-Bush-H
B140G110G126	\$280	140.14mm	110.20mm	126.0	5.79kg	Heavy Wall	Greasable

Bushes to Suit 4 1/2" Ø & 115 Ø Shaft

B133G114G130	\$120	5.255"	4.513"	5.12"		1V8240	CAT980C,F,G-Bush-A
B133G114G150	\$120	5.258"	4.515"	5.91"		5V1386	CAT950B,E,F-Bush-F
B133G114G184	\$164	5.255"	4.516"	7.22"		1V7001	R2900 B,C CAT983,988B-Bush-K
B140-114-35	\$60	5.506"	4.519"	1.38"			
B140-114-67	\$98	5.504"	4.518"	2.63"		9J1914	D11 Ripper
B140-114-117	\$160	5.506"	4.519"	4.62"		4T3845	Caterpillar 11N Ripper Arm
B135G115X132	\$250	135.23mm	115.39mm	131.8	3.9kg	209-72-53170	17wide groove PC600,800-Bush-I,K
B135F115X150	\$360	135.22mm	115.49mm	149.7	5.74kg	Flange 189.7x8	PC650-6-Bush-J OF8x2

Correct Material for Bushings

What type of steel to machine bucket bushings for a backhoe or bushings for an excavator from ?

KSet Bushings

are machined from low carbon hollow bar such as Ovako 280 or 20MnV6 Manganese Vanadium Steel

Wear Hardness is added to the surface of the bush by Furnace **Case Hardening Quenched and Tempered** to 59 - 61 Hardness Rockwell C at 200 degrees Celcius

Engineered Bushing Applications

Bucket, Arm and Cylinder Joints of excavators and wheel loaders Heavy Load Joints, Boom Foot Boom Cylinder Foot Boom Cylinder Ram Eye Excavator Pivot Points Replacement of Bronze Bushes Replace Fibre Bushes Lineboring Rebuilds

BUSHINGS

Quantity Discounts Available only upon request provided all outstanding invoices are settled within 7 Days

Disc. for 4 of any line item \$10 ea
Disc. for 10 of any line item \$14 ea
Disc. for 20 of any line item \$20 ea

Wholesale Prices shown for \$165 Minimum order

Retail: POA \$110 min order

Plus freight & GST. All prices subject to change without notice

Case Hardened Bushes - Precision Ground

Bushes to Suit 120mm Diameter Shaft

<u>KSet Part No.</u>	<u>Price</u> EX GST	<u>Outside</u>	<u>Inside</u>	<u>Length</u>		<u>Manufacture Notes</u>	<u>Locations</u>
B130F120-45	\$280	130.04mm	120.10mm	45.2mm	kg	Flange 136 x 4	516387 1 Req
B130-120G145	\$290	130.14mm	120.19mm	145.0mm	2.20kg	Volvo	L180 2 Req
B135G120G95	\$186	135.10mm	120.20mm	94.5mm	2.30kg	707-76-12030	WA450,470-Bush-E
B135-120X100	\$210	135.11mm	120.32mm	99.8mm	2.35kg	707-76-12041	425-70-11871 WA500-Bush-BC
B135G120G105	\$195	135.10mm	120.18mm	104.5mm	2.40kg	707-76-12130	WA450,470-Bush-D
B135-120X112	\$198	135.17mm	120.38mm	112.0mm	2.60kg	208-70-61521	PC400-Bush-F Of8
B135G120X112	\$220	135.17mm	120.38mm	112.0mm	2.60kg	Testk 2006	Greasable Bush Bf8
B135G120X120	\$250	135.15mm	120.24mm	120.0mm	2.80kg	707-76-12140	WA480,500-Bush-D,E
B135-120X130	\$310	135.15mm	120.36mm	129.7mm	2.98kg	EC700Bush-J Of8	WA500-6-ABC Bf8
B135G120X130	\$310	135.15mm	120.36mm	129.7mm	2.98kg	Volvo	EC700-Bush-K
B135G120X155	\$370	135.15mm	120.36mm	154.8mm	3.65kg	425-70-31830	WA500-6-Bush-J
B135G120X160	\$274	135.20mm	120.37mm	159.8mm	3.77kg	208-70-51410, 31220	PC400-Bush-A
B135G120G175	\$250	135.15mm	120.24mm	175.0mm	4.20kg	424-70-11860	WA380,420-Bush-F
B140-120-72	\$170	140.30mm	120.40mm	71.8mm	2.32kg	4439033	ZX450-Boom / Arm Pin-F
B140-120-90	\$180	140.28mm	120.34mm	89.8mm	2.88kg	4216361	ZX450-Boom Base-F
B140G120X110	\$248	140.27mm	120.37mm	109.8mm	3.50kg	3055205	16wExtGroove ZX450-Bush-A,F



Suit 4 3/4" Diameter Shaft

B133-121H57	\$ 98	5.255"	4.750"	2.23"		A2U913-194034	Unhardened Step133.3x4
B133-121-64	\$140	5.255"	4.749"	2.50"		935-2939313	Eimco Step 133.3 x 3

Suit 125mm Diameter Shaft

<u>KSet Part No.</u>	<u>Price</u> EX GST	<u>Outside</u>	<u>Inside</u>	<u>Length</u>		<u>Manufacture Notes</u>	<u>Locations</u>
B140-125-90	\$186	140.17mm	125.32mm	89.6mm	2.17kg	421-70-11272, 11872	WA470-Bush-Fx2
B140-125X95	\$198	140.13mm	125.38mm	94.8mm	2.35kg	426-70-11871	WA600-Bush-C
B140-125X130	\$280	140.15mm	125.42mm	129.7mm	3.27kg	425-70-31840	WA500-6-Bush-D,E
B140-125X196	\$340	140.15mm	125.45mm	196.5mm	4.80kg	426-70-11710	WA600-3-Bush-J Bf8
B145F125X93	\$280	145.20mm	125.5 mm	92.6mm		426-70-11482	F160x35 Bf8 WA600-1-Bush-J
B150-125N150	\$380	150.10mm	125.22mm	150.0mm		Eimco	A2U220-194399 2x30 Pitch
B154-125N150	\$480	150.10mm	125.22mm	150.0mm		Eimco	A2U220-194480 2x30 Pitch

Suit 5" Diameter Shaft

B139G127-127	\$290	5.510"	5.011"	4.98"		Joy	External Groove
B139-127G152	\$200	5.505"	5.010"	6.00"	4.12kg	Caterpillar	Internal Groove
B146G127G105	\$130	5.755"	5.013"	4.13"		1V9143	CAT980C,F,G-Bush-F
B146G127G132	\$160	5.755"	5.014"	5.19"	4.03kg	1V5635	1300Bogger CAT983,992C-Bush-J
B146-127-140	\$190	5.753"	5.009"	5.50"	4.31kg	7K8115	Aftermarket CAT983
B146G127-140	\$150	5.756"	5.014"	5.51"	4.38kg	4V8519	4 holes CAT966-Bush-F
B152-127-112	\$220	6.002"	5.011"	4.39"	4.38kg	Forestry Equipment	Plain Bush
B152-127-132	\$220	6.007"	5.013"	5.20"	5.92kg	186-9776	2900 Bottom H Frame

Dimensions shown are for the KSet Precision Bush, not for nearby OEM numbers

Wholesale Prices apply only if Product Order is \$165 or more
excluding GST, freight and packaging

Wholesale Prices
shown for **\$165**
Minimum order

Retail: POA
\$110 min order

Plus freight & GST. All prices
subject to change without notice