

Case Hardened Bushes - Precision Ground

Bushings to suit 80mm Ø Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B92-79-63	\$ 73	3.628"	3.135"	2.5"	Sample ITR	3G8052
B92-79-64	\$ 73	3.632"	3.139"	2.53"	D10 Lift Arm Bush	3G8052
B92-79-77	\$ 78	3.631"	3.139"	3.03"	D10 Blade Bush	3G8051
B95G79G80	\$ 80	95.20mm	3.138"	3.15"	Precision Ground	Bush
B85-80X70	\$ 120	85.07mm	80.15mm	70.0mm	3125 2388 00	Atlas Copco
B90F80-17	\$ 44	90.00mm	80.19mm	17.0mm	Flange 94x4	D144162 Case
B90-80-20	\$ 44	90.00mm	80.20mm	20.0mm	D144170	Case 590
B90-80-30	\$ 48	90.01mm	80.18mm	29.6mm	114318A1, 192559A1	Case 580
B90-80-50	\$ 68	90.17mm	80.29mm	50.0mm	4196105	Hitachi EX350
B90G80G60	\$ 88	90.06mm	80.15mm	60.0mm	Hydraulic ram, Rod end	Greasable
B90-80-65	\$ 96	90.10mm	80.15mm	65.0mm	Suit Hitachi	Plain Bush
B90-80-80	\$ 105	90.10mm	80.15mm	80.0mm	Matbro	38738
B90G80G90	\$ 110	90.08mm	80.15mm	90.0mm	Kobelco	SK210-Bush-HR
B90G80G100	\$ 121	90.10mm	80.15mm	100.0mm	Matbro	504227
B90-80G140	\$ 174	90.07mm	80.15mm	140.0mm	Volvo	BML90C Small Z Link
B92G80X84	\$ 140	92.05mm	80.14mm	84.0mm	Hydraulic ram, Rod end	Greasable
B95-80-40	\$ 66	95.15mm	80.25mm	39.9mm	4352398 6 Required	ZX200-Bush-HR-HL
B95-80-44	\$ 76	95.12mm	80.18mm	43.8mm	Komatsu	PC200-8-Bush-K 4 required
B95-80-55	\$ 80	95.05mm	80.15mm	55.0mm	4107838	Hitachi
B95-80-65	\$ 92	95.05mm	80.15mm	65.0mm	Hitachi	Excavator Bush
B95G80X65	\$ 98	95.18mm	80.29mm	64.9mm	4409178 12mmOffset	ZX200-3-Bush - J O/Bf8
B95G80X66	\$ 98	95.18mm	80.29mm	64.9mm	4443882 3.5mmOffset	ZX200-3-Bush-K O/Bf8
B95G80X67	\$ 99	95.14mm	80.31mm*	67.0mm	207-70-53150 16mm Ext Groove	Komatsu Of8
B95G80X68	\$ 112	95.12mm	80.20mm	67.0mm	Less Clearance	Testk 2002
B95-80-68	\$ 94	95.10mm	80.19mm	68.0mm	Hitachi	EX200-Bush-J
B95-80-70	\$ 98	95.10mm	80.19mm	70.0mm	Testk	Hitachi
B95G80G70	\$ 98	95.18mm	80.22mm	70.0mm	Caterpillar 325, 330	7Y3428
B95G80X70	\$ 119	95.12mm	80.18mm	70.0mm	Caterpillar	CAT320C-Bush-K Of8
B95-80G75G	\$ 88	95.04mm	80.09mm	75.0mm	Komatsu O Ring groove in face	20Y-70-32331
B95G80X75	\$ 98	95.08mm	80.31mm	75.0mm	Komatsu	PC200, 220-Bush-HL
B95-80G78	\$ 70	95.33mm	80.17mm	77.8mm	Komatsu 45HRC	Old 21K-70-12161
B95G80G78	\$ 90	95.10mm	80.28mm	78.0mm	Hydraulic Ram Eye	Greasable Bush
B95G80X78	\$ 98	95.08mm	80.33mm*	78.0mm	707-76-80020	PC220-Bush-HR 2Bf8
B95G80X79	\$ 112	95.12mm	80.20mm	78.0mm	Firmer Fit	Less Clearance
B95G80G80	\$ 114	95.18mm	80.25mm	80.0mm	CAT320C-Bush-HL,J	195-0103
B95M80G80	\$ 118	95.16mm	80.25mm	80.0mm	CAT320C	7Y3427
B95-80X80	\$ 98	95.13mm	80.30mm*	80.0mm	20Y-70-32351	Komatsu 21K-70-12161
B95F80X80	\$ POA	95.13mm	80.15mm	80.0mm	Flange 160x8	Kobelco K909A
B95G80X81	\$ 120	95.12mm	80.20mm	81.0mm	Aftermarket	Cat 240-2913 Of8
B95-80X84	\$ 120	95.10mm	80.18mm	84.0mm	Hyundai Loader	HL757-9-Bush-L,K
B95G80X84	\$ 120	95.11mm	80.29mm	84.8mm	Komatsu	707-76-80470
B95-80G85	\$ 98	95.21mm	80.23mm	85.1mm	Cat-345-Bush-I 416897	EL200-Bush-J Hitachi
B95G80X85	\$ 130	95.05mm	80.15mm	85.0mm	EX200-Bush-B EL200-Bush-J	SE210-Bush-K,H
B95W80X85	\$ 90	95.20mm	80.30mm	85.0mm	206-70-53150 18w Ext Groove	MHI Sample

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Bushes for 80mm Diameter Shaft continued next page...

PFERD Economy Rolls
Complete PFERD range available

KSet Popular Selection

Economy Rolls



Size	Code	Price
40 mm x 50 m	TL-ER 40A 60	\$ 40
40 mm x 50 m	TL-ER 40A 80	\$ 40
40 mm x 50 m	TL-ER 40A 120	\$ 40
40 mm x 50 m	TL-ER 40A 180	\$ 40

Plus GST

*America Steel Bearings
3 day delivery to USA
KSet hardened steel bush
Leave KSet Friday
Arrive America Monday*

BUSHINGS

Quantity Discounts Available
only upon request provided
all outstanding invoices
are settled within 7 Days
Disc. for 4 of any line item \$7 ea
Disc. for 10 of any line item \$10 ea
Disc. for 20 of any line item \$14 ea

Wholesale Prices
shown for **\$165**
Minimum order

Retail: POA
\$110 min order

Plus freight & GST. All prices
subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 80mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B95G80X86	\$132	95.09mm	80.22mm	86.0mm	1.33kg	PC220-Bush-B,C,D,E,G	206-70-55280
B95-80X89	\$120	95.16mm	80.29mm	89.0mm	Kobelco	LC12B01763P1	SK350-Bush-I Bf8
B95G80X90	\$120	95.14mm	80.33mm	90.0mm	1.39kg	PC200,220-Bush-K	205-70-67150 Of8
B95G80X91	\$132	95.12mm	80.20mm	90.0mm	1.39kg	Kobelco	SK220 "HL", SK330-8 "I" Of8
B95-80X95	\$140	95.10mm	80.18mm	94.8mm	1.50kg	Hyundai Loader	HL757-9-Bush-J
B95G80X95	\$124	95.10mm	80.16mm	95.0mm	1.50kg	SK220-Bush-HR	HD700-Bush-HR
B95F80X95	\$144	95.11mm	80.35mm	95.0mm	2 kg	Flange 130x7	205-70-72130 PC220-Bush-J
B95G80G100	\$129	95.09mm	80.16mm	100mm	1.58kg	Testk 2001	Greasable Bush
B95-80X100	\$136	95.11mm	80.18mm	100mm	1.59kg	Samsung	SE210-Bush-J Of8
B95G80X100	\$150	95.13mm	80.16mm	100mm	1.58kg	HD700"HL"	CAT320C-Bush-HR
B95G80G104	\$132	95.10mm	80.15mm	104mm	1.68kg	CAT 087 5847	325B-Bush-J
B95G80X110	\$160	95.13mm	80.18mm	110mm	1.63kg	Testk 2009	Closed Fig.8 Groove
B95G80X125	\$190	95.13mm	80.18mm	125mm	1.93kg	Komatsu 19w Ext 2x7Ø Holes	205-70-71330 2f8
B98G80X67	\$138	98.13mm	80.20mm	67.0mm		Plus Size PC220-Bush-HL	Of8
B98G80X78	\$148	98.13mm	80.20mm	78.0mm	1.50kg	Plus Size PC220-Bush-HR	Bf8
B98G80X90	\$162	98.13mm	80.20mm	90.0mm	1.70kg	Plus Size PC200, PC220-Bush-K	Of8
B100-80-21	\$ 80	100.00mm	79.97mm	20.7mm	0.46kg	580SLE Trunnion	1986794C1
B100F80-46	\$ 50	100.00mm	80.21mm	46.0mm		Flange 104x4.15	Case D151059
B100G80G50	\$ 85	100.13mm	80.21mm	50.0mm	1.06kg	Testk 2010	Greasable Bush
B100G80G65	\$ 99	100.12mm	80.20mm	65.0mm	1.38kg	Testk 2016	Greasable Bush
B100-80-80	\$118	100.13mm	80.22mm	80.0mm	1.77kg	Testk 2004	Plain Bush
B100G80G80	\$126	100.13mm	80.22mm	80.0mm	1.81kg	Testk 2010	Greasable Bush
B100G80X90	\$162	100.13mm	80.21mm	90.0mm	1.98kg	Cobra ZL 50G	Wheel Loader
B100G80X95	\$164	100.13mm	80.21mm	95.0mm	2.09kg	Testk 2010	Bf8
B100G80X100	\$174	100.13mm	80.20mm	100 mm	2.21kg	O.S.Testk 2017	2Bf8
B100G80X110	\$178	100.13mm	80.20mm	110 mm	2.42kg	O.S.Testk	2Bf8
B100G80X139	\$230	100.13mm	80.23mm	139 mm		Samsung	SE210-LC-Bush-J Of8
B105G80X95	\$184	105.13mm	80.17mm	95.0mm	2.69kg	Testk 2005	Bf8
B110G80G70	\$180	110.13mm	80.25mm	70.0mm	3.48kg	Greasable Bush	Mud Bucket
B110F80X95	\$198	110.07mm	80.32mm	95.0mm	3.3 kg	20Y-70-32410 F130x7 SK200	PC220-7-Bush-J
B110F80X96	\$167	110.14mm	80.38mm	95.1mm	3.3 kg	20Y-70-32410 F130x7	Sample
B110G80X100	\$232	110.13mm	80.26mm	99.9mm	3.48kg	O.S.Testk 2007	Greasable Bush
B110G80X110	\$244	110.13mm	80.26mm	110 mm	3.84kg	O.S.Testk 2012	Greasable Bush Bf8
B115G80G96	\$130	115.08mm	80.05mm	96.0mm	4.90kg	Heavy Wall Bush / Boss	Greasable

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Wholesale Prices apply only if Product Order is \$165 or more
excluding GST, freight and packaging

PFERD Economy Rolls
Complete PFERD range available

KSet Popular Selection

Economy Rolls



Size	Code	Price
40 mm x 50 m	TL-ER 40A 60	\$ 40
40 mm x 50 m	TL-ER 40A 80	\$ 40
40 mm x 50 m	TL-ER 40A 120	\$ 40
40 mm x 50 m	TL-ER 40A 180	\$ 40

Plus GST

America Steel Bearings
3 day delivery to USA
KSet hardened steel bush
Leave KSet Friday
Arrive America Monday

BUSHINGS

Quantity Discounts Available
only upon request provided
all outstanding invoices
are settled within 7 Days
Disc. for 4 of any line item \$7 ea
Disc. for 10 of any line item \$10 ea
Disc. for 20 of any line item \$14 ea

Wholesale Prices
shown for **\$165**
Minimum order

Retail: POA
\$110 min order

Plus freight & GST. All prices
subject to change without notice

Case Hardened Bushes - Precision Ground

Bushes to suit 3.25" Diameter Shaft

KSet Part No.	Price	Outside EX GST	Inside	Length	Manufacture Notes	Locations
B95-83-45	\$ 74	3.752"	3.257"	1.75"	Murchinson	Drill Rig Bush
B95-83-70	\$ 74	3.752"	3.257"	2.75"	7S3863	CAT983
B95G83G73	\$ 78	3.753"	3.257"	2.87"	Case Loader	Greasable Bush
B95F83-78	\$ 74	3.751"	3.255"	3.05"	Flange Bush	105mm x 5.7
B95-83-79	\$ 66	3.755"	3.253"	3.12"	1.10kg 9J9427	CAT623G Scraper
B95G83G83	\$ 66	3.752"	3.261"	3.27"	1.13kg 3G8779	CAT960F, 962G-Bush-L,K
B95G83G95	\$ 66	3.753"	3.261"	3.74"	1.29kg 3G9191	Caterpillar
B95G83G102	\$ 76	3.754"	3.257"	4.00"	1.41kg Tesk 2009	Greasable Bush
B99G83G108	\$ 78	3.879"	3.257"	4.25"	1.53kg Tesk 2010	CAT966 Track Loader

Spherical Bearings Caterpillar Compatible

SB130-83G68	\$ 78	130.20mm	3.251"	68.0mm	kg 1531370	Spherical Bearing	CAT
-------------	-------	----------	--------	--------	------------	-------------------	-----

Bushes for 85mm Diameter Shaft

B95-85-75	\$ 88	95.05mm	85.15mm	75.0mm	Tesk 2003	Plain Bush
B95G85G80	\$ 70	95.08mm	85.15mm	80.0mm	0.93kg Greasable Bush	Plain Bush
B95-85-100	\$110	95.05mm	85.15mm	100 mm	1.15kg Tesk 2006	Plain Bush
B95G85X125	\$120	95.10mm	85.25mm	125 mm	Some WA420s	WA420-Bush-L,K
B100G85X48	\$ 74	100.10mm	85.18mm	48.0mm	Kato 900-Bush-HL	097-4200-9000 Bf8
B100F85-50	\$140	100.03mm	85.07mm	50.29	1.09kg Flange 125x7.47	Sandvik 26433448
B100-85G80	\$ 90	100.10mm	85.20mm	80.0mm	1.35kg 419-70-11890	WA320-Bush-A
B100-85G85	\$106	100.10mm	85.18mm	85.0mm	1.43kg 424-70-11810	WA420,450-J
B100G85G85	\$110	100.10mm	85.20mm	85.0mm	1.42kg Komatsu	WA420-Bush-L,K
B100N85G85	\$134	100.12mm	85.22mm	84.8mm	1.36kg 423-70-21810	WA380,420-Bush-J
B100G85G95	\$110	100.10mm	85.20mm	95.0mm	1.42kg Kobelco	RQD DE
B100G85X98	\$168	100.10mm	85.18mm	98.0mm	1.63kg Kato 900-Bush-HDL	097-4200-8000 Bf8
B100G85G100	\$140	100.07mm	85.12mm	100 mm	1.67kg 424-70-11820	WA420-Bush-L,K
B100G85X105	\$120	100.10mm	85.18mm	105 mm	Kato 800-Bush-J	Open fig 8 groove
B103G85G100	\$140	103.10mm	85.18mm	100 mm	O.S. Tesk	Greasable Bush
B115G85G96	\$136	115.08mm	85.05mm	96.0mm	3.48kg Heavy Wall Bush / Boss,	Greasable


Bushes to suit 3 1/2" Diameter Shaft

KSet Part No.	Price	Outside EX GST	Inside	Length	Manufacture Notes	Locations
B101-88-63	\$ 96	3.986"	3.484"	2.48"	.95kg Caterpillar	88.46x101.24x63.05 200-3926
B101-88-64	\$ 64	101.24mm	3.501"	2.48"	.95kg Static Fit	88.93x101.24x63.05 Sleeve
B99-89N100	\$ 88	3.921"	3.508"	3.94"	2 only	Internal Helical Groove
B100-89-57	\$ 50	3.954"	3.504"	1.69"	Plain Bush	Suit Caterpillar Bearing
B102-89-38	\$ 62	4.0055"	3.5095"	1.50"	.57kg Cat D11R Ripper Cyl (4)	Aftermarket 9J1175
B102F89-43	\$ 88	4.002"	3.506"	1.69"	.52kg Flange Bush 120 x 5	A2U913-194032
B102-89-44	\$ 62	4.004"	3.521"	1.75"	.67kg Caterpillar	Sub for 4J2379

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Bushes for 3.5" Ø Shaft continued next page...

PFERD
Rubber Drum Holders - 6mm Shank
Complete PFERD range available
Bulk orders available
KSet Popular Selection



Size	Code	Price
38 Dia x 25 w	TL-GK3825 /6	\$ 39
45 Dia x 30 w	TL-GK4530 /6	\$ 39
51 Dia x 25 w	TL-GK5125 /6	\$ 47
60 Dia x 30 w	TL-GK6030 /6	\$ 50

Plus GST

PFERD
Abrasive Spiral Bands - Zirconia
Complete PFERD range available
Bulk orders available
KSet Popular Selection:



Size	Code	Price
38 Dia x 25 w	TL-GSB3825 Z60	\$ 3.25
45 Dia x 30 w	TL-GSB4530 Z60	\$ 3.25
51 Dia x 25 w	TL-GSB5125 Z60	\$ 3.50
60 Dia x 30 w	TL-GSB6030 Z80	\$ 3.50

Plus GST

BUSHINGS

Quantity Discounts Available
only upon request provided
all outstanding invoices
are settled within 7 Days
Disc. for 4 of any line item \$7 ea
Disc. for 10 of any line item \$10 ea
Disc. for 20 of any line item \$14 ea

**Wholesale Prices
shown for \$165
Minimum order**

**Retail: POA
\$110 min order**

Plus freight & GST. All prices
subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 3 1/2" Diameter Shaft ...Continued

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B102-89-49	\$ 88	4.003"	3.507"	1.93"	.73kg	Caterpillar Aftermarket	5J1193
B102-89-51	\$ 88	4.002"	3.505"	2.00"	.77kg	Task	Plain Bush
B102-89G64	\$ 94	4.006"	3.510"	2.50"	.95kg	Caterpillar	Internal Groove
B102-89G75	\$ 98	4.002"	3.506"	2.97"	1.15kg	Caterpillar Aftermarket	7K9576
B102-89-76	\$ 60	4.003"	3.518"	3.01"	1.15kg	Caterpillar D11 Blade x 16	IJ5304
B102G89G76	\$ 76	4.002"	3.506"	2.99"	1.15kg	Caterpillar Aftermarket	7K9576
B102G89G77	\$ 72	4.004"	3.510"	3.00"	1.15kg	Caterpillar Aftermarket	9J6549
B102G89G82	\$ 98	4.003"	3.511"	3.27"	1.26kg	Caterpillar Aftermarket	3G7624
B102-89G94	\$ 80	4.002"	3.506"	3.70"	1.44kg	Caterpillar Aftermarket	5K7037
B102-89-95	\$ 92	4.003"	3.507"	3.75"		After market	CAT983 7J7887
B102G89G95	\$ 90	4.005"	3.516"	3.75"		Caterpillar Aftermarket	9J7099
B102G89X101	\$110	4.004"	3.505"	4.00"	1.45kg	Task 2010	Greasable BF8
B102G89X108	\$124	4.004"	3.505"	4.25"	1.55kg	Scandinavian	Greasable BF8
B102G89G111	\$ 98	4.007"	3.517"	4.36"	T	CAT-966G-Bush-D	9J7100
B103G89N101	\$140	4.032"	3.506"	4.00"	1.4kg	Hyd Cyl	Similar to 100163419
B103G89N102	\$140	4.038"	3.506"	4.00"	1.4kg	Hydraulic Cylinder	Joy 100163419
B104G89-27	\$ 48	4.133"	3.503"	1.08"	T	CAT-950-Bush-BR	9K9159
B104G89G76	\$ 98	4.129"	3.505"	3.00"		Task 2004	Greasable
B104G89G82	\$ 90	4.128"	3.512"	3.24"	T	CAT-966G-Bush-L,K	4V8520
B104G89G89	\$ 88	4.129"	3.505"	3.50"		Task 2002	Greasable
B104G89G94	\$ 88	4.130"	3.510"	3.70"	T	CAT-980C,F,G-Bush-D,E	1V8242
B104G89G102	\$120	4.129"	3.505"	4.00"	1.kg	Caterpillar Aftermarket	6K71571
B104-89G110	\$ 98	4.128"	3.510"	4.33"	U	CAT-950-962-Bush-A	3V2333
B104G89G111	\$ 98	4.128"	3.512"	4.37"		Greasable	Case Hardened Bush
B104-89G120	\$ 98	4.129"	3.510"	4.75"		CAT-966G 972-Bush-A	4V8673
B108-89-46	\$ 88	4.253"	3.507"	1.83"		CAT983 Plain Bearing	4J2379
B108-89-57	\$ 87	4.253"	3.508"	2.24"	1.35kg	CAT983 Plain Bearing	8K7677
B108-89-64	\$ 97	4.253"	3.507"	2.50"		CAT Plain Bearing	5K4787
B108-89-67	\$ 99	4.253"	3.510"	2.65"	1.60kg	CAT983 Plain Bearing	8K7613
B108G89G81	\$125	4.253"	3.507"	3.18"	1.86kg	Task 2016	Geaseable Bearing
B108-89-101	\$150	4.253"	3.507"	3.98"	2.30kg	Task 2002	Plain Bearing
B110-89X75	\$110	4.332"	3.505"	2.95"	1.88kg	Eimco	A2U130-194277
B112-89-68	\$110	4.412"	3.513"	2.66"		Cat 185-7221 112.06x89.25	980G Bearing
B114-89-38	\$ 80	4.502"	3.504"	1.50"		CAT 28 Ripper	Plain Bearing
B114-89-51	\$ 70	4.507"	3.529"	2.00"	1.58kg	4T9751	Ripper Group Bearing
B114G89G57	\$ 98	4.502"	3.508"	2.25"	1.76kg	Task 2003	Greasable
B114-89-64	\$ 98	4.503"	3.507"	2.50"	2.00kg	CAT983	Sub for 7K1513
B114-89-73	\$ 98	4.504"	3.506"	2.87"	2.30kg	Caterpillar	Sub for 7J0052
B114-89-76	\$ 98	4.505"	3.508"	3.00"	2.39kg	Task 2009	Plain Bushing
B114-89G85	\$ 98	4.504"	3.517"	3.35"		Caterpillar D9	Sub for 3G6402
B114G89G96	\$130	4.504"	3.502"	3.78"	3.05kg	Heavy Wall Bush/Boss	Greasable
B115G89X114	\$180	4.530"	3.510"	4.50"		Logmax	External groove 19wide x 112.7ø Bf8
B120-89-75	\$120	120.10mm	3.506"	2.95"		Heavy Wall Bush	Plain
B121-89X108	\$170	4.754"	3.508"	4.25"	4.35 kg	Type X Bush	Greasable Bf8
B125-89-80	\$130	125.10mm	3.506"	3.15"		Heavy Wall Bush	Plain

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Grease for Hardened Bushes
Renolit XTB2 450g
Long life multipurpose grease specially designed for extreme bearing applications. Suits a variety of automotive applications including wheel bearing and general chassis lubrication
Product Code : GR-XTB2 \$10 ea + GST



Grease for Pin Steel
Grease for Excavator Bushes
Maitland Hunter Valley NSW

BUSHINGS

Quantity Discounts Available
only upon request provided
all outstanding invoices
are settled within 7 Days
Disc. for 4 of any line item \$8 ea
Disc. for 10 of any line item \$11 ea
Disc. for 20 of any line item \$14 ea

Wholesale Prices
shown for **\$165**
Minimum order

Retail: POA
\$110 min order

Plus freight & GST. All prices
subject to change without notice