

# Case Hardened Bushes - Precision Ground

## Suit 55mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B60-55-20	\$ 36	60.05mm	55.10mm	20.0mm		Thin Wall	Plain Bush
B65-55-26	\$ 36	65.10mm	55.15mm	26.0mm	.20kg	Case Back Hoe	Plain Bush
B65-55-35	\$ 38	65.10mm	55.15mm	35.0mm	.26kg	Massey Ferguson	Plain Bush
B65G55G40	\$ 48	65.05mm	55.07mm	40.0mm	.29kg	Sandvik 34483978	4x3mm Holes
B65-55-44	\$ 40	65.10mm	55.14mm	44.4mm	.33kg	Tesk 2009	Plain Bush
B65-55X45	\$ 65	65.10mm	55.15mm	45.0mm	.34kg	Kubota	KX045-Bush-F O/Bf8
B65-55-50	\$ 52	65.10mm	55.17mm	50.0mm	.36kg	Tesk 2004	Plain Bush
B65G55G50	\$ 54	65.10mm	55.17mm	50.0mm	.35kg	Tesk 2007	Greasable Bush
B65G55G51	\$ 44	65.10mm	55.15mm	51.0mm	.36kg	John Deere	R97726
B65-55-55	\$ 48	65.09mm	55.11mm	55.0mm	.39kg	John Deere	T67855
B65G55G65	\$ 68	65.07mm	55.19mm	65.0mm	.46kg	John Deere	R82076
B65G55X65	\$ 86	65.10mm	55.13mm	65.0mm	.47kg	KX045-Bush-A	SK045-Bush-B
B65G55G67	\$ 47	65.07mm	55.12mm	67.0mm		John Deere	H144296
B65G55G75	\$ 78	65.07mm	55.12mm	75.0mm	.55kg	John Deere	R84378
B65G55G76	\$ 70	65.07mm	55.20mm	76.0mm	.55kg	John Deere	R82077
B65G55G82	\$ 70	65.07mm	55.30mm	82.0mm		John Deere	R82075
B68-55G45	\$ 52	68.08mm	55.13mm	44.8mm	.43kg	WA470-Bush-S-Cyl	707-76-55520
B68G55G45	\$ 55	68.08mm	55.07mm	44.8mm	.43kg	WA470-Bush-S-Rod	707-76-55120
B68G55G50	\$ 50	68.05mm	55.08mm	50.0mm	.47kg	Komatsu	PC16 MR-2
B68-55X55	\$ 71	68.05mm	55.10mm	54.8mm	.52kg	707-76-55180	PC60-7-Bush-D Bf8
B68G55X55	\$ 74	68.05mm	55.11mm	54.9mm	.52kg	Externally Greasable	Bush
B68G55X65	\$ 74	68.06mm	55.12mm	65.0mm	.64kg	Takeuchi 00024-00075	TB135-Bush-A

## Suit 55mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B70-55-26	\$ 40	70.12mm	55.20mm	25.4mm	.30kg	Tesk 2013	Plain Bush
B70-55-36	\$ 46	70.12mm	55.20mm	36.0mm	.41kg	Tesk 2007	Plain Bush
B70G55G55	\$ 68	70.05mm	55.11mm	55.0mm	.61kg	Tesk 2008	Greasable Bush
B70G55X60	\$ 82	70.06mm	55.16mm	60.0mm	.62kg	Case	CX75SR-Bush-H
B70G55G70	\$ 76	70.05mm	55.18mm	70.0mm	.80kg	Yanmar	Greasable Bush
B70G54G98	\$ 48	70.13mm	54.76mm	98.0mm	1.12kg	John Deere	T105677
B75G55G70	\$ 92	75.05mm	55.18mm	70.0mm	1.08kg	Heavy Wall	Greasable Bush
B70-56X65	\$102	70.10mm	56.4 mm	65.0mm	.67kg	Komatsu	141-78-11311 Bf8
B70-56X85	\$110	70.10mm	56.4 mm	85.0mm	.89kg	Komatsu	141-78-11321 Bf8

**Engineers Supplies**  
**KSet Bushes** are supplied to  
 Brisbane Hydraulic Cylinder  
 Repairs  
 Qld Heavy Fabrication  
 Pin & Bush Manufacturer  
 Brisbane Line boring  
 Rapid Bulldozer Ram Repairs  
 Excavator Pivot Points  
 Adelaide Equipment Overhaul  
 Adelaide Construction  
 Equipment  
 Rockhampton Heavy  
 Equipment Bush  
 Earthmoving Bucket Bush  
 Goldfields Equipment Bushes  
 Stawell Mining Bushes  
 Quarry Loader Pins  
 Hard Rock Mining Bushes  
 Replacement of Bronze  
 Bushes Bronze Bearings  
 Replace Fibre Bushes  
 Atlas Copco Drill Bush  
 Sandvik Jumbo Drill Bush  
 Pins and bushes for  
 heavy equipment  
 Sandvik Jumbo bushings  
 Waratah harvester bushes  
 Pins Waratah harvester

Canada Steel Bushes  
 3 day delivery to Canada  
 KSet hardened steel bush  
 Leave KSet Wednesday  
 Arrive Canada Friday

### BUSHINGS

Quantity Discounts Available  
 only upon request provided  
 all outstanding invoices  
 are settled within 7 Days  
 Disc. for 6 of any line item \$5 ea  
 Disc. for 10 of any line item \$8 ea  
 Disc. for 20 of any line item \$10 ea

Wholesale Prices  
 shown for \$165  
 Minimum order

Retail: POA  
 \$110 min order

Plus freight & GST. All prices  
 subject to change without notice

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

# Case Hardened Bushes - Precision Ground

## Suit 2.25" Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B65-57-43	\$ 58	65.10mm	57.15mm	43.0mm	.26kg	Clas	Light Wall Bush
B67-57-39	\$ 52	2.629"	2.267"	1.54"		Cat D11 Mod	1J2192 Shortened
B67-57-50	\$ 50	2.630"	2.267"	1.97"	.39kg	Cat D11 Mod	1J2192 Shortened
B67-57-55	\$ 52	2.630"	2.267"	2.16"		Caterpillar D11	Lift Cyl
B67-57-76	\$ 68	2.630"	2.267"	3.00"	.58kg	Caterpillar D11	Nose Cone 1J2192
B70-57-26	\$ 36	2.754"	2.256"	1.00"		Task 2003	Plain Bush
B70-57-28	\$ 30	2.751"	2.260"	1.13"		Case 1155D	D52579
B70-57-30	\$ 44	2.755"	2.257"	1.18"	.31kg	Case 580K	D127167
B70-57-32	\$ 53	2.754"	2.257"	1.25"	.32kg	Eimco Step 2.743"Øx3	913 3059243
B70-57-38	\$ 54	2.754"	2.256"	1.50"	.38kg	Previously	Part No. B70-57-37
B70-57-41	\$ 54	2.754"	2.257"	1.63"	.41kg	Eimco Step 2.743"Øx3	913 3059268
B70-57-48	\$ 44	2.753"	2.260"	1.88"	.49kg	Cat950-Bush-D,E	7J9699
B70-57-50	\$ 58	2.753"	2.261"	1.97"	.49kg	Cat980G-Bush-S	8P0420
B70G57G51	\$ 66	2.752"	2.256"	2.00"	.50kg	Task 2005	Greasable Bush
B70-57-54	\$ 58	2.752"	2.259"	2.12"	.55kg	Cat 953	Bearing
B70-57-57	\$ 63	2.754"	2.257"	2.25"	.57kg	Eimco Step 2.743"Øx3	913 3059276
B70G57G60	\$ 66	2.753"	2.257"	2.37"	.58kg	Greasable Bush	4V8643
B70-57-62	\$ 52	2.757"	2.261"	2.46"	.58kg	Cat 3J9133	Plain Bush
B70-57-63	\$ 70	2.754"	2.256"	2.50"	.59kg	Task 2013	Plain Bush
B70-57G63	\$ 55	2.752"	2.261"	2.50"	.64kg	Cat 988B	Stg 9J5875
B70-57-70	\$ 82	2.754"	2.256"	2.75"	.68kg	Eimco 913 3059250	use for 5J2445
B70G57G70	\$ 82	2.753"	2.257"	2.75"	.68kg	Task Hardened steel bushings imperial	Greasable
B75G57X99	\$ 98	75.10mm	57.15mm	99.4mm	1.44kg	Clas	Greasable Bush
B76-57-43	\$ 52	3.001"	2.260"	1.70"		Case Hardened steel bushings imperial	D90722
B76-57-54	\$ 58	3.002"	2.256"	2.12"	.87kg	Caterpillar	6K2702
B76-57-70	\$ 82	3.002"	2.258"	2.75"	1.12kg	Task 2000	Plain Bush
B76-57R125	\$ 84	2.999"	2.250"	4.9"		Special 2 only	Recessed ends
B79G57G70	\$110	3.126"	2.257"	2.75"		O.S.Task	Greasable Bush

**Engineers Supplies**  
**KSet Bushes** are supplied to  
 Brisbane Hydraulic Cylinder  
 Repairs  
 Qld Heavy Fabrication  
 Pin & Bush Manufacturer  
 Brisbane Line boring  
 Rapid Bulldozer Ram Repairs  
 Excavator Pivot Points  
 Adelaide Equipment Overhaul  
 Adelaide Construction  
 Equipment  
 Rockhampton Heavy  
 Equipment Bush  
 Earthmoving Bucket Bush  
 Goldfields Equipment Bushes  
 Stawell Mining Bushes  
 Quarry Loader Pins  
 Hard Rock Mining Bushes  
 Replacement of Bronze  
 Bushes Bronze Bearings  
 Replace Fibre Bushes  
 Atlas Copco Drill Bush  
 Sandvik Jumbo Drill Bush  
 Pins and bushes for  
 heavy equipment  
 Sandvik Jumbo bushings  
 Waratah harvester bushes  
 Pins Waratah harvester

Canada Steel Bushes  
 3 day delivery to Canada  
 KSet hardened steel bush  
 Leave KSet Wednesday  
 Arrive Canada Friday

### BUSHINGS

Quantity Discounts Available  
 only upon request provided  
 all outstanding invoices  
 are settled within 7 Days  
 Disc. for 6 of any line item \$5 ea  
 Disc. for 10 of any line item \$8 ea  
 Disc. for 20 of any line item \$10 ea

## Spherical Bearings Caterpillar Compatible

SB91G57G50	\$ 65	3.564"	2.254"	1.97"		CAT980-Bush-S	5J1446
------------	-------	--------	--------	-------	--	---------------	--------



Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

**Wholesale Prices**  
 shown for **\$165**  
 Minimum order

**Retail: POA**  
**\$110 min order**

Plus freight & GST. All prices  
 subject to change without notice

# Case Hardened Bushes - Precision Ground

## Suit 60mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B65-60X55	\$ 78	65.07mm	60.10mm	55.0mm	.22kg	Atlas Copco	0500 4520 03
B68-60X65	\$ 60	68.07mm	60.16mm	65.0mm		Tesk 2012	Bushing Bf8
B70G60G28	\$ 52	70.13mm	60.17mm	28.0mm	.21kg	John Deere	T70723
B70G60G30	\$ 58	70.10mm	60.15mm	30.0mm	.22kg	Hydraulic Cylinder Bush	Tesk 2009
B70-60-35	\$ 56	70.07mm	60.15mm	35.0mm	.28kg	Tesk 2012	Plain Bush
B70G60G35	\$ 58	70.07mm	60.15mm	35.0mm	.25kg	Hydraulic Cylinder	Bushing
B70-60-38	\$ 59	70.07mm	60.15mm	38.0mm	.32kg	Plain Bush Hardened Steel	Canada 2006
B70G60G45	\$ 56	70.08mm	60.15mm	45.0mm	.35kg	Harvester Bush	KSet Canada
B70G60G47	\$ 56	70.07mm	60.13mm	47.0mm	.36kg	Furukawa	341811-11320
B70-60-50	\$ 56	70.08mm	60.13mm	50.0mm		Tesk 2013 Plain	Case Hardened
B70G60G50	\$ 62	70.07mm	60.15mm	50.0mm	.383kg	Tesk 2009	Greasable
B70G60X50	\$ 72	70.07mm	60.11mm	50.0mm	.38kg	341811-11310	341811-11160
B70G60G60	\$ 68	70.07mm	60.18mm	60.0mm	.47kg	Matbro	36267
B70G60X60	\$ 79	70.10mm	60.13mm	60.0mm	.46kg	Matbro 503621	Closed Fig.8
B70F60-60	\$ 79	70.05mm	60.20mm	60.0mm	.53kg	Flange 80x7 502298	FBL-10 Steering
B70G60X65	\$ 76	70.06mm	60.13mm	64.9mm	.50kg	Kobelco	SK045-Bush-TD,SL
B70G60G70	\$ 74	70.07mm	60.13mm	70.0mm	.55kg	Tesk 2000	Greasable
B70G60X70	\$ 86	70.10mm	60.14mm	70.0mm	.55kg	Linebore	Type J Bush
B70G60X75	\$ 90	70.10mm	60.13mm	75.0mm	.58kg	Matbro	37452/013
B70G60X80	\$ 91	70.10mm	60.13mm	80.0mm	.61kg	Kobelco	SK220-Bush-HR
B70G60G85	\$ 84	70.05mm	60.12mm	85.0mm	.70kg	B5X Boom Cyl	Greasable Bush
B70G60X90	\$104	70.10mm	60.13mm	90.0mm	.69kg	Matbro	37452/002
B70G60X100	\$118	70.09mm	60.13mm	100.0mm	.78kg	Matbro	37452/008
B71-60X50	\$ 88	71.44mm	60.01mm	50.2mm	.45kg	Eimco	A2U936-194288 Of8
B71-60X59	\$ 88	70.44mm	60.07mm	59.1mm	.48kg	Eimco	A2U936-194295 Of8
B72-60X35	\$ 68	72.02mm	60.08mm	35.0mm	.33kg	K&H Bush	K5X15° Of8 x 2
B72-60X36	\$ 40	72.02mm	60.26mm	35.0mm		Line Boring	Internal figure 8
B72G60G50	\$ 62	72.05mm	60.15mm	50.0mm	.50kg	Kubota	68311-4113-0
B72G60G60	\$ 73	72.05mm	60.15mm	60.0mm	.56kg	Kubota KX71	68311-4112-0
B73G60X43	\$ 75	73.13mm	60.15mm	43.0mm	.97kg	Kawasaki KLD85Z2	O/Bf8
B73G60G50	\$ 48	73.10mm	60.15mm	50.0mm		Tesk 1999	Greasable Bush
B73G60X55	\$ 72	73.13mm	60.15mm	55.0mm	.57kg	KLD80Z2-Bush-L,K	Bf8
B73G60G89	\$ 68	73.07mm	60.15mm	89.0mm		Tesk 1999	Greasable Bush
B73-60X93	\$ 96	73.13mm	60.15mm	93.0mm	.97kg	Kawasaki KLD85Z2 Bkt	Bf8
B75G60G28	\$ 40	75.06mm	60.10mm	28.0mm	.21kg	Line Boring	Greasable Bush
B75-60-30	\$ 44	75.08mm	60.12mm	30.0mm		Hardened & Ground	Plain Bush
B75-60-35	\$ 52	75.08mm	60.12mm	34.8mm		4365897	EX120-Bush-G (2)
B75G60G35	\$ 54	75.05mm	60.15mm	35.0mm	.27kg	Tesk 2001	Greasable Bush
B75G60G49	\$ 60	75.05mm	60.05mm	49.8mm	.60kg	Komatsu	WA500-Bush-S

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Bushes to suit 60 Ø shaft continued next page.....

### Australian Made Bushes KSet Bushes Ex Stock

Next Day Delivery Australia-wide and New Zealand Precision Ground bushes Case-Hardened bushing Industrial quality bushes Available for Agricultural Machinery and Broadacre machinery refurbishment to heavy industry standards

KSet Bushes for Cotton Harvester Machinery NSW Australian Farm Innovations Farm Implement Upgrading KSet Bushes for Trailer Repair Industrial upgrade to farm Trailers, Buckets & Cylinders

KSet Bushes for Tree Harvester Attachments Log Grapple Bush Australia Grabs and Grapples Rotator Pins and Bushes Forestry Attachment Bush NZ Industrial Bushings Wheel Loader Log Grab Volvo Loader Arm & Grab Forest Harvesting Attachment Tasmania Industrial Supplies

### BUSHINGS

Quantity Discounts Available only upon request provided all outstanding invoices are settled within 7 Days  
Disc. for 6 of any line item \$6 ea  
Disc. for 10 of any line item \$8 ea  
Disc. for 20 of any line item \$10 ea

Wholesale Prices shown for \$165 Minimum order

Retail: POA \$110 min order

Plus freight & GST. All prices subject to change without notice



# Case Hardened Bushes - Precision Ground

## Suit 60mm Diameter Shaft...Continued

<u>KSet Part No.</u>	<u>Price</u> EX GST	<u>Outside</u>	<u>Inside</u>	<u>Length</u>		<u>Manufacture Notes</u>	<u>Locations</u>
B75G60G50	\$ 66	75.05mm	60.15mm	50.0mm	.60 kg	20X-70-24150	PC60,75UU-Bush-HL
B75-60X50	\$ 72	75.05mm	60.15mm	49.9mm	.60 kg	Komatsu	PC60-Bush-F Of8
B75G60G55	\$ 72	75.09mm	60.15mm	55.0mm		Kobelco	SK220-Bush-HL
B75-60-60	\$ 73	75.05mm	60.12mm	60.0mm	.74 kg	Testk Hardened steel bushings metric	Plain bush
B75-60X60	\$ 74	75.05mm	60.15mm	59.6mm	.72 kg	Komatsu	PC60-7-Bush-C,E Bf8
B75G60G60	\$ 83	75.05mm	60.17mm	60.0mm	.72 kg	Hydraulic Cylinder	003926-27 Bush
B75G60X60	\$ 83	75.05mm	60.16mm	59.8mm		07144-10606 707-76-60080	PC60,75UU-Bush-HR
B75G60X61	\$ 72	75.09mm	60.11mm	60.0mm		Caterpillar compatible	229-1095
B75-60G65	\$ 79	75.10mm	60.20mm	64.8mm	.78 kg	421-70-11860	Hardened Bush Perth
B75G60G65	\$ 79	75.05mm	60.12mm	65.0mm	.78 kg	Testk 2001	Greasable Bush
B75G60X65	\$ 86	75.10mm	60.13mm	65.0mm	.77 kg	Testk 2004	Int. Fig 8 groove
B75G60G69	\$ 84	75.13mm	60.20mm	69.0mm	Kobelco	YY12B01448P1 11wGrooves	SK135-Bush-I
B75-60X69	\$ 72	75.10mm	60.18mm	68.7mm	.83 kg	203-70-56150	PC120-Bush-I Of8
B75G60X70	\$ 98	75.09mm	60.20mm	70.0mm	.84 kg	Kobelco S000240031	SK035 Sw Frame
B75G60X71	\$ 98	75.11mm	60.18mm	70.0mm	.84 kg	Kobelco	SK220-Bush-J,K Of8
B75F60X72	\$ 220	75.12mm	60.23mm	71.5mm	1.17 kg	Flange 113 YW12B01036P1	SK115SR-Bush-J
B75G60X75	\$ 94	75.10mm	60.13mm	75.0mm	.90 kg	Testk 2012	Closed figure 8 groove
B75G60X79	\$ 102	75.10mm	60.15mm	79.0mm	.96 kg	Kawasaki KLD80Z1	Bf8
B75-60X80	\$ 94	75.08mm	60.18mm	80.0mm	.96 kg	Kobelco	SK220-Bush-I Of8
B75G60X80	\$ 90	75.07mm	60.10mm	80.0mm	.96 kg	Testk 2015	Cylinder Bush Bf8
B75G60G85	\$ 90	75.05mm	60.11mm	85.0mm	1.03 kg	Testk 2000	Greasable
B75F60X87	\$ 154	75.15mm	60.20mm	86.8mm	1.84 kg	203-70-42182 Flange, Of8	PC120-Bush-J
B75G60X90	\$ 92	75.11mm	60.15mm	89.8mm	1.09 kg	203-70-56160	PC120-Bush-K Of8
B75G60X106	\$ 130	75.13mm	60.16mm	105.9mm	1.29 kg	Kawasaki KLD80Z1	Bf8
B76G60G50	\$ 68	76.25mm	60.15mm	50.0mm		Imperial Outside	OD = 3.002"

## Heavy Wall Bushes for 60mm Diameter Shaft

<u>KSet Part No.</u>	<u>Price</u> EX GST	<u>Outside</u>	<u>Inside</u>	<u>Length</u>		<u>Manufacture Notes</u>	<u>Locations</u>
B78-60G106	\$ 98	78.10mm	60.18mm	106.0mm	1.60 kg	Plus-size O.D.	Type U
B79G60X62	\$ 90	79.05mm	60.15mm	62.0mm	.96 kg	Kawasaki KLD85Z2	Bf8
B80-60-40	\$ 60	80.10mm	60.14mm	40.0mm	0.68 kg	Plus-size O.D.	Plain Bush
B80G60G65	\$ 98	80.10mm	60.14mm	65.0mm	1.08 kg	Plus-size O.D.	Greasable Bush
B80G60G80	\$ 106	80.10mm	60.14mm	80.0mm	1.33 kg	Plus-size O.D.	Greasable Bush
B84G60N155	\$ 120	84.0mm	60.18mm	155.0mm	1.33 kg	Hardened	Inside Only
B85G60G72	\$ 96	85.05mm	60.15mm	71.8mm	1.61 kg	Sandvik Atlas Copco	9124 8810 00
B88G60G68	\$ 110	88.12mm	60.14mm	68.0mm	1.74 kg	Sandvik Atlas Copco	9128 7345 00

**Wholesale Prices apply only if Product Order is \$165 or more**  
excluding GST, freight and packaging

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

**PFERD Economy Rolls**  
Complete PFERD range available

**KSet Popular Selection**

**Economy Rolls**



Size	Code	Price
40 mm x 50 m	TL-ER 40A 60	\$ 40
40 mm x 50 m	TL-ER 40A 80	\$ 40
40 mm x 50 m	TL-ER 40A 120	\$ 40
40 mm x 50 m	TL-ER 40A 180	\$ 40

Plus GST

*America Steel Bearings*  
3 day delivery to USA  
KSet hardened steel bush  
Leave KSet Wednesday  
Arrive America Friday

### **BUSHINGS**

**Quantity Discounts Available**  
only upon request provided  
all outstanding invoices  
are settled within 7 Days  
Disc. for 6 of any line item \$5 ea  
Disc. for 10 of any line item \$8 ea  
Disc. for 20 of any line item \$10 ea

**Wholesale Prices**  
shown for **\$165**  
Minimum order

**Retail: POA**  
**\$110 min order**

Plus freight & GST. All prices  
subject to change without notice

# Case Hardened Bushes - Precision Ground

## Bushes to Suit 2.5 inch Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B75-64-65	\$ 52	75.07mm	2.506"	65.00mm	Metric / Imperial	2011
B76-64-22	\$ 30	3.000"	2.514"	0.90"	Special OD	Plain Bush
B76-64-23	\$ 46	3.004"	2.514"	0.90"	Case 580K	G108310
B76-64-26	\$ 44	3.003"	2.508"	1.00"	Case	D33635
B76-64-32	\$ 46	3.003"	2.506"	1.25"	Replaces B76-64-31	Marketplace Part
B76-64-35	\$ 43	3.003"	2.519"	1.38"	CAT Cyl 623E	6J6043
B76-64-38	\$ 43	3.004"	2.506"	1.50"	CAT 920	7J9745
B76G64G38	\$ 47	3.004"	2.506"	1.50"	Western Australia	4 x 5 holes
B76-64-41	\$ 48	3.005"	2.509"	1.61"	John Deere	T54081
B76-64G44	\$ 46	3.004"	2.510"	1.75"	CAT950	Bkt / Link 7J9344
B76G64G44	\$ 48	3.004"	2.510"	1.75"	Caterpillar compatible	8J5778
B76G64G46	\$ 44	3.001"	2.506"	1.80"	Case 1150	R26633
B76-64-47	\$ 48	3.004"	2.504"	1.86"	Eimco	A2U913-194031
B76-64-50	\$ 48	3.003"	2.506"	1.98"	Caterpillar compatible	7K9528
B76-64G50	\$ 52	3.003"	2.506"	1.98"	CAT955	2K4506
B76-64-51	\$ 60	3.002"	2.506"	2.00"	JOY	1069127-224
B76G64G51	\$ 62	3.002"	2.506"	2.00"	Testk 2010	Greaseable
B76G64G56	\$ 50	3.003"	2.506"	2.23"	CAT988 7K9529, 7K0078, 2K4442, 7K9985	
B76-64-57	\$ 54	3.002"	2.506"	2.25"	Aftermarket Caterpillar Bearings	KSet
B76G64G57	\$ 54	3.004"	2.510"	2.25"	7J9732 B76-64G57 V Ident.Groove	7K0078
B76-64-60	\$ 66	3.003"	2.506"	2.36"	CAT 955 Bkt/Link	5K7995
B76-64G65	\$ 66	3.003"	2.510"	2.56"	CAT 936	Market place Bearing
B76G64G65	\$ 76	3.002"	2.506"	2.56"	Standen	HSB 192
B76G64G69	\$ 68	3.004"	2.510"	2.74"	CAT 980A Bkt/Link	7J9731
B76-64-70	\$ 76	3.003"	2.509"	2.75"	JOY	1069127-411
B76G64G70	\$ 72	3.002"	2.506"	2.75"	Testk 2003	Greaseable Bush
B76G64G75	\$ 72	3.003"	2.507"	2.97"	6K3177 CAT977K Bkt / Link Bearing	
B76-64G76	\$ 52	3.000"	2.514"	3.00"	John Deere 1 x 12 Ø hole	R36156
B76G64G76	\$ 70	3.002"	2.509"	3.00"	Testk 2008	Greaseable Bush
B76G63G84	\$ 84	3.002"	2.506"	3.31"	HSB 193	Standen Rippers
B76G64G84	\$ 88	3.006"	2.510"	3.31"	T50063 John Deere	10mm Ext.Groove
B76-64-89	\$ 94	3.004"	2.507"	3.50"	Testk 2004	Plain Bushing
B76G64G95	\$ 92	3.003"	2.509"	3.75"	5V1874 CAT950, 960, 962-Bush-J	
B76G64G102	\$106	3.002"	2.509"	4.00"	Testk 2009	Greaseable Bush
B76-64H108	\$110	3.003"	2.504"	4.25"	A2U913-194033 Step 75.7 Ø x5	Eimco
B76G64G109	\$ 84	3.002"	2.509"	4.30"	4V8675 CAT966G,972GH-Bush-J	
B76-64-116	\$ 92	3.003"	2.504"	4.58"	A2U913-194073 Step 75.7 Ø x5	Eimco
B76-64H116	\$ 94	3.003"	2.504"	4.58"	A2U913-194035 Step 75.7 Ø x5	Eimco
B76-64H117	\$102	3.003"	2.504"	4.58"	A2U913-194072 Step 75.7 Ø x5	Eimco
B76-64H138	\$102	3.003"	2.504"	5.43"	A2U913-194038 Step 75.7 Ø x5	Eimco
B77G64G114	\$136	3.037"	2.507"	4.50"	Plus-size O.D.	Greaseable Bush
B79-64-51	\$ 64	3.128"	2.507"	2.00"	JOY	1069127-459
B79G64G76	\$ 80	3.128"	2.508"	3.00"	Plus-size O.D.	Greaseable Bush
B80G64G50	\$ 70	80.10mm	2.505"	1.97"	Plus-size O.D.	Greaseable Bush
B82G64G63	\$ 88	3.252"	2.505"	2.50"	Testk Loader Bush	2001
B82G64G76	\$ 98	3.252"	2.508"	3.00"	Testk Excavator Bush	2005
B82G64G102	\$140	3.252"	2.508"	4.00"	Excavator Bush	DT Hydraulic 2017
B89G64G76	\$118	3.495"	2.507"	3.00"	Line Borers Bush	2013
B95G64G152	\$180	3.752"	2.506"	6.00"	B95g64X146 =	CAT980C-Bush-J

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

**PFERD Economy Rolls**  
Complete PFERD range available

**KSet Popular Selection**

**Economy Rolls**



Size	Code	Price
40 mm x 50 m	TL-ER 40A 60	\$ 40
40 mm x 50 m	TL-ER 40A 80	\$ 40
40 mm x 50 m	TL-ER 40A 120	\$ 40
40 mm x 50 m	TL-ER 40A 180	\$ 40

Plus GST

**Frequently Asked Questions:**  
Where in New Zealand can I buy ready-made hardened steel bushes / bushings?  
**KSet Engineering Pty Ltd** has 50,000 bushes in 1,250 different sizes available EX STOCK.  
Next Day Delivery to New Zealand

**BUSHINGS**  
**Quantity Discounts Available** only upon request provided all outstanding invoices are settled within 7 Days  
Disc. for 6 of any line item \$6 ea  
Disc. for 10 of any line item \$8 ea  
Disc. for 20 of any line item \$10 ea

**Wholesale Prices shown for \$165 Minimum order**  
**Retail: POA \$110 min order**  
Plus freight & GST. All prices subject to change without notice

# Case Hardened Bushes - Precision Ground

## Suit 65mm Diameter Shaft


KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B73-65G60	\$ 46	73.13mm	65.15mm	60.3mm .54 kg	Plain External	Groove Internal
B75G65G30	\$ 59	75.09mm	65.28mm	30.0mm	John Deere	T76637
B75G65G35	\$ 56	75.10mm	65.16mm	35.0mm .45 kg	Greaseable	Case Hardened
B75-65-60	\$ 62	75.05mm	65.15mm	60.0mm .54 kg	Case Hardened	Plain Bush
B75-65X60	\$ 76	75.05mm	65.15mm	60.0mm .50 kg	Case Hardened	Type X
B75G65G60	\$ 78	75.07mm	65.14mm	60.0mm	Testk 2012 Hardened steel bush metric	Greaseable
B75G65G64	\$ 74	75.05mm	65.13mm	64.0mm .54 kg	343831-11130 Furukawa	343811-11370
B75G65X75	\$ 92	75.10mm	65.15mm	75.0mm .65 kg	Kobelco	SK220-Bush-J,K Of8
B75G65G80	\$ 88	75.05mm	65.15mm	80.0mm .62 kg	Testk	Greaseable
B76G65G50	\$ 74	76.02mm	65.08mm	50.0mm .48 kg	John Deere	T126935, T100252
B80-65-35	\$ 58	80.10mm	65.16mm	34.8mm .47 kg	4365448	EX120-Bush-HR (2)
B80-65-50	\$ 58	80.10mm	65.16mm	50.0mm	4344898S	EX120-Bush-I,J,K
B80-65X50	\$ 76	80.11mm	65.16mm	49.8mm .66 kg	203-70-56140	PC120-Bush-HL Of8
B80G65X50	\$ 82	80.13mm	65.16mm	50.0mm .65 kg	Hitachi	EX120
B80G65X55	\$ 80	80.06mm	65.12mm	54.5mm .69 kg	707-76-65160	WA500-Bush-S
B80G65X58	\$ 88	80.06mm	65.15mm	57.9mm .75 kg	707-76-65220	PC120-Bush-HR 2Bf8
B80G65G59	\$ 76	80.13mm	65.20mm	58.9mm .80 kg	YB12B01101P1 Kobelco 11wGroove	SK135-Bush-K
B80G65X60	\$ 77	80.12mm	65.22mm	60.0mm .76 kg	CAT 311	2291092
B80G65G64	\$ 82	80.10mm	65.15mm	64.3mm Use 2	4344899, 4444914S	EX120-Bush-HL
B80-65G65	\$ 78	80.04mm	65.22mm	64.8mm .89 kg	Komatsu	WA250-Bush-J,K,L
B80G65G65	\$ 78	80.06mm	65.14mm	64.9mm	07144-10607 417-70-11860 418-70-11810	WA200-5-CJKL
B80G65X65	\$ 96	80.07mm	65.16mm	64.9mm	Komatsu	PC120-Bush-G Bf8
B80G65G69	\$ 90	80.14mm	65.23mm	68.9mm Kobelco	YM12B01120P1 11wGroove	SK135-Bush-HL
B80-65-70	\$ 88	80.12mm	65.18mm	70.0mm	Testk 2016	Plain Bush
B80G65G74	\$ 86	80.12mm	65.23mm	73.9mm Kobelco	YY12B01554P1 11wGroove	SK135-Bush-HR
B80G65G75	\$ 94	80.06mm	65.15mm	74.5mm 1.02 kg	Testk	2007
B80G65X75	\$104	80.07mm	65.15mm	75.0mm 0.98 kg	Testk 2017	Bf8
B80F65X75	\$160	80.13mm	65.29mm	74.9mm	2405P472 F130x9 LP12B01030P1	SK135-Bush-J
B80G65G80	\$ 94	80.07mm	65.15mm	80.0mm 1.07 kg	Testk	2012
B80G65G81	\$ 98	80.11mm	65.17mm	80.0mm 1.07 kg	CAT 311 Bearing 9wGroove	229-1091
B80G65G84	\$101	80.05mm	65.15mm	84.0mm 1.11 kg	Furukawa	353831-11130
B80G65G89	\$109	80.05mm	65.10mm	88.5mm 1.17 kg	Komatsu	135-30-11251
B80G65G100	\$114	80.06mm	65.16mm	99.6mm 1.37 kg	Testk	2007
B80-65X130	\$110	80.06mm	65.15mm	129.8	PC60-7 707-76-65250 Int Groove 35mm wide	Bush-B

## Heavy Wall Bushes for 65mm Ø, 2 5/8" Ø Shaft

B83G65G100	\$110	83.06mm	65.16mm	99.5mm 1.63 kg	O.S. Testk 2007	Lineborer
B85G65X65	\$118	85.10mm	65.16mm	65.0mm 1.17 kg	O.S. Testk	Bf8
B85G65X70	\$128	85.09mm	65.16mm	70.0mm 1.27 kg	Sumitomo	SH125X3-Bush-H Bf8
B90-65X90	\$120	90.09mm	65.12mm	90.0mm 2.17 kg	Testk	2013 Bf8
B90G65X90	\$130	90.09mm	65.12mm	90.0mm 2.17 kg	Testk	2018 Bf8
B95F65X80	\$196	95.17mm	65.30mm	80.0mm 2.41 kg	Flange Bush	Replaces 2 Kobelco
					Kobelco YY12B01446P1 +YY12B01447P1	
B76-67G191	\$ 88	76.02mm	66.62mm	190.5	Boss	
B82-67-57	\$ 88	3.251"	2.629"	2.25"	Lightning Ridge	Opal Digger

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

**PFERD**  
Rubber Drum Holders - 6mm Shank  
Complete PFERRD range available  
Bulk orders available  
KSet Popular Selection



Size	Code	Price
38 Dia x 25 w	TL-GK3825 /6	\$ 39
45 Dia x 30 w	TL-GK4530 /6	\$ 39
51 Dia x 25 w	TL-GK5125 /6	\$ 47
60 Dia x 30 w	TL-GK6030 /6	\$ 50

Plus GST

**PFERD**  
Abrasive Spiral Bands - Zirconia  
Complete PFERRD range available  
Bulk orders available  
KSet Popular Selection:



Size	Code	Price
38 Dia x 25 w	TL-GSB3825 Z60	\$ 3.25
45 Dia x 30 w	TL-GSB4530 Z60	\$ 3.25
51 Dia x 25 w	TL-GSB5125 Z60	\$ 3.50
60 Dia x 30 w	TL-GSB6030 Z80	\$ 3.50

Plus GST

### BUSHINGS

Quantity Discounts Available  
only upon request provided  
all outstanding invoices  
are settled within 7 Days  
Disc. for 6 of any line item \$6 ea  
Disc. for 10 of any line item \$9 ea  
Disc. for 20 of any line item \$10 ea

**Wholesale Prices  
shown for \$165  
Minimum order**

**Retail: POA  
\$110 min order**

Plus freight & GST. All prices  
subject to change without notice



# Case Hardened Bushes - Precision Ground

## Suit 70mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B80-70-25	\$ 56	79.99mm	70.20mm	25.0mm	Case D144421	580SK-Bush-BC
B80-70-28	\$ 42	79.78mm	69.90mm	28.0mm .27 kg	Case 580SL	124568A2 Trunnion
B80G70G50	\$ 69	80.07mm	70.18mm	50.0mm .46 kg	Tesk 2003	Greaseable Bush
B80G70X50	\$ 88	80.07mm	70.15mm	50.0mm .44 kg	Tesk 2004	Figure 8 groove
B80F70-52	\$ 120	80.02mm	70.10mm	51.98 .63 kg	Flange 100x7.5	Sandvik 2643 9788
B80F70X52	\$ 130	80.02mm	70.10mm	51.98 .62 kg	Flange 100x7.5	Sandvik 2643 9808
B80-70-60	\$ 79	80.07mm	70.13mm	60.0mm .56 kg	Furukawa	352811-11230
B80-70N60	\$ 130	80.02mm	70.04mm	60.0mm .54 kg	JUG-A-O For 2.75" Dia Pin	0504-10003
B80G70X60	\$ 90	80.10mm	70.12mm	59.7mm .56 kg	Kobelco SK60	PY52F 010 03P1 BF8
B80-70N65	\$ 140	80.02mm	70.04mm	65.0mm .58 kg	JUG-A-O For 2.75" Dia Pin	0504-10004
B80G70X65	\$ 90	80.10mm	70.14mm	65.0mm	Sumitomo BF8	SH120-3-Bush-HL
B80G70X70	\$ 98	80.08mm	70.14mm	70.0mm .61 kg	Tesk 2017	Figure 8 groove open one end Bush
B80G70G75	\$ 90	80.07mm	70.20mm	75.0mm .66 kg	Tesk 2001	Greaseable Bush
B80-70-79	\$ 88	80.05mm	70.15mm	80.0mm .74 kg	Plain Bush	Inner Ring Bearing
B80-70-80	\$ 88	80.11mm	70.13mm	80.0mm .73 kg	John Deere	T67856, 504234
B80-70X80	\$ 98	80.05mm	70.15mm	80.0mm .72 kg	Furukawa	353811-11190
B80G70X85	\$ 120	80.09mm	70.20mm	85.0mm .75 kg	Tesk 2009	Greaseable Bush
B80G70X90	\$ 122	80.10mm	70.19mm	90.0mm .80 kg	Kobelco Aftermarket bush	SK135 Offset
B80-70G104	\$ 115	80.07mm	70.20mm	104.0mm .94 kg	Volvo	BM90C-Bush-J,K,L


## Suit 2.75" Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B82-70-32	\$ 52	3.253"	2.760"	1.28" .39 kg	CAT 633 Steering Bush	4T0370
B82-70-45	\$ 52	3.253"	2.759"	1.75" .52 kg	CAT 920	8E6752
B82G70-56	\$ 67	3.253"	2.760"	2.20" .62 kg	CAT936-Bkt/Link	4V2883
B82-70-57	\$ 66	3.253"	2.756"	2.25" .70 kg	CAT983-Bush-F	8K7618, 7J9374
B82-70G57	\$ 44	3.252"	2.758"	2.23" .70 kg	CAT950-Bush-A	7K0086
B82-70-60	\$ 60	3.252"	2.757"	2.37"	CAT Blade Bearing	3G9598
B82G70G60	\$ 69	3.252"	2.757"	2.37" .67 kg	Tesk 2011	Greaseable Bush
B82-70-61	\$ 50	3.257"	2.759"	2.37"	CAT315-Bush-F (4)	6A-7099
B82G70G64	\$ 68	3.253"	2.760"	2.50"	Cat Bearing 11wExt Groove	3G5285
B82-70-70	\$ 79	3.254"	2.751"	2.75" .86 kg	Tesk 2005	Plain Bush
B82G70G70	\$ 68	3.252"	2.759"	2.75"	CAT953-Bush-L,K	7P3466
B82-70-74	\$ 68	3.252"	2.756"	2.90" .90 kg	CAT983	7K8114
B82G70G75	\$ 72	3.252"	2.756"	2.95"	CAT983	Bearing
B82-70-95	\$ 90	3.253"	2.757"	3.75" 1.11kg	Caterpillar Bearing	3G5281
B82G70G102	\$ 112	3.253"	2.761"	4.00"	Hydraulics	D & T

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Bushes for 70 Ø Shaft continued next page

**PFERD**  
Rubber Drum Holders - 6mm Shank  
Complete PFERD range available  
Bulk orders available  
KSet Popular Selection



Size	Code	Price
38 Dia x 25 w	TL-GK3825 /6	\$ 39
45 Dia x 30 w	TL-GK4530 /6	\$ 39
51 Dia x 25 w	TL-GK5125 /6	\$ 47
60 Dia x 30 w	TL-GK6030 /6	\$ 50

Plus GST

**PFERD**  
Abrasive Spiral Bands - Zirconia  
Complete PFERD range available  
Bulk orders available  
KSet Popular Selection:



Size	Code	Price
38 Dia x 25 w	TL-GSB3825 Z60	\$ 3.25
45 Dia x 30 w	TL-GSB4530 Z60	\$ 3.25
51 Dia x 25 w	TL-GSB5125 Z60	\$ 3.50
60 Dia x 30 w	TL-GSB6030 Z80	\$ 3.50

Plus GST

### BUSHINGS

Quantity Discounts Available  
only upon request provided  
all outstanding invoices  
are settled within 7 Days  
Disc. for 6 of any line item \$6 ea  
Disc. for 10 of any line item \$9 ea  
Disc. for 20 of any line item \$10 ea

**Wholesale Prices  
shown for \$165  
Minimum order**

**Retail: POA  
\$110 min order**

Plus freight & GST. All prices  
subject to change without notice

# Case Hardened Bushes - Precision Ground


## Suit 2.75" & 70mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B83-70X44	\$ 88	83.13mm	70.14mm	44.0mm	.53kg	Kawasaki	KLD 80 Z1 B/Of8
B83-70X55	\$ 98	83.13mm	70.14mm	55.0mm	.66kg	Kawasaki	KLD 80 Z1 B/Of8
B83-70X71	\$ 75	83.10mm	70.13mm	71.0mm		Kawasaki	KLD 95 Z B/Of8
B85G70G44	\$ 68	85.10mm	70.13mm	44.0mm	.59kg	Testk 2002	Bucket Bush
B85G70X50	\$ 84	85.15mm	70.18mm	50.0mm	.44 kg	CAT 311	2487835
B85G70X55	\$ 88	85.11mm	70.18mm	55.0mm	.73kg	404 325 400	IHI Bf8
B85G70G59	\$ 72	85.05mm	70.10mm	58.9mm	.80kg	20797388	Sandvik TB40 Boom Lift
B85-70G60	\$ 78	85.09mm	70.19mm	59.6mm	.82kg	707-76-70720	Komatsu
B85G70X60	\$ 92	85.10mm	70.12mm	59.7mm	.82kg	418-63-33140 & Kobelco	SK045-Bush-T
B85-70G65	\$ 92	85.08mm	70.21mm	64.8mm		418-70-11860	WA250-Bush-F
B85G70G65	\$ 80	85.07mm	70.24mm	64.8mm		Komatsu Bush	W120 707-76-70010
B85G70X66	\$ 94	85.13mm	70.18mm	66.0mm	.66kg	Kobelco	SK210-Bush-I
B85G70X67	\$ 98	85.15mm	70.30mm	66.8mm	.92kg	205-70-73180	PC200-Bush-HL, HR Of8
B85G70X69	\$ 98	85.12mm	70.19mm	68.9mm	.92kg	21K-70-12170	PC200-8-Bush-I B/Of8
B85-70-70	\$ 84	85.10mm	70.18mm	70.0mm	1.02kg	Testk	2004
B85-70X70	\$ 64	85.05mm	70.20mm	69.7mm	.97kg	707-76-70240	PC120-Bush-D,E Bf8
B85G70X70	\$ 97	85.07mm	70.15mm	70.0mm		707-76-70230	PC120-Bush-B,C Bf8
B85G70X75	\$ 92	85.10mm	70.15mm	75.0mm	1.03kg	Komatsu	PC200-Bush-HL
B85-70X77	\$ 85	85.15mm	70.18mm	76.9mm	1.08kg	203-70-56130	PC120-Bush-F Of8
B85G70X77	\$ 68	85.07mm	70.31mm	77.8mm		707-76-70120	PC200-6,7-Bush-HR
B85G70X78	\$ 98	85.07mm	70.16mm	78.0mm		707-76-70110	PC200-6,7-Bush-HR
B85-70G80	\$ 78	85.17mm	70.20mm	80.0mm		CAT325, CAT330	7Y3551
B85G70X80	\$ 98	85.11mm	70.20mm	80.0mm	1.11kg	Cat 241-7231	Kobelco SK135 Offset
B85G70X81	\$ 88	85.13mm	70.28mm	80.2mm	1.11kg	21K-70-13150	Komatsu
B85G70X84	\$ 110	85.13mm	70.29mm	84.8mm		21K-70-41411	203-70-4141 2xOf8
B85G70X85	\$ 114	85.13mm	70.16mm	84.7mm	1.18kg	203-70-56121	PC120-Bush-A 2xBf8
B85G70X86	\$ 114	85.10mm	70.18mm	85.0mm	1.19kg	205-70-71360	PC200-Bush-B,G
B85G70G86	\$ 99	85.08mm	70.16mm	85.8mm		707-76-70651	Komatsu Cylinders
B85G70X90	\$ 120	85.05mm	70.15mm	90.0mm	1.35kg	Testk 2016	Closed Fig.8 Groove
B85F70X96	\$ 98	85.19mm	70.20mm	96.0mm	1.35kg	Flange bush	21K-70-22130
B85G70X97	\$ 98	85.05mm	70.15mm	97.0mm	1.35kg	Kato HD900	Closed Fig.8 Groove
B86-70-25	\$ 56	86.00mm	70.20mm	25.0mm	.37kg	Case 580K	E176194
B86-70-28	\$ 56	86.01mm	70.20mm	28.0mm	.40kg	Case 580K	D135559
B86-70-30	\$ 56	86.01mm	70.20mm	30.0mm	.42kg	Case 580K	D135557
B86-70-32	\$ 46	86.00mm	70.20mm	32.0mm		Case 580K SS	E176196
B86-70-34	\$ 56	86.01mm	70.20mm	34.0mm	.51kg	Case	D135558 D138042 D155073
B86G70X80	\$ 120	86.01mm	70.18mm	80.0mm		Line Borer Bush	Testk 2004
B89G70G70	\$ 102	3.503"	2.756"	2.75"	1.26kg	Line Borer Bush	Testk 2004
B89G70G75	\$ 108	89.10mm	70.15mm	75.0mm		Kawasaki	KL 85 Z2

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Bushes for 70mm Ø Shaft continued next page

**PFERD**  
Rubber Drum Holders - 6mm Shank  
Complete PFERD range available  
Bulk orders available  
KSet Popular Selection



Size	Code	Price
38 Dia x 25 w	TL-GK3825 /6	\$ 39
45 Dia x 30 w	TL-GK4530 /6	\$ 39
51 Dia x 25 w	TL-GK5125 /6	\$ 47
60 Dia x 30 w	TL-GK6030 /6	\$ 50

Plus GST

**PFERD**  
Abrasives Spiral Bands - Zirconia  
Complete PFERD range available  
Bulk orders available  
KSet Popular Selection:



Size	Code	Price
38 Dia x 25 w	TL-GSB3825 Z60	\$ 3.25
45 Dia x 30 w	TL-GSB4530 Z60	\$ 3.25
51 Dia x 25 w	TL-GSB5125 Z60	\$ 3.50
60 Dia x 30 w	TL-GSB6030 Z80	\$ 3.50

Plus GST

**BUSHINGS**  
Quantity Discounts Available  
only upon request provided  
all outstanding invoices  
are settled within 7 Days  
Disc. for 6 of any line item \$6 ea  
Disc. for 10 of any line item \$9 ea  
Disc. for 20 of any line item \$10 ea

**Wholesale Prices**  
shown for \$165  
Minimum order

**Retail: POA**  
\$110 min order  
Plus freight & GST. All prices  
subject to change without notice



# Case Hardened Bushes - Precision Ground

## Suit 70mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B90-70-24	\$ 40	90.00mm	70.22mm	24.0mm	Case 580K	D135741
B90F70-24	\$ 38	90.00mm	70.22mm	24.0mm	Flange 94 Ø x 4.25	D135742
B90-70-30	\$ 52	90.00mm	70.21mm	30.0mm	Case 580K	D151060
B90-70-32	\$ 46	90.01mm	70.23mm	32.2mm	Case D151069	580SK-Top-Pivot
B90-70R32	\$ 32	90.00mm	70.20mm	32.0mm	Case 580K 2 Recesses 80 Ø x4.3	D135555
B90F70-33	\$ 32	90.00mm	70.19mm	33.0mm	Case D135740	580SK-Bush-AB
B90-70-38	\$ 48	90.01mm	70.19mm	37.8mm	Case D151070	580SK-Low-Piv
B90F70-38	\$ 40	90.00mm	70.19mm	38.0mm	Flange 94 Ø x4	D151071 580SK-Bush-AB
B90-70R38	\$ 32	90.00mm	70.20mm	38.0mm	2 x Recess 80 Ø x4.3	D135556
B90F70R38	\$ 40	90.00mm	70.22mm	38.0mm	Flange 94 Ø x4 2 Recesses 80 Ø x4.3	D136569
B90F70R39	\$ 66	90.00mm	70.22mm	39.3mm	Flange 94 Ø x4	D135740 580SK-Bush-B
B90-70R40	\$ 56	90.00mm	70.33mm	40.0mm	Case 580K 2 Recesses 80 Ø x4	E176209
B90-70-44	\$ 68	90.01mm	70.19mm	44.0mm	Case	580SK-Bush-F
B90G70G45	\$ 84	90.09mm	70.19mm	45.0mm	Greasable Bush	Cylinder Rod End
B90-70R50	\$ 75	90.00mm	70.20mm	49.7mm	Case 580K 2 Recesses 80 Ø x4.1	D136715
B90-70-50	\$ 76	90.01mm	70.19mm	49.8mm	Case 580	137250A1
B90G70G55	\$ 84	90.06mm	70.15mm	55.0mm	Greasable Bush	Rod End
B90G70X60	\$110	90.09mm	70.23mm	60.0mm	Greasable Bush	Scandinavia Logging
B90-70-63	\$ 84	90.02mm	70.22mm	63.2mm	Case 590	D151058
B90G70G69	\$104	90.06mm	70.15mm	69.0mm	Sandvik 23330018	Rod End
B90G70G80	\$104	90.10mm	70.18mm	80.0mm	Testk 2002	Greaseable Bush
B90-70X80	\$ 94	90.10mm	70.18mm	80.0mm	Kato	HD700V2 Bush-I B/Of8
B90-70X81	\$ 78	90.10mm	70.18mm	80.0mm	Kato	HD700V2 Bush-J Bf8
B90-70X86	\$ 88	90.10mm	70.18mm	86.0mm	Kato	HD700V2 Bush-K Bf8
B90G70X86	\$130	90.10mm	70.18mm	86.0mm	Kato 237-4200 2000	800V2,900 Bush-J
B90-70X100	\$148	90.12mm	70.23mm	100.0mm	Kato	800V2,900 Bush-K
B92-70-51	\$ 66	92.10mm	2.756"	50.8mm	Line Boring Bush	O.S. Testk
B93G70X86	\$140	93.10mm	70.17mm	86.0mm	O.S. Testk 2005	Bf8
B95G70G69	\$116	95.06mm	70.15mm	69.0mm	Sandvik 34453868	Bushing Tube
B100G70G85	\$170	100.13mm	70.11mm	85.0mm	Greasable	Line Bore Bush
B105G70G100	\$202	105.11mm	70.08mm	100.0mm	Greasable	Line Bore Bush
B108G70G70	\$176	108.11mm	70.08mm	69.77mm	Sandvik ML2D Lift Cyl Rod Eye	2873 4600
B100-70G142	\$210	112.08mm	70.23mm	142.0mm	1355553, 1141158	Bearing, Bucket

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

**Wholesale Prices apply only if Product Order is \$165 or more**  
excluding GST, freight and packaging

### SHORTEN BUSHES EASILY !

Code: TL-RNGN \$ 40 each plus GST  
RNRN 12 04 00T01020 670  
TL6-RNGN \$ 196 for 6  
Turning Insert -  
- Ceramic Whisker Reinforced -



### Hard Part Turning

Code: TL-SNGN \$ 45 each plus GST  
SNGN 12 07 08T01020 670  
TL6-SNGN \$ 230 for 6

### Turning Insert

Ceramic Whisker Reinforced -  
A silicon carbide aluminium oxide based ceramic with excellent bulk toughness. Recommended for **Hard Part Turning** in unfavourable conditions



### BUSHINGS

Quantity Discounts Available  
only upon request provided  
all outstanding invoices  
are settled within 7 Days  
Disc. for 4 of any line item \$6 ea  
Disc. for 10 of any line item \$9 ea  
Disc. for 20 of any line item \$12 ea

**Wholesale Prices**  
shown for **\$165**  
Minimum order

**Retail: POA**  
**\$110 min order**

Plus freight & GST. All prices  
subject to change without notice