

Induction Hardened Pin Steel - K1045 and 4140

100mm Diameter Pins & Shaft:

KSet Part No.	Price EX GST	Diameter	Length	Manufacture Notes	Machine Locations
P100G161P	\$380	99.93	161mmUH	20T-70-71541	Komatsu PC45-Pin-TU
PG100G165Mw	\$280	99.93	180mm	LWH Pin, 1 only	LWH-069-105B
P100-180M	\$255	99.93	180mm	20T-70-71551	Komatsu PC45-Pin-TL
P100-240P	\$298	99.9mm	240mmUH	207-70-31190, 30090	Komatsu PC300-Pin-D,E
P100-259P	\$320	99.75mm	259mmUH	Cat325, 330	Similar to 117-5435
P100-263P	\$288	99.9mm	263mmUH	206-70-71420	PC270-Pin-B
P100-270P	\$298	99.9mm	270mmUH	208-70-31210, 61210	PC400, 450-Pin-B
P100-275W	\$160	99.9mm	275mm	Tapped End Without End Plate Use for	PC400, 450-Pin-B
P100-304P	\$310	99.9mm	304mmUH	Hitachi P100-318P	ZX450H-3-Pin-G
P100-310P	\$310	99.9mm	310mmUH	207-70-61191	PC300-6-Pin-D
P100G350P	\$490	99.92	350mmUH	Volvo L180E-pin-B G=175uh P=Q91	Lif Cyl / Body
P100G370G	\$685	99.82	370mm	503147	FBL10-Pin-J
P100-553P	\$496	99.9mm	553mmUH	208-70-33140 F120N12 208-70-73131	PC400,450-Pin-H,I
PG100-554P	\$690	99.9mm	553mmUH	Ind. Hard 4140 for Hammer	PC400,450-Pin-Ham
P100-567P	\$395	99.9mm	567mmUH	251-2557 DB Family	Cat330D-Pin-H
P100-580P	\$580	99.9mm	580mmUH	VOE1451 8061	Volvo EC460-Pin-I
P100-614P	\$448	99.9mm	614mmUH	251-2552 DB Family	Cat330D-Pin-J
P100-615P	\$526	99.9mm	615mmUH	208-70-33130 F120N12 208-70-73520	PC400,450-Pin-J,K
P100-635P	\$526	99.9mm	615mmUH	Hitachi P=H96 D23 C50	ZX350-Pin-K
P100-640P	\$526	99.9mm	640mmUH	Sumitomo P=H96 D21 C30	SH460-Pin-K
P100-651	\$460	99.9mm	650mm	Induction Hardened K1045	50 mm Mild One End
PG100-651	\$560	99.96	650mm	Induction Hardened 4140	50 mm Mild One End
P100-666P	\$590	99.9mm	666mmUH	VOE1450 8374 Or P100-660P	Volvo EC460-Pin-K
P100-680P	\$500	99.9mm	680mmUH	Caterpillar compatible	CAT330D-Pin-H
P100-690P	\$500	99.9mm	690mmUH	Sumitomo Aftermarket Made in Australia	SH460-Pin
P100-800P	\$598	99.9mm	796mmUH	206-70-55270	Komatsu PC220-Pin-A
P100-801	\$480	99.9mm	800mm	Induction Hardened K1045	50 mm Mild One End
P100-940	\$698	99.9mm	940mm	207-70-31172	PC300,350-PIN-C
P100-1000	\$540	99.9mm	1metre	K1045 h10	Induction Hardened Full Length
P100+Cut	\$490/m + \$65		per cut	K1045 h9	Induction Hardened Up to 6 metres
PG100+Cut	\$630/m + \$65		per cut	Precision Peeled h9 4140	Induction Hardened
PG100+Cut	\$740/m + \$65		per cut	Hard Chrome 4140 / 480	Induction Hardened

4 inch Diameter Pins & Shaft:

P102G229	\$480	3.998"	229mm	913-500003	Eimco 6480 2959
P102G240TP	\$480	3.998"	240mmUH	A2U220-193387 Nut=A2U220-196134	Eimco ED10
P102-250C	\$310	3.996"	250mm	9J2366 M13.5 C36J 67	CAT D11 Tilt Cyl / Push Arm
P102-325C	\$350	3.996"	325mm	9J2593 M13.5 C36 J67	CAT D11 Tilt Cyl / Blade x2
P102-420M	\$490	3.996"	420mm	238 040 Slot30x22Deep both ends	Eimco 5/8UNCx25
P102-421M	\$490	3.996"	420mm	A2U130-193431 5/8UNCx25	Was Eimco 238 040
P102-440C	\$410	3.997"	440mm	130-3434	CAT D11 Push Arm / Con Block
P102-840	\$440	3.997"	840mm	K1045 h9 1 Off	Induction Hardened Full Length
P102-900	\$460	3.997"	900mm	K1045 h10 1 Off	Induction Hardened Full Length
P102-1000	\$555	3.997"	1metre	K1045 h10	Induction Hardened Full Length
P102+Cut	\$500/m + \$65		per cut	K1045 h9	Induction Hardened 6 metre Length

Aftermarket Caterpillar Pins

KSet Engineering

Dimensions shown are for the KSet Engineered Pin, not for similar OEM Parts.

Grease for Hardened Bushes

Renolit XTB2 450g

Long life multipurpose grease specially designed for extreme bearing applications. Suits a variety of automotive applications including wheel bearing and general chassis lubrication

Product Code : GR-XTB2 \$10 ea + GST



Grease for Pin Steel
Grease for Excavator Bushes
Maitland Hunter Valley NSW

Pins and Bushes
Shims and Seals
Tools and Cutters
Retail Orders \$110
& under add 50%

Plus freight & GST. All prices subject to change without notice

Induction Hardened Pin Steel - K1045 and 4140

<u>KSet Part No.</u>	<u>Price</u> EX GST	<u>Diameter</u>	<u>Length</u>	<u>Manufacture Notes</u>	<u>Machine Locations</u>
P108-232P	\$ 370	4.249"	232mmUH	1V8957	Caterpillar Wheel Loader
P108-390P	\$ 528	4.249"	390mmUH	304-7349	CAT 980H
P108-391P	\$ 528	4.249"	391mmUH	Caterpillar 1V8949	CAT 980G-Pin-B
P108+Cut	\$640/m	+\$75	per cut	K1045 h9 Centreless Ground Induction Hardened	
P110-198P	\$ 420	109.9mm	198mmUH	41K-70-15240 Frame Support (4)	WF450T-1
P110G229P	\$ 440	109.9mm	229mmUH	421-70-11970	Komatsu WA450, 470-Pin-C
P110-235P	\$ 330	109.9mm	235mmUH	424-70-11940	WA420-Pin-E
P110G240P	\$ 365	109.9mm	240mmUH	424-70-11960	424-70-11950 WA WA380, 420-Pin-D
P110-245P	\$ 360	109.9mm	245mmUH	8069305, 8080936	EX350-Pin-B
P110-270P	\$ 298	109.9mm	270mmUH	208-70-61220, 31190	PC400-Pin-E
P110G283P	\$ 680	109.9mm	283mmUH	425-70-11310, 11320	WA500-1-Pin-J
P110-287P	\$ 400	109.9mm	287mmUH	Hitachi	ZX450H-3-Pin-B
P110-295P	\$ 430	109.9mm	295mmUH	425-70-11920	WA500-Pin-L,K
P110G299P	\$ 480	109.9mm	299mmUH	421-70-31950	Q120 Plate WA480-6-Pin-A
P110G300P	\$ 460	109.9mm	300mmUH	425-70-11720	WA500-Pin-J
P110G301P	\$ 460	109.9mm	300mmUH	421-70-11980	WA450, 470-Pin-B
P110G302P	\$ 450	109.9mm	300mmUH	Hyundai Wheel Loader	HL757-9-Pin-F
P110-307P	\$ 485	109.9mm	307mmUH	3079492	Aftermarket Made in Australia EX350-Pin-D,E
P110G310P	\$ 710	109.9mm	299mmUH	421-70-31950	WA470-7-Pin-A
P110-330P	\$ 338	109.9mm	330mmUH	Komatsu - 208-70-61191	PC400-Pin-D
P110G340P	\$ 480	109.9mm	340mmUH	421-70-11950	WA450, 470-Pin-A
P110-522P	\$ 498	109.9mm	522mmUH	207-70-61181, 207-70-31180	PC300-Pin-F
P110-526P	\$ 558	109.9mm	526mmUH	Sany	Aftermarket Made in Australia SY335-Pin-F
P110-580P	\$ 660	109.9mm	580mmUH	Volvo EC460	EC460-Pin-H
P110-582P	\$ 790	109.9mm	582mmUH	Komatsu - 21M-70-11171	PC600-6-Pin-H,I
P110-591P	\$ 650	109.9mm	591mmUH	Hitachi - 8069307 - P=Q150	EX350-Pin-F
P110-625P	\$ 780	109.9mm	625mmUH	235-7636	CAT345-Pin-J
P110-636P	\$ 986	109.9mm	636mmUH	Komatsu - 209-70-73140	PC800-Pin-H
P110-651	\$ 550	109.9mm	650mm	Induction Hardened K1045	20mm Mild One End
P110-675P	\$ 780	109.9mm	675mmUH	Hitachi	EX450-Pin-J,K
P110-703P	\$ 740	109.9mm	703mmUH	Volvo VOE1454 8375	EC460-Pin-J
P110-710P	\$ 820	109.9mm	675mmUH	Hitachi	Aftermarket Made in Australia ZX450-Pin-J
P110-800	\$ 540	109.9mm	800mm	K1045 h10 - Induction	Hardened Full Length
P110-952	\$ 902	109.9mm	952mm	Hitachi	Aftermarket Made in Australia EX350-Pin-C
P110-978	\$ 810	109.9mm	979mm	Induction Hardened K1045	54mm Mild Each End
P110-986	\$ 688	109.9mm	985mm	Komatsu - 208-70-31172	PC400-Pin-C
P110-995P	\$ 798	109.9mm	995mmUH	Komatsu - 207-70-31160	PC300-Pin-A
P110-999P	\$ 880	109.9mm	999mmUH	8069273 K9	EX350-Pin-A
P110-1000	\$ 700	109.9mm	1000mm	Induction Hardened K1045	Precision Ground
P110-1030	\$ 850	109.9mm	1030mm	To Make	Aftermarket Made in Australia CAT-330-Pin-C
P110+Cut	\$580/m	+\$75	per cut	K1045 h9 Peeled	Induction Hardened
P110+Cut	\$670/m	+\$75	per cut	K1045 h9 Centreless Ground	Induction Hardened
PG110+Cut	\$720/m	+\$75	per cut	4140 h9 Centreless Ground	Induction Hardened

**Pivot Pins, Bushes
Shims, Seals
for Excavator Loader Bucket**
for delivery to Perth WA next day.
Perth Pin Steel Cut & delivered
next day using TNT next day
delivery service

**Perth Steel Next Day
@ \$8.80 / kg**

Eg: 90mm x 1 metre bar \$460
Plus 54 kg Air Freight \$475
Free Into Store = \$935

Eg: 90mm Pin x 600mm \$300
Plus 34 kg Air Freight \$299
Free Into Store = \$599

**Excavator Pivot Pins
Excavator Pin Steel**
Hunter Valley Engineering
Hunter Valley
Engineering Supplies
Hunter Valley
Engineering Steels

High Tensile Pivot Pins
for Load Haul Dump Machines
Hunter Valley
Lineborer Supplies

**Bushes and Pins
Seals and Shims
Cutters and Tools**
**Retail Orders \$110
& under add 50%**
Plus freight & GST. All prices
subject to change without notice

Dimensions shown are for the KSet Engineered Pin, not for similar OEM Parts.

Induction Hardened Pin Steel - K1045 and 4140

4.5" Diameter Pins & Shaft:

<u>KSet Part No.</u>	<u>Price</u> Ex GST	<u>Diameter</u>	<u>Length</u>	<u>Manufacture Notes</u>	<u>Machine Locations</u>
P114-350P	\$ 550	4.498"	350mmUH	Drawbar/Toobar K6x15°	D11-Pin-A 9J3226
P114-370P	\$ 610	4.497"	370mmUH	Drawbar/Mainfame X203	D11 Ripper
P114-390	\$ 445	4.497"	390mm	Induction Hardened K1045	40mm Mild One End
P114-390P	\$ 610	4.498"	390mmUH	1V-8947 P=X128	CAT 980G-Pin-A
P114-420	\$ 340	4.497"	420mm	Aftermarket Caterpillar Pins	KSet Engineering
P114-491P	\$ 720	4.497"	491mmUH	4T8901 Aftermarket	D11 Ripper Pin
P114+Cut	\$ 660/m + \$75		per cut	K1045 Induction Hardened Precision Ground h9	

115mm Diameter Pins & Shaft:

<u>KSet Part No.</u>	<u>Price</u> Ex GST	<u>Diameter</u>	<u>Length</u>	<u>Manufacture Notes</u>	<u>Machine Locations</u>
P115-637P	\$ 780	114.9 mm	637mmUH	Komatsu - 209-70-57340 Y126	PC800-Pin-I
P115-641P	\$ 800	114.9 mm	641mmUH	Komatsu - 21M-70-11260	PC600-6-Pin-K
P115-662	\$ 630	114.9 mm	662mm	K1045 h10 - Induction	Hardened Full Length
P115-712P	\$ 940	114.9 mm	712mmUH	Komatsu - 209-70-57350 Y126	PC800-Pin-K
P115-740P	\$ 950	114.9 mm	740mmUH	Komatsu - 21M-70-11160	PC600-6-Pin-J
P115-762	\$ 570	114.9 mm	752mm	K1045 h10 - Induction	Hardened Full Length
P115-800	\$ 620	114.9 mm	800mm	K1045 h10 - Induction	Hardened Full Length
P115+Cut	\$ 680/m + \$75		per cut	K1045 h9 Induction Hardened	Up to 6 metres

120mm Diameter Pins & Shaft:

P120-250P	\$ 400	119.9mm	250mmUH	Komatsu - 421-70-21960 X120	WA470-Pin-D
P120G258P	\$ 400	119.9mm	258mmUH	Komatsu - 425-70-11770 X120	WA500-Pin-C
P120-259P	\$ 350	119.9mm	259mmUH	Komatsu - 421-70-11940	WA470-Pin-E
P120-268	\$ 290	119.9mm	268mm	Induction Hardened	20 mm Mild One End
P120-270	\$ 300	119.9mm	270mm	Induction Hardened	20 mm Mild One End
P120G293P	\$ 420	119.9mm	293mmUH	Komatsu - 425-70-31970 X119	WA500-6-Pin-C
P120G304P	\$ 460	119.9mm	304mmUH	WA470-5-Pin-D 425-70-11950	WA500-Pin-D,E
P120-314	\$ 290	119.9mm	314mm	Induction Hardened	20 mm Mild One End
P120G330P	\$ 550	119.9mm	330mmUH	Komatsu - 425-70-31910	WA500-6-Pin-J
P120-353P	\$ 495	119.9mm	353mmUH	Komatsu - 425-70-31920	WA500-6-Pin-L,K
P120G370P	\$ 480	119.9mm	370mmUH	Komatsu - 425-70-11780 X121	WA500-Pin-B
P120G371P	\$ 480	119.9mm	370mmUH	Komatsu - 425-70-11790 X121	WA500-Pin-A
P120-390P	\$ 580	119.9mm	390mmUH	Komatsu - 424-70-11950	WA380, 420-Pin-F
P120-570P	\$ 600	119.9mm	570mmUH	208-70-31180, 31181	PC400, 450-Pin-F
P120-600	\$ 530	119.9mm	600mm	Induction Hardened	K1045 Ground h9
P120-800	\$ 680	119.9mm	800mm	Induction Hardened	K1045 Ground h9
P120-996P	\$ 890	119.9mm	996mmUH	Komatsu - 208-70-31161	PC400-Pin-A K16
P120+Cut	\$ 750/m + \$75		per cut	K1045 h9 Induction Hardened Precision Ground	

Dimensions shown are for the KSet Engineered Pin, not for similar OEM Parts.

PIN WIPERS - SEALS

135 Dia x 120 Dia x 4mm wide
Code: **SL135-120-04**
\$ 28 ea plus GST



SHIM KITS

Code: **SM121 \$ 64** per kit,
plus Gst
170 Dia x **121.0 Dia**
Width: 1mm, 2mm, 3mm
2 of each per Kit

Code: **SM122 \$ 64** per kit,
plus Gst
185 Dia x **121.0 Dia**
Width: 1mm, 2mm, 3mm
2 of each per Kit



Wholesale Prices
shown for **\$165**
Minimum order

Retail: POA
\$110 min order

Plus freight & GST. All prices
subject to change without notice