

BASIC ACRYLIC MONOMER MANUFACTURERS, INC.

GLOBAL PRODUCT SUMMARY: ISO-BUTYL ACRYLATE

(Last Updated: April 6, 2024)

[Disclaimer](#)

SUBSTANCE NAME

Isobutyl acrylate

GENERAL STATEMENT

Iso-butyl acrylate (iBA) is a colorless volatile liquid with an acrid odor. It is used in the production of coatings, elastomers, adhesives, thickeners, surfactants, fibers, plastics, textiles and inks.

CHEMICAL IDENTITY


Name: Isobutyl acrylate

Chemical name (IUPAC): isobutyl acrylate

Synonym: 2-Propenoic acid, 2-methylpropyl ester

CAS number(s): 106-63-8

Molecular formula: C₇H₁₂O₂



Structure:

USES AND APPLICATIONS

Acrylate esters, the family of chemicals to which iBA belongs, are used primarily as reactive building blocks to produce coatings and inks, adhesives, sealants, textiles, and plastics. Specifically, iBA is used in the following applications:

- **Adhesives:** for use in construction and pressure-sensitive adhesives as a co-monomer
- **Coatings:** monomers used to produce polymers for architectural, decorative, industrial, paper and roof coatings
- **Leather:** to produce different polymer finishes, particularly nubuck and suede
- **Plastics:** for the manufacture of a variety of plastics
- **Fibers:** in the manufacture of fibers of both woven and non-woven textiles as a copolymer. The fibers are in turn used for e.g. the manufacture of textiles.

iBA is not sold for direct consumer use and the manufacturers do not support the use in consumer products. iBA is used as a raw material to make a variety of goods used by consumers or construction personnel, including those listed above. Iso-IBA can be present in trace amounts as residual monomer in consumer/finished products, including paints.

PHYSICAL/CHEMICAL PROPERTIES

The following table includes information which refers to testing performed with the concentrated substance. It is not intended to be comprehensive or to replace information found in the Safety Data Sheet (SDS). A Safety Data Sheet may be obtained from one of the manufacturers.

Property	Value
Physical state	Liquid (at room temperature)
Color	Colorless
Odor	ester like
Density	0.8896 g/cm ³ @ 20 °C
Melting / boiling point	-61 °C / 137.8 °C @ atmospheric pressure
Flammability	Flammable upon ignition. The substance has no pyrophoric properties and does not liberate flammable gases on contact with water.
Explosive properties	Non-explosive
Self-ignition temperature	350 °C
Vapor pressure	10 hPa @ 25°C
Molecular weight	128.169
Water solubility	1.8 g/L @ 25°C
Flash point	30°C 1013 hPa
Octanol-water partition coefficient (Log Pow)	2.38@ 25°C

HUMAN HEALTH SAFETY ASSESSMENT

Information for the general population and consumers handling products made with isobutyl acrylate.

Acrylate esters, including isobutyl acrylate, have a very strong, unpleasant odor that may be bothersome. However, the smell of acrylates does not necessarily indicate a health hazard.

Like any reactive chemical, iBA can create hazards if not handled properly. The primary hazard with iBA is from inhalation of its vapors, being moderately toxic. iBA is of low toxicity if swallowed and after short-term contact with skin and causes irritation to skin and the respiratory tract. Repeated skin contact may cause allergic skin reactions. Animal studies have not indicated that iBA causes cancer, specific target organ toxicity or reproductive toxicity.

The following table includes information for someone handling the concentrated substance. The data, while verifiable, are not intended to be comprehensive nor replace the information found in the SDS.

Effect Assessment	Result
Acute Toxicity Oral / inhalation / dermal	Harmful if inhaled. May be harmful after skin contact and if swallowed.
Irritation / corrosion Skin / eye/ respiratory tract	Contact may cause skin irritation. May cause irritation to upper respiratory tract (nose and throat).
Sensitization	May cause an allergic skin reaction.
Toxicity after repeated exposure Oral / inhalation / dermal	Based on structurally similar substance, after repeated exposure the predominant effect is local irritation. The degree of irritation depends on the concentration of the product and the duration of exposure.
Genotoxicity / Mutagenicity	Based on the available test data, not expected to cause genetic effects.
Carcinogenicity	Did not cause cancer in long term animal studies. Data taken from studies of the structural analogue n-butyl acrylate.
Toxicity for reproduction	Not expected to cause developmental or reproduction toxicity. Structurally similar substances did not cause adverse effects in fetuses at doses that were not toxic to the mother in laboratory animals. Structurally similar substances did not cause reproductive effects in laboratory animals. In addition, no effects were seen on reproductive organs in long-term animal studies.

ENVIRONMENTAL SAFETY ASSESSMENT

In contact with water, Isobutyl acrylate will hydrolyze slowly, also photodegradation in air will proceed slowly. Iso-Butyl Acrylate was not biodegradable in an OECD 310-Screening test. Based on an experimental log Pow and calculated BCF, there is no indication of bioaccumulation potential. Adsorption of isobutyl acrylate to the solid soil phase is not expected. Iso-Butyl acrylate is toxic to aquatic organisms (fish, algae, invertebrates).

The following tables include information for testing performed with the concentrated substance. Additional information may be obtained from a manufacturer's SDS.

Effect Assessment	Result
Aquatic Toxicity	Toxic for aquatic organisms. Harmful to aquatic life with long lasting effects. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Fate and behavior	Result
Biodegradation	Readily biodegradable.
Bioaccumulation potential	Not expected to bioaccumulate.
PBT / vPvB conclusion*	Not considered to be either PBT nor vPvB

* Persistent/Bioaccumulative/Toxic (PBT) very Persistent-very Bioaccumulative (vPvB)

EXPOSURE

Human health

Isobutyl acrylate is used in the production of industrial and consumer products.

- **Workplace exposure** – Exposure can occur either in an iBA manufacturing facility or in the various industrial or manufacturing facilities that use iBA. It is produced, distributed, stored and reacted in closed systems. Those working with iBA in manufacturing operations could be exposed during maintenance, sampling, testing, manual transfer, or other procedures. Workplace exposure is controlled by the use of proper industrial handling procedures and safety equipment.
- **Consumer exposure to products containing isobutyl acrylate** – iBA is not sold for direct consumer use, but it is used as a raw material to make a variety of goods used by consumers or construction personnel and could be present in trace amounts as residual monomer in consumer products, including paints.

Environment

Potential releases into the environment are limited and for the most part occur only during production and processing, typically via wastewater and exhaust gases. If accidentally released to surface water, it rapidly biodegrades and will not persist in the environment and will not accumulate in the food chain.

RISK MANAGEMENT RECOMMENDATIONS

Industrial Manufacturing and Processing

In industrial manufacturing and processing applications, it is always important to obtain a current Safety Data Sheet (SDS) from your supplier, follow the guidance provided and comply with applicable regulations.

Acrylates and products containing them should always be handled in well ventilated areas. Each manufacturing facility should have a thorough training program for employees, appropriate work processes, and safety equipment in place to limit unnecessary exposure.

In the event of a spill, the focus is on containing the spill to prevent contamination of soil, ditches, sewers, or surface or ground water. Only trained and properly protected personnel should be involved in clean-up operations.

Professional Applications

Before using any chemical product, the user should be properly trained in safe handling procedures for that product. This means that they should always contact the supplier of the product being used to obtain the most current safe handling advice and follow all instructions and warnings.

Consumer Applications

It is important to read and follow all warnings and instructions on the product label or packaging.

REGULATORY INFORMATION

This substance is subject to a number of federal and international statutes and regulations. Selected U.S. regulatory information is available on the [BAMM website](#). Other federal, state and local regulations may apply.

This substance has been registered under EU chemical control law known as REACH (Registration, Evaluation, Authorisation and Restriction of Chemical substances), and is listed on various chemical inventories. It has been reviewed under the OECD SIDS (Screening Information Data Set) program.

While the toxicological data are not specific to a particular region, the regulatory frameworks differ between countries and regions. The Global Harmonized System managed by the United Nations (UN-GHS) attempts to standardize hazard communication so that the intended audience (workers, consumers, transport workers, and emergency responders) can better understand the hazards of the chemicals in use.

Under the UN-GHS, substances are classified according to their physical, health, and environmental hazards.

Note: The hazard statements and symbols presented here refer to the hazard properties of the concentrated substance and are meant to provide a brief overview of the substance's labelling. It is not intended to be comprehensive or to replace information found in the SDS.

Signal word: Warning

Hazard pictogram:

GHS02: flame



GHS07: exclamation mark



GHS Classifications	Hazard Statements
Flammable Liquid Category 3	H226: Flammable liquid and vapour.
Acute Oral Toxicity Category 5	H303: May be harmful if swallowed.
Acute Dermal Toxicity Category 5	H313: May be harmful in contact with skin.
Skin Irritation Category 2	H315: Causes skin irritation.
Skin Sensitization Category 1B	H317: May cause an allergic skin reaction.
Acute Inhalation Toxicity Category 4	H332: Harmful if inhaled.
Specific target organ toxicity – single exposure (STOT-SE) Category 3	H335: May cause respiratory irritation.
Aquatic Acute Category 2	H401: Toxic to aquatic life.
Aquatic Chronic Category 3	H412: Harmful to aquatic life with long lasting effects.

ADDITIONAL INFORMATION

Information on registered substance (ECHA)

<https://echa.europa.eu/en/information-on-chemicals/registered-substances>

IFA GESTIS-database on hazardous substances

<https://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

OECD SIDS

http://webnet.oecd.org/Hpv/UI/SIDS_Details.aspx?id=09f4031d-8511-4ebb-998b-41fedbbff04b

CONTACT

For further information on this substance or product safety summaries in general, please contact BAMM. Click on a logo below to go to the company's website.

The logo for Arkema, featuring the word "ARKEMA" in a bold, sans-serif font. The letters "ARKE" are in dark blue, and the letters "MA" are in a light green color.

Glossary

Acute toxicity - harmful effects after a single exposure

Bioaccumulation - accumulation of substance in an organism

Biodegradation- chemical breakdown of substances by a physiological environment

Carcinogenicity - effects causing cancer

Chronic toxicity - harmful effects after repeated exposures

Clastogen - a substance that causes breaks in chromosomes

Embryotoxicity - harmful effects on fetal health

EU - European Union

eSDS -Extended Safety Data Sheet

GHS -Global Harmonized System managed by the United Nations (UN-GHS)

Hazard - situation bearing a threat to health and environment

HPV-High Production Volume

ICCA-International Council of Chemical Associations

Mutagenicity - effects that change genes

OECD-Organisation for Economic co-operation and Development

Concentrated - Non-formulated undiluted substance

REACH-Registration, Evaluation, Authorisation and Restriction of Chemical substances

Reprotoxicity - combining teratogenicity, embryotoxicity and harmful effects on fertility

SIDS - Screening Inventory Data set

SDS-Safety Data Sheet

Sensitizing - causes allergies

Teratogenic - effects on fetal morphology

PBT / vPvB-Persistent, Bioaccumulative and Toxic/ Very Persistent and Very Bioaccumulative

Disclaimer

This document is not intended to be comprehensive. It is provided solely as background information and should not substitute for an up-to-date Safety Data Sheet or research should specific regulatory or other legal questions arise. It is not intended to be a statement of legal requirements when using or handling acrylates. Although the information is believed to be accurate as of the last update, new information may become available and regulations frequently change, and no warranty, expressed or implied, is made concerning the contents. In addition, many states and localities adopt their own regulations, which are not covered by this summary or on the [BAMM website](#). In all events, the user should consult applicable laws and regulations, as well as their supplier's Safety Data Sheet, for current information and requirements. **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN.**